

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 590 high school students in South East Region during February of 2011. Frequency distributions may not total 590 due to nonresponse and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 12 years old or younger	0	0.0%
b. 13 years old	0	0.0%
c. 14 years old	37	6.3%
d. 15 years old	139	23.6%
e. 16 years old	146	24.8%
f. 17 years old	161	27.3%
g. 18 years old or older	106	18.0%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Female	304	51.5%
b. Male	286	48.5%
<b>Total</b>	<b>590</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 9th grade	144	24.5%
b. 10th grade	139	23.7%
c. 11th grade	138	23.5%
d. 12th grade	166	28.3%
e. Ungraded or other grade	0	0.0%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	36	6.2%
b. No	547	93.8%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. American Indian or Alaskan Native	89	15.1%
b. Asian	13	2.2%
c. Black or African American	11	1.9%
d. Native Hawaiian or Other Pacific Islander	5	0.8%
e. White	513	86.9%
(More than one response allowed) <b>Total</b>	<b>631</b>	<b>106.9%</b>

<i>Q-6. How tall are you without your shoes on?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Less than 4 ft	1	0.2%
b. 4ft to 4 ft, 6 in	1	0.2%
c. 4ft, 7in to 5 ft	10	1.7%
d. 5ft, 1in to 5ft, 6in	233	39.8%
e. Over 5ft, 6in	341	58.2%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. How much do you weigh without your shoes on?</i>	<u>Count</u>	<u>Percent</u>
a. Less than 90 lbs	1	0.2%
b. 90-99 lbs	6	1.0%
c. 100-109 lbs	23	4.0%
d. 110-119lbs	64	11.1%
e. 120-129 lbs	70	12.1%
f. 130-139 lbs	93	16.1%
g. 140 lbs +	322	55.6%
	<b>Total</b>	<b>579</b>
		<b>100.0%</b>

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u>Count</u>	<u>Percent</u>
a. I did not ride a bicycle during the past 12 months	246	41.8%
b. Never wore a helmet	312	53.0%
c. Rarely wore a helmet	17	2.9%
d. Sometimes wore a helmet	10	1.7%
e. Most of the time wore a helmet	1	0.2%
f. Always wore a helmet	3	0.5%
	<b>Total</b>	<b>589</b>
		<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u>Count</u>	<u>Percent</u>
a. Never	36	6.1%
b. Rarely	80	13.6%
c. Sometimes	147	25.0%
d. Most of the time	190	32.3%
e. Always	136	23.1%
	<b>Total</b>	<b>589</b>
		<b>100.0%</b>

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u>Count</u>	<u>Percent</u>
a. Never	58	9.9%
b. Rarely	62	10.6%
c. Sometimes	108	18.4%
d. Most of the time	132	22.5%
e. Always	226	38.6%
	<b>Total</b>	<b>586</b>
		<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	431	73.3%
b. 1 time	51	8.7%
c. 2 or 3 times	63	10.7%
d. 4 or 5 times	17	2.9%
e. 6 or more times	26	4.4%
	<b>Total</b>	<b>588</b>
		<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	503	86.3%
b. 1 time	33	5.7%
c. 2 or 3 times	28	4.8%
d. 4 or 5 times	5	0.9%
e. 6 or more times	14	2.4%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	269	45.7%
b. 1 or 2 days	62	10.5%
c. 3 to 5 days	33	5.6%
d. 6 to 9 days	35	6.0%
e. 10 to 19 days	48	8.2%
f. 20 to 29 days	50	8.5%
g. All 30 days	91	15.5%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	234	39.7%
b. 1 or 2 days	97	16.5%
c. 3 to 5 days	76	12.9%
d. 6 to 9 days	66	11.2%
e. 10 to 19 days	49	8.3%
f. 20 to 29 days	28	4.8%
g. All 30 days	39	6.6%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	422	71.9%
b. 1 day	26	4.4%
c. 2 or 3 days	24	4.1%
d. 4 or 5 days	22	3.7%
e. 6 or more days	93	15.8%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

<i>Q-16. During the past 30 days, on how many days did you carry a gun?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	510	86.4%
b. 1 day	17	2.9%
c. 2 or 3 days	24	4.1%
d. 4 or 5 days	18	3.1%
e. 6 or more days	21	3.6%
<b>Total</b>	<b>590</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-17. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	522	88.5%
b. 1 day	14	2.4%
c. 2 or 3 days	9	1.5%
d. 4 or 5 days	5	0.8%
e. 6 or more days	40	6.8%
<b>Total</b>	<b>590</b>	<b>100.0%</b>

<i>Q-18. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	564	95.9%
b. 1 day	9	1.5%
c. 2 or 3 days	4	0.7%
d. 4 or 5 days	5	0.9%
e. 6 or more days	6	1.0%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-19. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	464	79.3%
b. 1 time	55	9.4%
c. 2 or 3 times	39	6.7%
d. 4 or 5 times	12	2.1%
e. 6 or 7 times	5	0.9%
f. 8 or 9 times	1	0.2%
g. 10 or 11 times	1	0.2%
h. 12 or more times	8	1.4%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

<i>Q-20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	552	93.6%
b. 1 time	16	2.7%
c. 2 or 3 times	9	1.5%
d. 4 or 5 times	3	0.5%
e. 6 or 7 times	2	0.3%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	0	0.0%
h. 12 or more times	8	1.4%
<b>Total</b>	<b>590</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-21. During the past 12 months, how many times were you in a physical fight?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	415	70.6%
b. 1 time	73	12.4%
c. 2 or 3 times	57	9.7%
d. 4 or 5 times	16	2.7%
e. 6 or 7 times	6	1.0%
f. 8 or 9 times	5	0.9%
g. 10 or 11 times	3	0.5%
h. 12 or more times	13	2.2%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	565	96.3%
b. 1 time	11	1.9%
c. 2 or 3 times	7	1.2%
d. 4 or 5 times	0	0.0%
e. 6 or more times	4	0.7%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

<i>Q-23. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	522	88.5%
b. 1 time	41	6.9%
c. 2 or 3 times	14	2.4%
d. 4 or 5 times	6	1.0%
e. 6 or 7 times	1	0.2%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	0	0.0%
h. 12 or more times	6	1.0%
<b>Total</b>	<b>590</b>	<b>100.0%</b>

<i>Q-24. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	73	12.5%
b. No	512	87.5%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

<i>Q-25. Have you ever been physically forced to have sexual intercourse when you did not want to?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	66	11.3%
b. No	520	88.7%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

<i>Q-26. During the past 12 months, have you ever been bullied on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	160	27.2%
b. No	428	72.8%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-27. *During the past 12 months, have you ever been electronically bullied?  
(Include being bullied through e-mail, chat rooms, instant messaging,  
Web sites, or texting.)*

	<u>Count</u>	<u>Percent</u>
a. Yes	110	18.7%
b. No	477	81.3%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

Q-28. *During the past 12 months, did you ever feel so sad or hopeless almost  
every day for two weeks or more in a row that you stopped doing some  
usual activities?*

	<u>Count</u>	<u>Percent</u>
a. Yes	145	25.0%
b. No	435	75.0%
<b>Total</b>	<b>580</b>	<b>100.0%</b>

Q-29. *During the past 12 months, did you ever seriously consider attempting  
suicide?*

	<u>Count</u>	<u>Percent</u>
a. Yes	86	14.7%
b. No	499	85.3%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

Q-30. *During the past 12 months, did you make a plan about how you would  
attempt suicide?*

	<u>Count</u>	<u>Percent</u>
a. Yes	73	12.5%
b. No	512	87.5%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

Q-31. *During the past 12 months, how many times did you actually attempt  
suicide?*

	<u>Count</u>	<u>Percent</u>
a. 0 times	512	88.6%
b. 1 time	40	6.9%
c. 2 or 3 times	18	3.1%
d. 4 or 5 times	3	0.5%
e. 6 or more times	5	0.9%
<b>Total</b>	<b>578</b>	<b>100.0%</b>

Q-32. *If you attempted suicide during the past 12 months, did any attempt  
result in an injury, poisoning, or overdose that had to be treated by a  
doctor or nurse?*

	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide	504	86.0%
b. Yes	22	3.8%
c. No	60	10.2%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

Q-33. *Have you ever tried cigarette smoking, even one or two puffs?*

	<u>Count</u>	<u>Percent</u>
a. Yes	279	47.9%
b. No	303	52.1%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-34. How old were you when you smoked a whole cigarette for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never smoked a whole cigarette	357	60.8%
b. 8 years old or younger	25	4.3%
c. 9 or 10 years old	17	2.9%
d. 11 or 12 years old	42	7.2%
e. 13 or 14 years old	67	11.4%
f. 15 or 16 years old	65	11.1%
g. 17 years old or older	14	2.4%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

<i>Q-35. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	461	78.3%
b. 1 or 2 days	42	7.1%
c. 3 to 5 days	17	2.9%
d. 6 to 9 days	14	2.4%
e. 10 to 19 days	13	2.2%
f. 20 to 29 days	15	2.5%
g. All 30 days	27	4.6%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

<i>Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	462	78.6%
b. Less than 1 cigarette per day	30	5.1%
c. 1 cigarette per day	33	5.6%
d. 2 to 5 cigarettes per day	39	6.6%
e. 6 to 10 cigarettes per day	11	1.9%
f. 11 to 20 cigarettes per day	9	1.5%
g. More than 20 cigarettes per day	4	0.7%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-37. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	460	78.4%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	31	5.3%
c. I bought them from a vending machine	1	0.2%
d. I gave someone else money to buy them for me	37	6.3%
e. I borrowed (or bummed) them from someone else	33	5.6%
f. A person 18 years old or older gave them to me	8	1.4%
g. I took them from a store or family member	3	0.5%
h. I got them some other way	14	2.4%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-38. During the past 30 days, on how many days did you smoke cigarettes on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	554	94.1%
b. 1 or 2 days	14	2.4%
c. 3 to 5 days	10	1.7%
d. 6 to 9 days	2	0.3%
e. 10 to 19 days	4	0.7%
f. 20 to 29 days	4	0.7%
g. All 30 days	1	0.2%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

<i>Q-39. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	93	16.0%
b. No	490	84.0%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-40. During the past 12 months, did you ever try to quit smoking cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke during the past 12 months	430	74.1%
b. Yes	104	17.9%
c. No	46	7.9%
<b>Total</b>	<b>580</b>	<b>100.0%</b>

<i>Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	480	82.2%
b. 1 or 2 days	35	6.0%
c. 3 to 5 days	16	2.7%
d. 6 to 9 days	7	1.2%
e. 10 to 19 days	11	1.9%
f. 20 to 29 days	8	1.4%
g. All 30 days	27	4.6%
<b>Total</b>	<b>584</b>	<b>100.0%</b>

<i>Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	530	90.4%
b. 1 or 2 days	18	3.1%
c. 3 to 5 days	5	0.9%
d. 6 to 9 days	5	0.9%
e. 10 to 19 days	8	1.4%
f. 20 to 29 days	5	0.9%
g. All 30 days	15	2.6%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	504	85.9%
b. 1 or 2 days	41	7.0%
c. 3 to 5 days	11	1.9%
d. 6 to 9 days	14	2.4%
e. 10 to 19 days	9	1.5%
f. 20 to 29 days	3	0.5%
g. All 30 days	5	0.9%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

<i>Q-44. During your life, on how many days have you had at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	159	27.3%
b. 1 or 2 days	70	12.0%
c. 3 to 9 days	90	15.5%
d. 10 to 19 days	60	10.3%
e. 20 to 39 days	71	12.2%
f. 40 to 99 days	73	12.5%
g. 100 or more days	59	10.1%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-45. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had a drink of alcohol other than a few sips	166	28.6%
b. 8 years old or younger	40	6.9%
c. 9 or 10 years old	30	5.2%
d. 11 or 12 years old	70	12.0%
e. 13 or 14 years old	150	25.8%
f. 15 or 16 years old	109	18.8%
g. 17 years old or older	16	2.8%
<b>Total</b>	<b>581</b>	<b>100.0%</b>

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	363	62.1%
b. 1 or 2 days	112	19.1%
c. 3 to 5 days	45	7.7%
d. 6 to 9 days	30	5.1%
e. 10 to 19 days	23	3.9%
f. 20 to 29 days	5	0.9%
g. All 30 days	7	1.2%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-47. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	419	71.3%
b. 1 day	67	11.4%
c. 2 days	43	7.3%
d. 3 to 5 days	23	3.9%
e. 6 to 9 days	19	3.2%
f. 10 to 19 days	11	1.9%
g. 20 or more days	6	1.0%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-48. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink alcohol during the past 30 days	356	60.6%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	8	1.4%
c. I bought it at a restaurant, bar, or club	6	1.0%
d. I bought it at a public event such as a concert or sporting event	0	0.0%
e. I gave someone else money to buy it for me	71	12.1%
f. Someone gave it to me	66	11.2%
g. I took it from a store or family member	20	3.4%
h. I got it some other way	60	10.2%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

<i>Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	555	95.0%
b. 1 or 2 days	16	2.7%
c. 3 to 5 days	8	1.4%
d. 6 to 9 days	3	0.5%
e. 10 to 19 days	0	0.0%
f. 20 to 29 days	0	0.0%
g. All 30 days	2	0.3%
<b>Total</b>	<b>584</b>	<b>100.0%</b>

<i>Q-50. During your life, how many times have you used marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	392	66.9%
b. 1 or 2 times	38	6.5%
c. 3 to 9 times	38	6.5%
d. 10 to 19 times	31	5.3%
e. 20 to 39 times	16	2.7%
f. 40 to 99 times	24	4.1%
g. 100 or more times	47	8.0%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-51. How old were you when you tried marijuana for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never tried marijuana	391	66.8%
b. 8 years old or younger	9	1.5%
c. 9 or 10 years old	8	1.4%
d. 11 or 12 years old	28	4.8%
e. 13 or 14 years old	60	10.3%
f. 15 or 16 years old	72	12.3%
g. 17 years old or older	17	2.9%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

<i>Q-52. During the past 30 days, how many times did you use marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	490	84.0%
b. 1 or 2 times	31	5.3%
c. 3 to 9 times	21	3.6%
d. 10 to 19 times	8	1.4%
e. 20 to 39 times	12	2.1%
f. 40 or more times	21	3.6%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-53. During the past 30 days, how many times did you use marijuana on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	560	95.1%
b. 1 or 2 times	18	3.1%
c. 3 to 9 times	5	0.8%
d. 10 to 19 times	2	0.3%
e. 20 to 39 times	1	0.2%
f. 40 or more times	3	0.5%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

<i>Q-54. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	557	94.9%
b. 1 or 2 times	16	2.7%
c. 3 to 9 times	7	1.2%
d. 10 to 19 times	4	0.7%
e. 20 to 39 times	1	0.2%
f. 40 or more times	2	0.3%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

<i>Q-55. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	568	96.9%
b. 1 or 2 times	8	1.4%
c. 3 to 9 times	4	0.7%
d. 10 to 19 times	3	0.5%
e. 20 to 39 times	0	0.0%
f. 40 or more times	3	0.5%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	517	87.8%
b. 1 or 2 times	29	4.9%
c. 3 to 9 times	20	3.4%
d. 10 to 19 times	12	2.0%
e. 20 to 39 times	5	0.8%
f. 40 or more times	6	1.0%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

<i>Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	570	96.8%
b. 1 or 2 times	11	1.9%
c. 3 to 9 times	4	0.7%
d. 10 to 19 times	3	0.5%
e. 20 to 39 times	0	0.0%
f. 40 or more times	1	0.2%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

<i>Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	564	96.2%
b. 1 or 2 times	10	1.7%
c. 3 to 9 times	7	1.2%
d. 10 to 19 times	2	0.3%
e. 20 to 39 times	1	0.2%
f. 40 or more times	2	0.3%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

<i>Q-59. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	549	93.4%
b. 1 or 2 times	18	3.1%
c. 3 to 9 times	9	1.5%
d. 10 to 19 times	6	1.0%
e. 20 to 39 times	0	0.0%
f. 40 or more times	6	1.0%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-60. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	570	96.8%
b. 1 or 2 times	8	1.4%
c. 3 to 9 times	5	0.8%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	2	0.3%
f. 40 or more times	4	0.7%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-61. <i>During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	480	81.9%
b. 1 or 2 times	37	6.3%
c. 3 to 9 times	26	4.4%
d. 10 to 19 times	16	2.7%
e. 20 to 39 times	10	1.7%
f. 40 or more times	17	2.9%
	<b>Total</b>	<b>586</b>
		<b>100.0%</b>
Q-62. <i>During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	574	98.0%
b. 1 time	3	0.5%
c. 2 or more times	9	1.5%
	<b>Total</b>	<b>586</b>
		<b>100.0%</b>
Q-63. <i>During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	110	18.9%
b. No	473	81.1%
	<b>Total</b>	<b>583</b>
		<b>100.0%</b>
Q-64. <i>Have you ever had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	308	53.1%
b. No	272	46.9%
	<b>Total</b>	<b>580</b>
		<b>100.0%</b>
Q-65. <i>How old were you when you had sexual intercourse for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	275	46.9%
b. 11 years old or younger	14	2.4%
c. 12 years old	13	2.2%
d. 13 years old	26	4.4%
e. 14 years old	69	11.8%
f. 15 years old	107	18.3%
g. 16 years old	57	9.7%
h. 17 years old or older	25	4.3%
	<b>Total</b>	<b>586</b>
		<b>100.0%</b>
Q-66. <i>During your life, with how many people have you had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	279	47.9%
b. 1 person	116	19.9%
c. 2 people	55	9.4%
d. 3 people	37	6.3%
e. 4 people	24	4.1%
f. 5 people	24	4.1%
g. 6 or more people	48	8.2%
	<b>Total</b>	<b>583</b>
		<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-67. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	284	48.5%
b. I have had sexual intercourse, but not during the past 3 months	77	13.2%
c. 1 person	173	29.6%
d. 2 people	24	4.1%
e. 3 people	7	1.2%
f. 4 people	5	0.9%
g. 5 people	7	1.2%
h. 6 or more people	8	1.4%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

<i>Q-68. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	277	47.5%
b. Yes	55	9.4%
c. No	251	43.1%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-69. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	280	48.1%
b. Yes	179	30.8%
c. No	123	21.1%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-70. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	279	48.3%
b. No method was used to prevent pregnancy	33	5.7%
c. Birth control pills	65	11.2%
d. Condoms	143	24.7%
e. Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	18	3.1%
f. Withdrawal	19	3.3%
g. Some other method	9	1.6%
h. Not sure	12	2.1%
<b>Total</b>	<b>578</b>	<b>100.0%</b>

<i>Q-71. How do you describe your weight?</i>	<u>Count</u>	<u>Percent</u>
a. Very underweight	9	1.5%
b. Slightly underweight	74	12.6%
c. About the right weight	334	56.8%
d. Slightly overweight	141	24.0%
e. Very overweight	30	5.1%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-72. Which of the following are you trying to do about your weight?	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Lose weight	245	41.7%
b. Gain weight	99	16.8%
c. Stay the same weight	123	20.9%
d. I am not trying to do anything about my weight	121	20.6%
	<b>Total</b>	<b>588</b>
		<b>100.0%</b>

Q-73. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	85	14.7%
b. No	495	85.3%
	<b>Total</b>	<b>580</b>
		<b>100.0%</b>

Q-74. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	30	5.1%
b. No	553	94.9%
	<b>Total</b>	<b>583</b>
		<b>100.0%</b>

Q-75. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	26	4.5%
b. No	557	95.5%
	<b>Total</b>	<b>583</b>
		<b>100.0%</b>

Q-76. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink 100% fruit juice during the past 7 days	108	18.8%
b. 1 to 3 times during the past 7 days	244	42.4%
c. 4 to 6 times during the past 7 days	103	17.9%
d. 1 time per day	39	6.8%
e. 2 times per day	41	7.1%
f. 3 times per day	20	3.5%
g. 4 or more times per day	20	3.5%
	<b>Total</b>	<b>575</b>
		<b>100.0%</b>

Q-77. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat fruit during the past 7 days	76	12.9%
b. 1 to 3 times during the past 7 days	255	43.4%
c. 4 to 6 times during the past 7 days	129	22.0%
d. 1 time per day	53	9.0%
e. 2 times per day	40	6.8%
f. 3 times per day	24	4.1%
g. 4 or more times per day	10	1.7%
	<b>Total</b>	<b>587</b>
		<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-78. During the past 7 days, how many times did you eat green salad?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat green salad during the past 7 days	195	33.1%
b. 1 to 3 times during the past 7 days	267	45.3%
c. 4 to 6 times during the past 7 days	78	13.2%
d. 1 time per day	34	5.8%
e. 2 times per day	7	1.2%
f. 3 times per day	2	0.3%
g. 4 or more times per day	6	1.0%
<b>Total</b>	<b>589</b>	<b>100.0%</b>

<i>Q-79. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat potatoes during the past 7 days	145	24.7%
b. 1 to 3 times during the past 7 days	299	50.9%
c. 4 to 6 times during the past 7 days	103	17.5%
d. 1 time per day	25	4.3%
e. 2 times per day	9	1.5%
f. 3 times per day	4	0.7%
g. 4 or more times per day	3	0.5%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-80. During the past 7 days, how many times did you eat carrots?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat carrots during the past 7 days	282	48.0%
b. 1 to 3 times during the past 7 days	243	41.3%
c. 4 to 6 times during the past 7 days	38	6.5%
d. 1 time per day	12	2.0%
e. 2 times per day	5	0.9%
f. 3 times per day	4	0.7%
g. 4 or more times per day	4	0.7%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-81. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat other vegetables during the past 7 days	88	15.0%
b. 1 to 3 times during the past 7 days	259	44.0%
c. 4 to 6 times during the past 7 days	141	24.0%
d. 1 time per day	51	8.7%
e. 2 times per day	30	5.1%
f. 3 times per day	13	2.2%
g. 4 or more times per day	6	1.0%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-82. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink soda or pop during the past 7 days	107	18.2%
b. 1 to 3 times during the past 7 days	214	36.5%
c. 4 to 6 times during the past 7 days	107	18.2%
d. 1 time per day	53	9.0%
e. 2 times per day	54	9.2%
f. 3 times per day	18	3.1%
g. 4 or more times per day	34	5.8%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-83. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet energy drinks or sports drinks such as Gatorade or PowerAde).</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink energy drinks during the past 7 days	397	67.7%
b. 1 to 3 times during the past 7 days	127	21.7%
c. 4 to 6 times during the past 7 days	25	4.3%
d. 1 time per day	14	2.4%
e. 2 times per day	6	1.0%
f. 3 times per day	5	0.9%
g. 4 or more times per day	12	2.0%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

<i>Q-84. During the past 7 days, on how many days did you eat breakfast?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	71	12.2%
b. 1 day	35	6.0%
c. 2 days	64	11.0%
d. 3 days	57	9.8%
e. 4 days	41	7.0%
f. 5 days	49	8.4%
g. 6 days	47	8.1%
h. 7 days	219	37.6%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-85. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	60	10.4%
b. 1 day	37	6.4%
c. 2 days	37	6.4%
d. 3 days	62	10.7%
e. 4 days	55	9.5%
f. 5 days	82	14.2%
g. 6 days	73	12.6%
h. 7 days	173	29.9%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

<i>Q-86. On an average school day, how many hours do you watch TV?</i>	<u>Count</u>	<u>Percent</u>
a. I do not watch TV on an average school day	98	16.8%
b. Less than 1 hour per day	93	16.0%
c. 1 hour per day	104	17.8%
d. 2 hours per day	145	24.9%
e. 3 hours per day	76	13.0%
f. 4 hours per day	39	6.7%
g. 5 or more hours per day	28	4.8%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

## 2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-87. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Xbox, PlayStation, Nintendo DS, iPod touch, Facebook, and the Internet.)</i>	<u>Count</u>	<u>Percent</u>
a. I do not play video or computer games or use a computer for something that is not school work	84	14.5%
b. Less than 1 hour per day	165	28.4%
c. 1 hour per day	111	19.1%
d. 2 hours per day	89	15.3%
e. 3 hours per day	58	10.0%
f. 4 hours per day	27	4.6%
g. 5 or more hours per day	47	8.1%
<b>Total</b>	<b>581</b>	<b>100.0%</b>

<i>Q-88. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	271	46.9%
b. 1 day	10	1.7%
c. 2 days	15	2.6%
d. 3 days	16	2.8%
e. 4 days	12	2.1%
f. 5 days	254	43.9%
<b>Total</b>	<b>578</b>	<b>100.0%</b>

<i>Q-89. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)</i>	<u>Count</u>	<u>Percent</u>
a. 0 teams	184	32.1%
b. 1 team	122	21.3%
c. 2 teams	125	21.8%
d. 3 or more teams	143	24.9%
<b>Total</b>	<b>574</b>	<b>100.0%</b>

<i>Q-90. Have you ever been taught about AIDS or HIV infection in school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	516	89.4%
b. No	36	6.2%
c. Not sure	25	4.3%
<b>Total</b>	<b>577</b>	<b>100.0%</b>

<i>Q-91. Has a doctor or nurse ever told you that you have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	132	22.8%
b. No	420	72.7%
c. Not sure	26	4.5%
<b>Total</b>	<b>578</b>	<b>100.0%</b>

<i>Q-92. Do you still have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had asthma	363	62.9%
b. a. Yes	90	15.6%
c. b. No	80	13.9%
d. c. Not sure	44	7.6%
<b>Total</b>	<b>577</b>	<b>100.0%</b>

**2011 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**

<i>Q-93. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	72	12.7%
b. No	495	87.3%
	<b><i>Total</i></b>	<b><i>567</i></b>
		<b><i>100.0%</i></b>