

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION

The following frequency distributions are based upon surveys with 1,005 high school American Indian students who live on or near a Reservation in Montana during February 2019. Frequency distributions may not total 1,005 due to nonresponses and percents may not total 100 percent due to rounding.

| Question | Responses | Count | Percent |
|---|---|--------------|----------------|
| Q -1 How old are you? | | | |
| A. | 12 years old or younger | 3 | 0.30% |
| B. | 13 years old | 3 | 0.30% |
| C. | 14 years old | 123 | 12.29% |
| D. | 15 years old | 281 | 28.07% |
| E. | 16 years old | 236 | 23.58% |
| F. | 17 years old | 225 | 22.48% |
| G. | 18 years old or older | 130 | 12.99% |
| | TOTALS | 1,001 | 100.00% |
| Q -2 What is your sex? | | | |
| A. | Female | 480 | 47.95% |
| B. | Male | 521 | 52.05% |
| | TOTALS | 1,001 | 100.00% |
| Q -3 In what grade are you? | | | |
| A. | 9th grade | 326 | 32.90% |
| B. | 10th grade | 251 | 25.33% |
| C. | 11th grade | 202 | 20.38% |
| D. | 12th grade | 210 | 21.19% |
| E. | Ungraded or other grade | 2 | 0.20% |
| | TOTALS | 991 | 100.00% |
| Q -4 Are you Hispanic or Latino? | | | |
| A. | Yes | 112 | 11.32% |
| B. | No | 877 | 88.68% |
| | TOTALS | 989 | 100.00% |
| Q -5 What is your race? | | | |
| A. | American Indian or Alaskan Native | 1005 | 84.95% |
| B. | Asian | 14 | 1.18% |
| C. | Black or African American | 24 | 2.03% |
| D. | Native Hawaiian or Other Pacific Islander | 7 | 0.59% |
| E. | White | 133 | 11.24% |
| | TOTALS | 1,183 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -6 How tall are you without your shoes on?

| | | | |
|---------------|----------------------|------------|----------------|
| A. | Less than 4 ft | 0 | 0.00% |
| B. | 4ft to 4 ft, 6 in | 1 | 0.10% |
| C. | 4ft, 7in to 5 ft | 15 | 1.52% |
| D. | 5ft, 1in to 5ft, 6in | 349 | 35.43% |
| E. | Over 5ft, 6in | 620 | 62.94% |
| TOTALS | | 985 | 100.00% |

Q -7 How much do you weigh without your shoes on?

| | | | |
|---------------|------------------|------------|----------------|
| A. | Less than 90 lbs | 1 | 0.10% |
| B. | 90-99 lbs | 4 | 0.42% |
| C. | 100-109 lbs | 26 | 2.73% |
| D. | 110-119lbs | 55 | 5.77% |
| E. | 120-129 lbs | 90 | 9.43% |
| F. | 130-139 lbs | 117 | 12.26% |
| G. | 140 lbs + | 661 | 69.29% |
| TOTALS | | 954 | 100.00% |

Q -8 How often do you wear a seat belt when riding in a car driven by someone else?

| | | | |
|---------------|------------------|------------|----------------|
| A. | Never | 45 | 4.52% |
| B. | Rarely | 129 | 12.96% |
| C. | Sometimes | 197 | 19.80% |
| D. | Most of the time | 340 | 34.17% |
| E. | Always | 284 | 28.54% |
| TOTALS | | 995 | 100.00% |

Q -9 How often do you wear a seat belt when driving a car?

| | | | |
|---------------|----------------------|------------|----------------|
| A. | I do not drive a car | 194 | 19.48% |
| B. | Never | 34 | 3.41% |
| C. | Rarely | 53 | 5.32% |
| D. | Sometimes | 103 | 10.34% |
| E. | Most of the time | 182 | 18.27% |
| F. | Always | 430 | 43.17% |
| TOTALS | | 996 | 100.00% |

Q -10 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

| | | | |
|---------------|-----------------|------------|----------------|
| A. | 0 times | 781 | 78.89% |
| B. | 1 time | 75 | 7.58% |
| C. | 2 or 3 times | 68 | 6.87% |
| D. | 4 or 5 times | 17 | 1.72% |
| E. | 6 or more times | 49 | 4.95% |
| TOTALS | | 990 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -11 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

| | | | |
|---------------|--|--------------|----------------|
| A. | I did not drive a car or other vehicle during the past 30 days | 343 | 34.20% |
| B. | 0 times | 595 | 59.32% |
| C. | 1 time | 34 | 3.39% |
| D. | 2 or 3 times | 15 | 1.50% |
| E. | 4 or 5 times | 4 | 0.40% |
| F. | 6 or more times | 12 | 1.20% |
| TOTALS | | 1,003 | 100.00% |

Q -12 During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

| | | | |
|---------------|--|--------------|----------------|
| A. | I did not drive a car or other vehicle during the past 30 days | 296 | 29.60% |
| B. | 0 days | 388 | 38.80% |
| C. | 1 or 2 days | 147 | 14.70% |
| D. | 3 to 5 days | 54 | 5.40% |
| E. | 6 to 9 days | 30 | 3.00% |
| F. | 10 to 19 days | 28 | 2.80% |
| G. | 20 to 29 days | 17 | 1.70% |
| H. | All 30 days | 40 | 4.00% |
| TOTALS | | 1,000 | 100.00% |

Q -13 During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)

| | | | |
|---------------|--|------------|----------------|
| A. | I did not drive a car or other vehicle during the past 30 days | 280 | 28.23% |
| B. | 0 days | 386 | 38.91% |
| C. | 1 or 2 days | 112 | 11.29% |
| D. | 3 to 5 days | 54 | 5.44% |
| E. | 6 to 9 days | 29 | 2.92% |
| F. | 10 to 19 days | 32 | 3.23% |
| G. | 20 to 29 days | 24 | 2.42% |
| H. | All 30 days | 75 | 7.56% |
| TOTALS | | 992 | 100.00% |

Q -14 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

| | | | |
|---------------|----------------|------------|----------------|
| A. | 0 days | 812 | 81.28% |
| B. | 1 day | 55 | 5.51% |
| C. | 2 or 3 days | 59 | 5.91% |
| D. | 4 or 5 days | 11 | 1.10% |
| E. | 6 or more days | 62 | 6.21% |
| TOTALS | | 999 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -15 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

| | | | |
|---------------|----------------|------------|----------------|
| A. | 0 days | 944 | 94.49% |
| B. | 1 day | 22 | 2.20% |
| C. | 2 or 3 days | 12 | 1.20% |
| D. | 4 or 5 days | 1 | 0.10% |
| E. | 6 or more days | 20 | 2.00% |
| TOTALS | | 999 | 100.00% |

Q -16 During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

| | | | |
|---------------|----------------|------------|----------------|
| A. | 0 days | 901 | 90.92% |
| B. | 1 day | 30 | 3.03% |
| C. | 2 or 3 days | 22 | 2.22% |
| D. | 4 or 5 days | 8 | 0.81% |
| E. | 6 or more days | 30 | 3.03% |
| TOTALS | | 991 | 100.00% |

Q -17 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

| | | | |
|---------------|----------------|--------------|----------------|
| A. | 0 days | 885 | 88.41% |
| B. | 1 day | 51 | 5.09% |
| C. | 2 or 3 days | 35 | 3.50% |
| D. | 4 or 5 days | 8 | 0.80% |
| E. | 6 or more days | 22 | 2.20% |
| TOTALS | | 1,001 | 100.00% |

Q -18 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

| | | | |
|---------------|------------------|--------------|----------------|
| A. | 0 times | 925 | 92.41% |
| B. | 1 time | 36 | 3.60% |
| C. | 2 or 3 times | 29 | 2.90% |
| D. | 4 or 5 times | 3 | 0.30% |
| E. | 6 or 7 times | 4 | 0.40% |
| F. | 8 or 9 times | 1 | 0.10% |
| G. | 10 or 11 times | 1 | 0.10% |
| H. | 12 or more times | 2 | 0.20% |
| TOTALS | | 1,001 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -19 During the past 12 months, how many times were you in a physical fight?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 671 | 67.44% |
| B. | 1 time | 159 | 15.98% |
| C. | 2 or 3 times | 98 | 9.85% |
| D. | 4 or 5 times | 25 | 2.51% |
| E. | 6 or 7 times | 14 | 1.41% |
| F. | 8 or 9 times | 4 | 0.40% |
| G. | 10 or 11 times | 5 | 0.50% |
| H. | 12 or more times | 19 | 1.91% |
| TOTALS | | 995 | 100.00% |

Q -20 During the past 12 months, how many times were you in a physical fight on school property?

| | | | |
|---------------|------------------|--------------|----------------|
| A. | 0 times | 875 | 87.50% |
| B. | 1 time | 81 | 8.10% |
| C. | 2 or 3 times | 33 | 3.30% |
| D. | 4 or 5 times | 3 | 0.30% |
| E. | 6 or 7 times | 3 | 0.30% |
| F. | 8 or 9 times | 1 | 0.10% |
| G. | 10 or 11 times | 0 | 0.00% |
| H. | 12 or more times | 4 | 0.40% |
| TOTALS | | 1,000 | 100.00% |

Q -21 Have you ever been physically forced to have sexual intercourse when you did not want to?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 121 | 12.22% |
| B. | No | 869 | 87.78% |
| TOTALS | | 990 | 100.00% |

Q -22 During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

| | | | |
|---------------|-----------------|------------|----------------|
| A. | 0 times | 879 | 88.79% |
| B. | 1 time | 61 | 6.16% |
| C. | 2 or 3 times | 34 | 3.43% |
| D. | 4 or 5 times | 5 | 0.51% |
| E. | 6 or more times | 11 | 1.11% |
| TOTALS | | 990 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -23 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

| | | | |
|---------------|--|------------|----------------|
| A. | I did not date or go out with anyone during the past 12 months | 325 | 32.60% |
| B. | 0 times | 604 | 60.58% |
| C. | 1 time | 30 | 3.01% |
| D. | 2 or 3 times | 23 | 2.31% |
| E. | 4 or 5 times | 4 | 0.40% |
| F. | 6 or more times | 11 | 1.10% |
| TOTALS | | 997 | 100.00% |

Q -24 During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

| | | | |
|---------------|--|------------|----------------|
| A. | I did not date or go out with anyone during the past 12 months | 322 | 32.43% |
| B. | 0 times | 587 | 59.11% |
| C. | 1 time | 38 | 3.83% |
| D. | 2 or 3 times | 26 | 2.62% |
| E. | 4 or 5 times | 8 | 0.81% |
| F. | 6 or more times | 12 | 1.21% |
| TOTALS | | 993 | 100.00% |

Q -25 During the past 12 months, have you ever been bullied on school property?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 201 | 20.64% |
| B. | No | 773 | 79.36% |
| TOTALS | | 974 | 100.00% |

Q -26 During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 179 | 18.04% |
| B. | No | 813 | 81.96% |
| TOTALS | | 992 | 100.00% |

Q -27 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 157 | 15.94% |
| B. | No | 828 | 84.06% |
| TOTALS | | 985 | 100.00% |

Q -28 During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 419 | 44.01% |
| B. | No | 533 | 55.99% |
| TOTALS | | 952 | 100.00% |

Q -29 During the past 12 months, did you ever seriously consider attempting suicide?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 280 | 28.43% |
| B. | No | 705 | 71.57% |
| TOTALS | | 985 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -30 During the past 12 months, did you make a plan about how you would attempt suicide?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 232 | 23.77% |
| B. | No | 744 | 76.23% |
| TOTALS | | 976 | 100.00% |

Q -31 During the past 12 months, how many times did you actually attempt suicide?

| | | | |
|---------------|-----------------|------------|----------------|
| A. | 0 times | 774 | 78.74% |
| B. | 1 time | 130 | 13.22% |
| C. | 2 or 3 times | 59 | 6.00% |
| D. | 4 or 5 times | 11 | 1.12% |
| E. | 6 or more times | 9 | 0.92% |
| TOTALS | | 983 | 100.00% |

Q -32 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

| | | | |
|---------------|---|------------|----------------|
| A. | I did not attempt suicide during the past 12 months | 699 | 70.96% |
| B. | Yes | 89 | 9.04% |
| C. | No | 197 | 20.00% |
| TOTALS | | 985 | 100.00% |

Q -33 Have you ever tried cigarette smoking, even one or two puffs?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 586 | 59.61% |
| B. | No | 397 | 40.39% |
| TOTALS | | 983 | 100.00% |

Q -34 How old were you when you first tried cigarette smoking, even one or two puffs?

| | | | |
|---------------|---|------------|----------------|
| A. | I have never tried cigarette smoking, not even one or two puffs | 400 | 40.57% |
| B. | 8 years old or younger | 91 | 9.23% |
| C. | 9 or 10 years old | 88 | 8.92% |
| D. | 11 or 12 years old | 118 | 11.97% |
| E. | 13 or 14 years old | 149 | 15.11% |
| F. | 15 or 16 years old | 105 | 10.65% |
| G. | 17 years old or older | 35 | 3.55% |
| TOTALS | | 986 | 100.00% |

Q -35 During the past 30 days, on how many days did you smoke cigarettes?

| | | | |
|---------------|---------------|------------|----------------|
| A. | 0 days | 765 | 77.04% |
| B. | 1 or 2 days | 77 | 7.75% |
| C. | 3 to 5 days | 34 | 3.42% |
| D. | 6 to 9 days | 27 | 2.72% |
| E. | 10 to 19 days | 36 | 3.63% |
| F. | 20 to 29 days | 13 | 1.31% |
| G. | All 30 days | 41 | 4.13% |
| TOTALS | | 993 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -36 During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

| | | | |
|---------------|--|------------|----------------|
| A. | I did not smoke cigarettes during the past 30 days | 767 | 77.47% |
| B. | Less than 1 cigarette per day | 82 | 8.28% |
| C. | 1 cigarette per day | 40 | 4.04% |
| D. | 2 to 5 cigarettes per day | 80 | 8.08% |
| E. | 6 to 10 cigarettes per day | 11 | 1.11% |
| F. | 11 to 20 cigarettes per day | 2 | 0.20% |
| G. | More than 20 cigarettes per day | 8 | 0.81% |
| TOTALS | | 990 | 100.00% |

Q -37 Have you ever used an electronic vapor product?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 575 | 58.91% |
| B. | No | 401 | 41.09% |
| TOTALS | | 976 | 100.00% |

Q -38 During the past 30 days, on how many days did you use an electronic vapor product?

| | | | |
|---------------|---------------|------------|----------------|
| A. | 0 days | 661 | 66.57% |
| B. | 1 or 2 days | 162 | 16.31% |
| C. | 3 to 5 days | 60 | 6.04% |
| D. | 6 to 9 days | 43 | 4.33% |
| E. | 10 to 19 days | 30 | 3.02% |
| F. | 20 to 29 days | 11 | 1.11% |
| G. | All 30 days | 26 | 2.62% |
| TOTALS | | 993 | 100.00% |

Q -39 During the past 30 days, on how many days did you use an electronic vapor product on school property?

| | | | |
|---------------|---------------|------------|----------------|
| A. | 0 days | 845 | 85.70% |
| B. | 1 or 2 days | 76 | 7.71% |
| C. | 3 to 5 days | 21 | 2.13% |
| D. | 6 to 9 days | 12 | 1.22% |
| E. | 10 to 19 days | 17 | 1.72% |
| F. | 20 to 29 days | 3 | 0.30% |
| G. | All 30 days | 12 | 1.22% |
| TOTALS | | 986 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -40 During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

| | | | |
|---------------|---|------------|----------------|
| A. | I did not use any electronic vapor products during the past 30 days | 671 | 67.98% |
| B. | I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store | 53 | 5.37% |
| C. | I got them on the Internet | 17 | 1.72% |
| D. | I gave someone else money to buy them for me | 40 | 4.05% |
| E. | I borrowed them from someone else | 150 | 15.20% |
| F. | A person who can legally buy these products gave them to me | 19 | 1.93% |
| G. | I took them from a store or another person | 3 | 0.30% |
| H. | I got them some other way | 34 | 3.44% |
| TOTALS | | 987 | 100.00% |

Q -41 What is the main reason you have used electronic vapor products? (Select only one response.)

| | | | |
|---------------|---|------------|----------------|
| A. | I have never used an electronic vapor product | 474 | 47.88% |
| B. | Friend or family member used them | 148 | 14.95% |
| C. | To try to quit using other tobacco products | 28 | 2.83% |
| D. | They cost less than other tobacco products | 6 | 0.61% |
| E. | They are easier to get than other tobacco products | 13 | 1.31% |
| F. | They are less harmful than other forms of tobacco | 30 | 3.03% |
| G. | They are available in flavors, such as mint, candy, fruit, or chocolate | 118 | 11.92% |
| H. | I used them for some other reason | 173 | 17.47% |
| TOTALS | | 990 | 100.00% |

Q -42 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)

| | | | |
|---------------|---------------|------------|----------------|
| A. | 0 days | 850 | 85.95% |
| B. | 1 or 2 days | 50 | 5.06% |
| C. | 3 to 5 days | 29 | 2.93% |
| D. | 6 to 9 days | 18 | 1.82% |
| E. | 10 to 19 days | 11 | 1.11% |
| F. | 20 to 29 days | 10 | 1.01% |
| G. | All 30 days | 21 | 2.12% |
| TOTALS | | 989 | 100.00% |

Q -43 During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

| | | | |
|---------------|---------------|------------|----------------|
| A. | 0 days | 870 | 88.32% |
| B. | 1 or 2 days | 48 | 4.87% |
| C. | 3 to 5 days | 19 | 1.93% |
| D. | 6 to 9 days | 14 | 1.42% |
| E. | 10 to 19 days | 18 | 1.83% |
| F. | 20 to 29 days | 8 | 0.81% |
| G. | All 30 days | 8 | 0.81% |
| TOTALS | | 985 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -44 During the past 12 months, did you ever try to quit using all tobacco products, including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products?

| | | | |
|---------------|--|------------|----------------|
| A. | I did not use any tobacco products during the past 12 months | 587 | 59.59% |
| B. | Yes | 242 | 24.57% |
| C. | No | 156 | 15.84% |
| TOTALS | | 985 | 100.00% |

Q -45 How old were you when you had your first drink of alcohol other than a few sips?

| | | | |
|---------------|---|------------|----------------|
| A. | I have never had a drink of alcohol other than a few sips | 405 | 41.24% |
| B. | 8 years old or younger | 63 | 6.42% |
| C. | 9 or 10 years old | 37 | 3.77% |
| D. | 11 or 12 years old | 88 | 8.96% |
| E. | 13 or 14 years old | 206 | 20.98% |
| F. | 15 or 16 years old | 158 | 16.09% |
| G. | 17 years old or older | 25 | 2.55% |
| TOTALS | | 982 | 100.00% |

Q -46 During the past 30 days, on how many days did you have at least one drink of alcohol?

| | | | |
|---------------|---------------|------------|----------------|
| A. | 0 days | 696 | 71.17% |
| B. | 1 or 2 days | 145 | 14.83% |
| C. | 3 to 5 days | 61 | 6.24% |
| D. | 6 to 9 days | 38 | 3.89% |
| E. | 10 to 19 days | 19 | 1.94% |
| F. | 20 to 29 days | 11 | 1.12% |
| G. | All 30 days | 8 | 0.82% |
| TOTALS | | 978 | 100.00% |

Q -47 During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?

| | | | |
|---------------|-----------------|------------|----------------|
| A. | 0 days | 796 | 80.32% |
| B. | 1 day | 76 | 7.67% |
| C. | 2 days | 45 | 4.54% |
| D. | 3 to 5 days | 40 | 4.04% |
| E. | 6 to 9 days | 17 | 1.72% |
| F. | 10 to 19 days | 11 | 1.11% |
| G. | 20 or more days | 6 | 0.61% |
| TOTALS | | 991 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -48 During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?

| | | | |
|---------------|---|------------|----------------|
| A. | I did not drink alcohol during the past 30 days | 714 | 72.12% |
| B. | 1 or 2 drinks | 79 | 7.98% |
| C. | 3 drinks | 31 | 3.13% |
| D. | 4 drinks | 16 | 1.62% |
| E. | 5 drinks | 43 | 4.34% |
| F. | 6 or 7 drinks | 27 | 2.73% |
| G. | 8 or 9 drinks | 16 | 1.62% |
| H. | 10 or more drinks | 64 | 6.46% |
| TOTALS | | 990 | 100.00% |

Q -49 During the past 30 days, how did you usually get the alcohol you drank?

| | | | |
|---------------|---|------------|----------------|
| A. | I did not drink alcohol during the past 30 days | 695 | 71.43% |
| B. | I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station | 16 | 1.64% |
| C. | I bought it at a restaurant, bar, or club | 12 | 1.23% |
| D. | I bought it at a public event such as a concert or sporting event | 6 | 0.62% |
| E. | I gave someone else money to buy it for me | 89 | 9.15% |
| F. | Someone gave it to me | 93 | 9.56% |
| G. | I took it from a store or family member | 9 | 0.92% |
| H. | I got it some other way | 53 | 5.45% |
| TOTALS | | 973 | 100.00% |

Q -50 During your life, how many times have you used marijuana?

| | | | |
|---------------|-------------------|------------|----------------|
| A. | 0 times | 360 | 36.66% |
| B. | 1 or 2 times | 114 | 11.61% |
| C. | 3 to 9 times | 101 | 10.29% |
| D. | 10 to 19 times | 50 | 5.09% |
| E. | 20 to 39 times | 63 | 6.42% |
| F. | 40 to 99 times | 63 | 6.42% |
| G. | 100 or more times | 231 | 23.52% |
| TOTALS | | 982 | 100.00% |

Q -51 How old were you when you tried marijuana for the first time?

| | | | |
|---------------|------------------------------|------------|----------------|
| A. | I have never tried marijuana | 340 | 34.76% |
| B. | 8 years old or younger | 59 | 6.03% |
| C. | 9 or 10 years old | 87 | 8.90% |
| D. | 11 or 12 years old | 142 | 14.52% |
| E. | 13 or 14 years old | 201 | 20.55% |
| F. | 15 or 16 years old | 127 | 12.99% |
| G. | 17 years old or older | 22 | 2.25% |
| TOTALS | | 978 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -52 During the past 30 days, how many times did you use marijuana?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 589 | 60.16% |
| B. | 1 or 2 times | 86 | 8.78% |
| C. | 3 to 9 times | 81 | 8.27% |
| D. | 10 to 19 times | 63 | 6.44% |
| E. | 20 to 39 times | 48 | 4.90% |
| F. | 40 or more times | 112 | 11.44% |
| TOTALS | | 979 | 100.00% |

Q -53 During your life, how many times have you used synthetic marijuana?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 838 | 85.34% |
| B. | 1 or 2 times | 80 | 8.15% |
| C. | 3 to 9 times | 30 | 3.05% |
| D. | 10 to 19 times | 14 | 1.43% |
| E. | 20 to 39 times | 7 | 0.71% |
| F. | 40 or more times | 13 | 1.32% |
| TOTALS | | 982 | 100.00% |

Q -54 During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 804 | 81.62% |
| B. | 1 or 2 times | 80 | 8.12% |
| C. | 3 to 9 times | 48 | 4.87% |
| D. | 10 to 19 times | 25 | 2.54% |
| E. | 20 to 39 times | 10 | 1.02% |
| F. | 40 or more times | 18 | 1.83% |
| TOTALS | | 985 | 100.00% |

Q -55 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 928 | 94.79% |
| B. | 1 or 2 times | 26 | 2.66% |
| C. | 3 to 9 times | 16 | 1.63% |
| D. | 10 to 19 times | 4 | 0.41% |
| E. | 20 to 39 times | 0 | 0.00% |
| F. | 40 or more times | 5 | 0.51% |
| TOTALS | | 979 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -56 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 882 | 89.36% |
| B. | 1 or 2 times | 53 | 5.37% |
| C. | 3 to 9 times | 27 | 2.74% |
| D. | 10 to 19 times | 10 | 1.01% |
| E. | 20 to 39 times | 6 | 0.61% |
| F. | 40 or more times | 9 | 0.91% |
| TOTALS | | 987 | 100.00% |

Q -57 During your life, how many times have you used heroin (also called smack, junk, or China White)?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 956 | 97.55% |
| B. | 1 or 2 times | 12 | 1.22% |
| C. | 3 to 9 times | 5 | 0.51% |
| D. | 10 to 19 times | 3 | 0.31% |
| E. | 20 to 39 times | 1 | 0.10% |
| F. | 40 or more times | 3 | 0.31% |
| TOTALS | | 980 | 100.00% |

Q -58 During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 928 | 95.87% |
| B. | 1 or 2 times | 20 | 2.07% |
| C. | 3 to 9 times | 5 | 0.52% |
| D. | 10 to 19 times | 9 | 0.93% |
| E. | 20 to 39 times | 2 | 0.21% |
| F. | 40 or more times | 4 | 0.41% |
| TOTALS | | 968 | 100.00% |

Q -59 During your life, how many times have you used ecstasy (also called MDMA)?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 942 | 95.83% |
| B. | 1 or 2 times | 24 | 2.44% |
| C. | 3 to 9 times | 7 | 0.71% |
| D. | 10 to 19 times | 3 | 0.31% |
| E. | 20 to 39 times | 0 | 0.00% |
| F. | 40 or more times | 7 | 0.71% |
| TOTALS | | 983 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -60 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 960 | 97.66% |
| B. | 1 or 2 times | 7 | 0.71% |
| C. | 3 to 9 times | 6 | 0.61% |
| D. | 10 to 19 times | 2 | 0.20% |
| E. | 20 to 39 times | 1 | 0.10% |
| F. | 40 or more times | 3 | 0.31% |
| TOTALS | | 983 | 100.00% |

Q -61 During your life, how many times have you used a needle to inject any illegal drug into your body?

| | | | |
|---------------|-----------------|------------|----------------|
| A. | 0 times | 948 | 97.73% |
| B. | 1 time | 14 | 1.44% |
| C. | 2 or more times | 8 | 0.82% |
| TOTALS | | 970 | 100.00% |

Q -62 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 206 | 21.15% |
| B. | No | 768 | 78.85% |
| TOTALS | | 974 | 100.00% |

Q -63 Have you ever had sexual intercourse?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 542 | 56.22% |
| B. | No | 422 | 43.78% |
| TOTALS | | 964 | 100.00% |

Q -64 How old were you when you had sexual intercourse for the first time?

| | | | |
|---------------|-------------------------------------|------------|----------------|
| A. | I have never had sexual intercourse | 423 | 43.56% |
| B. | 11 years old or younger | 34 | 3.50% |
| C. | 12 years old | 29 | 2.99% |
| D. | 13 years old | 68 | 7.00% |
| E. | 14 years old | 147 | 15.14% |
| F. | 15 years old | 141 | 14.52% |
| G. | 16 years old | 89 | 9.17% |
| H. | 17 years old or older | 40 | 4.12% |
| TOTALS | | 971 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -65 During your life, with how many people have you had sexual intercourse?

| | | | |
|---------------|-------------------------------------|------------|----------------|
| A. | I have never had sexual intercourse | 427 | 43.66% |
| B. | 1 person | 181 | 18.51% |
| C. | 2 people | 130 | 13.29% |
| D. | 3 people | 81 | 8.28% |
| E. | 4 people | 50 | 5.11% |
| F. | 5 people | 27 | 2.76% |
| G. | 6 or more people | 82 | 8.38% |
| TOTALS | | 978 | 100.00% |

Q -66 During the past 3 months, with how many people did you have sexual intercourse?

| | | | |
|---------------|---|------------|----------------|
| A. | I have never had sexual intercourse | 435 | 44.62% |
| B. | I have had sexual intercourse, but not during the past 3 months | 170 | 17.44% |
| C. | 1 person | 271 | 27.79% |
| D. | 2 people | 54 | 5.54% |
| E. | 3 people | 31 | 3.18% |
| F. | 4 people | 7 | 0.72% |
| G. | 5 people | 1 | 0.10% |
| H. | 6 or more people | 6 | 0.62% |
| TOTALS | | 975 | 100.00% |

Q -67 Did you drink alcohol or use drugs before you had sexual intercourse the last time?

| | | | |
|---------------|-------------------------------------|------------|----------------|
| A. | I have never had sexual intercourse | 415 | 42.78% |
| B. | Yes | 112 | 11.55% |
| C. | No | 443 | 45.67% |
| TOTALS | | 970 | 100.00% |

Q -68 The last time you had sexual intercourse, did you or your partner use a condom?

| | | | |
|---------------|-------------------------------------|------------|----------------|
| A. | I have never had sexual intercourse | 424 | 43.67% |
| B. | Yes | 288 | 29.66% |
| C. | No | 259 | 26.67% |
| TOTALS | | 971 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -69 The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

| | | | |
|---------------|---|------------|----------------|
| A. | I have never had sexual intercourse | 429 | 44.55% |
| B. | No method was used to prevent pregnancy | 101 | 10.49% |
| C. | Birth control pills | 80 | 8.31% |
| D. | Condoms | 228 | 23.68% |
| E. | An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) | 34 | 3.53% |
| F. | A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) | 33 | 3.43% |
| G. | Withdrawal or some other method | 26 | 2.70% |
| H. | Not sure | 32 | 3.32% |
| TOTALS | | 963 | 100.00% |

Q -70 How do you describe your weight?

| | | | |
|---------------|------------------------|------------|----------------|
| A. | Very underweight | 43 | 4.41% |
| B. | Slightly underweight | 104 | 10.66% |
| C. | About the right weight | 404 | 41.39% |
| D. | Slightly overweight | 331 | 33.91% |
| E. | Very overweight | 94 | 9.63% |
| TOTALS | | 976 | 100.00% |

Q -71 Which of the following are you trying to do about your weight?

| | | | |
|---------------|--|------------|----------------|
| A. | Lose weight | 540 | 55.67% |
| B. | Gain weight | 135 | 13.92% |
| C. | Stay the same weight | 125 | 12.89% |
| D. | I am not trying to do anything about my weight | 170 | 17.53% |
| TOTALS | | 970 | 100.00% |

Q -72 During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

| | | | |
|---------------|---|------------|----------------|
| A. | I did not drink 100% fruit juice during the past 7 days | 200 | 20.68% |
| B. | 1 to 3 times during the past 7 days | 439 | 45.40% |
| C. | 4 to 6 times during the past 7 days | 159 | 16.44% |
| D. | 1 time per day | 45 | 4.65% |
| E. | 2 times per day | 49 | 5.07% |
| F. | 3 times per day | 33 | 3.41% |
| G. | 4 or more times per day | 42 | 4.34% |
| TOTALS | | 967 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -73 During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

| | | | |
|---------------|--|------------|----------------|
| A. | I did not eat fruit during the past 7 days | 103 | 10.72% |
| B. | 1 to 3 times during the past 7 days | 396 | 41.21% |
| C. | 4 to 6 times during the past 7 days | 214 | 22.27% |
| D. | 1 time per day | 70 | 7.28% |
| E. | 2 times per day | 91 | 9.47% |
| F. | 3 times per day | 37 | 3.85% |
| G. | 4 or more times per day | 50 | 5.20% |
| TOTALS | | 961 | 100.00% |

Q -74 During the past 7 days, how many times did you eat green salad?

| | | | |
|---------------|--|------------|----------------|
| A. | I did not eat green salad during the past 7 days | 395 | 40.76% |
| B. | 1 to 3 times during the past 7 days | 366 | 37.77% |
| C. | 4 to 6 times during the past 7 days | 90 | 9.29% |
| D. | 1 time per day | 64 | 6.60% |
| E. | 2 times per day | 24 | 2.48% |
| F. | 3 times per day | 12 | 1.24% |
| G. | 4 or more times per day | 18 | 1.86% |
| TOTALS | | 969 | 100.00% |

Q -75 During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)

| | | | |
|---------------|---|------------|----------------|
| A. | I did not eat potatoes during the past 7 days | 334 | 34.65% |
| B. | 1 to 3 times during the past 7 days | 455 | 47.20% |
| C. | 4 to 6 times during the past 7 days | 95 | 9.85% |
| D. | 1 time per day | 44 | 4.56% |
| E. | 2 times per day | 13 | 1.35% |
| F. | 3 times per day | 10 | 1.04% |
| G. | 4 or more times per day | 13 | 1.35% |
| TOTALS | | 964 | 100.00% |

Q -76 During the past 7 days, how many times did you eat carrots?

| | | | |
|---------------|--|------------|----------------|
| A. | I did not eat carrots during the past 7 days | 494 | 51.35% |
| B. | 1 to 3 times during the past 7 days | 320 | 33.26% |
| C. | 4 to 6 times during the past 7 days | 72 | 7.48% |
| D. | 1 time per day | 42 | 4.37% |
| E. | 2 times per day | 19 | 1.98% |
| F. | 3 times per day | 4 | 0.42% |
| G. | 4 or more times per day | 11 | 1.14% |
| TOTALS | | 962 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -77 During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

| | | | |
|---------------|---|------------|----------------|
| A. | I did not eat other vegetables during the past 7 days | 273 | 28.20% |
| B. | 1 to 3 times during the past 7 days | 408 | 42.15% |
| C. | 4 to 6 times during the past 7 days | 151 | 15.60% |
| D. | 1 time per day | 59 | 6.10% |
| E. | 2 times per day | 47 | 4.86% |
| F. | 3 times per day | 13 | 1.34% |
| G. | 4 or more times per day | 17 | 1.76% |
| TOTALS | | 968 | 100.00% |

Q -78 During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

| | | | |
|---------------|--|------------|----------------|
| A. | I did not drink soda or pop during the past 7 days | 212 | 21.97% |
| B. | 1 to 3 times during the past 7 days | 388 | 40.21% |
| C. | 4 to 6 times during the past 7 days | 197 | 20.41% |
| D. | 1 time per day | 61 | 6.32% |
| E. | 2 times per day | 49 | 5.08% |
| F. | 3 times per day | 19 | 1.97% |
| G. | 4 or more times per day | 39 | 4.04% |
| TOTALS | | 965 | 100.00% |

Q -79 During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

| | | | |
|---------------|---|------------|----------------|
| A. | I did not drink milk during the past 7 days | 240 | 24.95% |
| B. | 1 to 3 glasses during the past 7 days | 347 | 36.07% |
| C. | 4 to 6 glasses during the past 7 days | 162 | 16.84% |
| D. | 1 glass per day | 80 | 8.32% |
| E. | 2 glasses per day | 63 | 6.55% |
| F. | 3 glasses per day | 34 | 3.53% |
| G. | 4 or more glasses per day | 36 | 3.74% |
| TOTALS | | 962 | 100.00% |

Q -80 During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

| | | | |
|---------------|--|------------|----------------|
| A. | I did not drink energy drinks during the past 7 days | 583 | 60.35% |
| B. | 1 to 3 times during the past 7 days | 267 | 27.64% |
| C. | 4 to 6 times during the past 7 days | 46 | 4.76% |
| D. | 1 time per day | 30 | 3.11% |
| E. | 2 times per day | 22 | 2.28% |
| F. | 3 times per day | 7 | 0.72% |
| G. | 4 or more times per day | 11 | 1.14% |
| TOTALS | | 966 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -81 During the past 7 days, on how many days did you eat breakfast?

| | | | |
|---------------|--------|------------|----------------|
| A. | 0 days | 116 | 12.10% |
| B. | 1 day | 89 | 9.28% |
| C. | 2 days | 95 | 9.91% |
| D. | 3 days | 117 | 12.20% |
| E. | 4 days | 119 | 12.41% |
| F. | 5 days | 130 | 13.56% |
| G. | 6 days | 59 | 6.15% |
| H. | 7 days | 234 | 24.40% |
| TOTALS | | 959 | 100.00% |

Q -82 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

| | | | |
|---------------|--------|------------|----------------|
| A. | 0 days | 142 | 14.92% |
| B. | 1 day | 71 | 7.46% |
| C. | 2 days | 97 | 10.19% |
| D. | 3 days | 101 | 10.61% |
| E. | 4 days | 113 | 11.87% |
| F. | 5 days | 150 | 15.76% |
| G. | 6 days | 82 | 8.61% |
| H. | 7 days | 196 | 20.59% |
| TOTALS | | 952 | 100.00% |

Q -83 On an average school day, how many hours do you watch TV?

| | | | |
|---------------|--|------------|----------------|
| A. | I do not watch TV on an average school day | 227 | 23.67% |
| B. | Less than 1 hour per day | 196 | 20.44% |
| C. | 1 hour per day | 137 | 14.29% |
| D. | 2 hours per day | 161 | 16.79% |
| E. | 3 hours per day | 114 | 11.89% |
| F. | 4 hours per day | 53 | 5.53% |
| G. | 5 or more hours per day | 71 | 7.40% |
| TOTALS | | 959 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -84 On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent playing games, watching videos, texting, or using social media on your smartphone, computer, Xbox, PlayStation, iPad, or other tablet.)

| | | | |
|---------------|---|------------|----------------|
| A. | I do not play video or computer games or use a computer for something that is not school work | 214 | 22.34% |
| B. | Less than 1 hour per day | 124 | 12.94% |
| C. | 1 hour per day | 78 | 8.14% |
| D. | 2 hours per day | 113 | 11.80% |
| E. | 3 hours per day | 108 | 11.27% |
| F. | 4 hours per day | 112 | 11.69% |
| G. | 5 or more hours per day | 209 | 21.82% |
| TOTALS | | 958 | 100.00% |

Q -85 In an average week when you are in school, on how many days do you go to physical education (PE) classes?

| | | | |
|---------------|--------|------------|----------------|
| A. | 0 days | 372 | 39.91% |
| B. | 1 day | 18 | 1.93% |
| C. | 2 days | 33 | 3.54% |
| D. | 3 days | 51 | 5.47% |
| E. | 4 days | 76 | 8.15% |
| F. | 5 days | 382 | 40.99% |
| TOTALS | | 932 | 100.00% |

Q -86 During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

| | | | |
|---------------|-----------------|------------|----------------|
| A. | 0 teams | 362 | 37.91% |
| B. | 1 team | 232 | 24.29% |
| C. | 2 teams | 164 | 17.17% |
| D. | 3 or more teams | 197 | 20.63% |
| TOTALS | | 955 | 100.00% |

Q -87 During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

| | | | |
|---------------|-----------------|------------|----------------|
| A. | 0 times | 786 | 82.05% |
| B. | 1 time | 102 | 10.65% |
| C. | 2 times | 35 | 3.65% |
| D. | 3 times | 12 | 1.25% |
| E. | 4 or more times | 23 | 2.40% |
| TOTALS | | 958 | 100.00% |

Q -88 When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

| | | | |
|---------------|------------------------------|------------|----------------|
| A. | During the past 12 months | 616 | 64.91% |
| B. | Between 12 and 24 months ago | 116 | 12.22% |
| C. | More than 24 months ago | 31 | 3.27% |
| D. | Never | 16 | 1.69% |
| E. | Not sure | 170 | 17.91% |
| TOTALS | | 949 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -89 Has a doctor or nurse ever told you that you have asthma?

| | | | |
|---------------|----------|------------|----------------|
| A. | Yes | 215 | 22.92% |
| B. | No | 645 | 68.76% |
| C. | Not sure | 78 | 8.32% |
| TOTALS | | 938 | 100.00% |

Q -90 On an average school night, how many hours of sleep do you get?

| | | | |
|---------------|------------------|------------|----------------|
| A. | 4 or less hours | 98 | 10.38% |
| B. | 5 hours | 120 | 12.71% |
| C. | 6 hours | 220 | 23.31% |
| D. | 7 hours | 280 | 29.66% |
| E. | 8 hours | 156 | 16.53% |
| F. | 9 hours | 52 | 5.51% |
| G. | 10 or more hours | 18 | 1.91% |
| TOTALS | | 944 | 100.00% |

Q -91 During the past 30 days, where did you usually sleep?

| | | | |
|---------------|---|------------|----------------|
| A. | In my parent's or guardian's home | 869 | 91.57% |
| B. | In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing | 38 | 4.00% |
| C. | In a shelter or emergency housing | 12 | 1.26% |
| D. | In a motel or hotel | 7 | 0.74% |
| E. | In a car, park, campground, or other public place | 4 | 0.42% |
| F. | I do not have a usual place to sleep | 3 | 0.32% |
| G. | Somewhere else | 16 | 1.69% |
| TOTALS | | 949 | 100.00% |

Q -92 During the past 12 months, how would you describe your grades in school?

| | | | |
|---------------|----------------------|------------|----------------|
| A. | Mostly A's | 251 | 26.59% |
| B. | Mostly B's | 273 | 28.92% |
| C. | Mostly C's | 212 | 22.46% |
| D. | Mostly D's | 55 | 5.83% |
| E. | Mostly F's | 48 | 5.08% |
| F. | None of these grades | 7 | 0.74% |
| G. | Not sure | 98 | 10.38% |
| TOTALS | | 944 | 100.00% |

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -93 During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)

| | | | |
|---------------|------------------|------------|----------------|
| A. | 0 times | 902 | 95.15% |
| B. | 1 or 2 times | 24 | 2.53% |
| C. | 3 to 9 times | 12 | 1.27% |
| D. | 10 to 19 times | 2 | 0.21% |
| E. | 20 to 39 times | 5 | 0.53% |
| F. | 40 or more times | 3 | 0.32% |
| TOTALS | | 948 | 100.00% |

Q -94 During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

| | | | |
|---------------|-----|------------|----------------|
| A. | Yes | 205 | 21.95% |
| B. | No | 729 | 78.05% |
| TOTALS | | 934 | 100.00% |