

2019 Montana Youth Risk Behavior Survey



Urban/Class AA, A, B, and C Report

A Comparative Report of
Health Risk Behaviors

Youth Risk Behavior Survey Program
Health Enhancement and Safety Division
September 2019

2019 Montana Youth Risk Behavior Survey

Montana Youth Risk Behavior Survey

The Montana Youth Risk Behavior Survey (YRBS) is administered by the Montana Office of Public Instruction every two years to students in grades 7 through 12. The survey is conducted by the U.S. Centers for Disease Control and Prevention (CDC) through a cooperative agreement with the Montana Office of Public Instruction. The purpose of the survey is to help monitor the prevalence of behaviors that not only influence youth health, but also put youth at risk for the most significant health and social problems that can occur during adolescence. While all schools in Montana can voluntarily participate in the survey, approximately 50 high schools are randomly selected by the CDC to provide the Montana YRBS results.

The 2019 YRBS was conducted in February 2019. Schools administering the survey were provided with detailed written instructions on conducting a random survey in their schools. To encourage accurate responses to sensitive questions, a strict protocol was implemented to protect the privacy and confidentiality of all participating students. The questionnaire was designed without skip patterns to ensure survey completion by students in a similar period of time.

Survey Validity, Limitations and Results

For the purpose of this report, high school students in Class AA public schools, and Class A or B non-public schools within these cities, are defined as 'Urban/AA'; all other Montana schools with a classification of Class A, B or C are represented as titled. Classification percentages may not *average* the Montana YRBS results due to over- or under-sampling procedures conducted by the school, and the edit criteria and filtering of responses placed upon the statewide dataset by the CDC.

The results are presented in the following two formats:

- Point of Interest graphs (pages 3-26)
- Frequency Distribution tables (pages 27-48)

2019 Montana Youth Risk Behavior Survey

Point of Interest Graphs


[Percentage of Students]

UNINTENTIONAL INJURIES AND VIOLENCE

NEVER OR RARELY WORE A SEAT BELT WHEN RIDING IN A VEHICLE



NEVER OR RARELY WEAR A SEAT BELT WHEN DRIVING A VEHICLE [AMONG STUDENTS WHO DRIVE]



RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL, PAST 30 DAYS



DROVE WHEN DRINKING ALCOHOL, PAST 30 DAYS



UNINTENTIONAL INJURIES AND VIOLENCE


TEXTED OR E-MAILED WHILE DRIVING, PAST 30 DAYS




USED THE INTERNET OR APPS ON THEIR CELL PHONE WHILE DRIVING, PAST 30 DAYS



CARRIED A WEAPON SUCH AS A GUN, KNIFE, OR CLUB, PAST 30 DAYS



CARRIED A WEAPON ON SCHOOL PROPERTY, PAST 30 DAYS




UNINTENTIONAL INJURIES AND VIOLENCE

CARRIED A GUN (NOT FOR HUNTING OR SPORT SUCH AS TARGET SHOOTING), PAST 12 MONTHS




DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE AT SCHOOL OR ON THEIR WAY TO OR FROM SCHOOL, PAST 30 DAYS



WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY, PAST 12 MONTHS




WERE IN A PHYSICAL FIGHT, PAST 30 DAYS




UNINTENTIONAL INJURIES AND VIOLENCE

WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY, PAST 12 MONTHS



HAD EVER BEEN FORCED TO HAVE SEXUAL INTERCOURSE WHEN THEY DID NOT WANT TO



HAD EXPERIENCED SEXUAL VIOLENCE (BEING FORCED TO DO SEXUAL THINGS SUCH AS KISSING, TOUCHING, OR BEING PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE), PAST 12 MONTHS




HAD BEEN FORCED BY SOMEONE THEY WERE DATING OR GOING OUT WITH TO DO SEXUAL THINGS THEY DID NOT WANT TO DO, PAST 12 MONTHS



UNINTENTIONAL INJURIES AND VIOLENCE

HAD BEEN PHYSICALLY HURT ON PURPOSE BY SOMEONE THEY WERE DATING OR GOING OUT WITH, PAST 12 MONTHS



WERE BULLIED ON SCHOOL PROPERTY, PAST 12 MONTHS



HAD BEEN ELECTRONICALLY BULLIED, PAST 12 MONTHS



HAD BEEN THE VICTIM OF TEASING OR NAME CALLING BECAUSE SOMEONE THOUGHT THEY WERE GAY, LESBIAN, OR BISEXUAL, PAST 12 MONTHS



UNINTENTIONAL INJURIES AND VIOLENCE

FELT SAD OR HOPELESS FOR 2 WEEKS OR MORE IN A ROW, PAST 12 MONTHS



SERIOUSLY CONSIDERED ATTEMPTING SUICIDE, PAST 12 MONTHS



MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE, PAST 12 MONTHS



ATTEMPTED SUICIDE, PAST 12 MONTHS



HAD A SUICIDE ATTEMPT THAT RESULTED IN AN INJURY, POISONING, OR OVERDOSE THAT REQUIRED MEDICAL TREATMENT, PAST 12 MONTHS [AMONG STUDENTS WHO ATTEMPTED SUICIDE]



TOBACCO USE


EVER TRIED CIGARETTE SMOKING



FIRST TRIED CIGARETTE SMOKING BEFORE AGE 13 YEARS




SMOKED A CIGARETTE DURING THE PAST 30 DAYS, 'CURRENTLY SMOKE'




TOBACCO USE

SMOKED CIGARETTES ON 20 OR MORE OF THE PAST 30 DAYS, 'FREQUENTLY SMOKE'



SMOKED CIGARETTES ON EACH OF THE PAST 30 DAYS, 'DAILY SMOKER'



SMOKED MORE THAN 10 CIGARETTES PER DAY



EVER USED AN ELECTRONIC VAPOR PRODUCT IN THEIR LIFETIME



TOBACCO USE


USED AN ELECTRONIC VAPOR PRODUCT DURING THE PAST 30 DAYS, 'CURRENTLY USE'



USED AN ELECTRONIC VAPOR PRODUCT ON SCHOOL PROPERTY, PAST 30 DAYS



USED AN ELECTRONIC VAPOR PRODUCT ON 20 OR MORE OF THE PAST 30 DAYS, 'FREQUENTLY USE'



USED AN ELECTRONIC VAPOR PRODUCT ON EACH OF THE PAST 30 DAYS, 'DAILY USE'



TOBACCO USE


USUALLY GOT THEIR ELECTRONIC VAPOR PRODUCTS BY BUYING THEM IN A STORE SUCH AS A CONVENIENCE STORE, SUPERMARKET, DISCOUNT STORE, GAS STATION, OR VAPE STORE.




USED ELECTRONIC VAPOR PRODUCTS MAINLY BECAUSE A FRIEND OR FAMILY MEMBER USED THEM



CURRENTLY USED CHEWING TOBACCO, SNUFF, DIP, SNUS, OR DISSOLVABLE TOBACCO PRODUCTS, PAST 30 DAYS



CURRENTLY SMOKED CIGARS, PAST 30 DAYS



TOBACCO USE

TRIED TO QUIT USING ALL TOBACCO PRODUCTS, PAST 12 MONTHS



ALCOHOL AND OTHER DRUG USE


HAD THEIR FIRST DRINK OF ALCOHOL BEFORE AGE 13 YEARS



CURRENTLY DRANK ALCOHOL, PAST 30 DAYS



CURRENTLY WERE BINGE DRINKING (4 OR MORE DRINKS IN A ROW FOR FEMALES, OR 5 OR MORE DRINKS IN A ROW FOR MALES, WITHIN A COUPLE OF HOURS) PAST 30 DAYS



ALCOHOL AND OTHER DRUG USE

HAD 10 OR MORE DRINKS IN A ROW, WITHIN A COUPLE OF HOURS, PAST 30 DAYS



USUALLY GOT THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM



EVER USED MARIJUANA




TRIED MARIJUANA FOR THE FIRST TIME BEFORE AGE 13 YEARS




ALCOHOL AND OTHER DRUG USE


CURRENTLY USED MARIJUANA, PAST 30 DAYS



EVER USED SYNTHETIC MARIJUANA



EVER TOOK PRESCRIPTION PAIN MEDICINE WITHOUT A DOCTOR'S PRESCRIPTION OR DIFFERENTLY THAN HOW A DOCTOR TOLD THEM TO USE IT




EVER USED COCAINE



ALCOHOL AND OTHER DRUG USE


EVER USED INHALANTS



EVER USED HEROIN



EVER USED METHAMPHETAMINES



EVER USED ECSTASY




ALCOHOL AND OTHER DRUG USE


EVER TOOK STEROIDS WITHOUT A DOCTOR'S PRESCRIPTION



EVER INJECTED ANY ILLEGAL DRUG



WERE OFFERED, SOLD, OR GIVEN AN ILLEGAL DRUG ON SCHOOL PROPERTY/PAST 12 MONTHS



SEXUAL BEHAVIORS

EVER HAD SEXUAL INTERCOURSE




SEXUAL BEHAVIORS

HAD SEXUAL INTERCOURSE FOR THE FIRST TIME BEFORE AGE 13 YEARS



HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS DURING THEIR LIFE



WERE CURRENTLY SEXUALLY ACTIVE, PAST 3 MONTHS



DRANK ALCOHOL OR USED DRUGS BEFORE LAST SEXUAL INTERCOURSE



SEXUAL BEHAVIORS

USED A CONDOM DURING LAST SEXUAL INTERCOURSE




USED BIRTH CONTROL PILLS BEFORE LAST SEXUAL INTERCOURSE




DIETARY BEHAVIORS AND NUTRITION

DESCRIBED THEMSELVES AS SLIGHTLY OR VERY OVERWEIGHT



WERE TRYING TO LOSE WEIGHT




DIETARY BEHAVIORS AND NUTRITION

DID NOT DRINK 100% FRUIT JUICE, PAST 7 DAYS



DID NOT EAT FRUIT, PAST 7 DAYS



DID NOT EAT GREEN SALAD, PAST 7 DAYS



DID NOT EAT POTATOES, PAST 7 DAYS




DIETARY BEHAVIORS AND NUTRITION


DID NOT EAT CARROTS, PAST 7 DAYS



DID NOT EAT OTHER VEGETABLES (DO NOT COUNT GREEN SALAD, POTATOES, OR CARROTS), PAST 7 DAYS



DID NOT DRINK A CAN, BOTTLE, OR GLASS OF SODA OR POP, SUCH AS COKE, PEPSI, OR SPRITE, PAST 7 DAYS




DID NOT DRINK MILK, PAST 7 DAYS




DIETARY BEHAVIORS AND NUTRITION


DRANK 3 OR MORE GLASSES OF MILK PER DAY, PAST 7 DAYS



DRANK A CAN, BOTTLE, OR GLASS OF AN ENERGY DRINK, SUCH AS RED BULL OR JOLT, PAST 7 DAYS



DID NOT EAT BREAKFAST, PAST 7 DAYS



ATE BREAKFAST ON EACH OF THE PAST 7 DAYS




PHYSICAL ACTIVITY

WERE PHYSICALLY ACTIVE FOR AT LEAST 60 MINUTES PER DAY, ON 5 OF THE PAST 7 DAYS



DID NOT PARTICIPATE IN AT LEAST 60 MINUTES OF PHYSICAL ACTIVITY ON ANY OF THE PAST 7 DAYS



WATCH TV FOR 3 OR MORE HOURS ON AN AVERAGE SCHOOL DAY




PLAYED VIDEO OR COMPUTER GAMES OR SPENT TIME WATCHING VIDEOS, TEXTING, OR USING SOCIAL MEDIA ON A SMARTPHONE, COMPUTER, XBOX, PLAYSTATION, IPAD, OR OTHER TABLET FOR 3 OR MORE HOURS ON AN AVERAGE SCHOOL DAY



PHYSICAL ACTIVITY

ATTENDED PHYSICAL EDUCATION (PE) CLASSES ON ALL 5 DAYS OF AN AVERAGE WEEK



PLAYED ON AT LEAST ONE SPORTS TEAM RUN BY THEIR SCHOOL OR COMMUNITY GROUPS, PAST 12 MONTHS




HAD A CONCUSSION FROM PLAYING A SPORT OR BEING PHYSICALLY ACTIVE, PAST 12 MONTHS




OTHER HEALTH-RELATED TOPICS

SAW A DENTIST FOR A CHECK-UP, EXAM, TEETH CLEANING, OR OTHER DENTAL WORK, PAST 12 MONTHS




OTHER HEALTH-RELATED BEHAVIORS

HAVE BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAVE ASTHMA



GOT 8 OR MORE HOURS OF SLEEP ON AN AVERAGE SCHOOL NIGHT



DID NOT USUALLY SLEEP IN THEIR PARENT'S OR GUARDIAN'S HOME, PAST 30 DAYS



DESCRIBED THEIR GRADES IN SCHOOL AS MOSTLY A'S OR B'S, PAST 12 MONTHS



OTHER HEALTH-RELATED BEHAVIORS

USED AN INDOOR TANNING DEVICE SUCH AS A SUNLAMP, SUNBED, OR TANNING BOOTH, PAST 12 MONTHS



RECEIVED HELP FROM A RESOURCE TEACHER, SPEECH THERAPIST, OR OTHER SPECIAL EDUCATION TEACHER, PAST 12 MONTHS



2019 Montana Youth Risk Behavior Survey

Frequency Distributions – 2019 Questionnaire

DEMOGRAPHICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-1. How old are you?					
A.	12 years old or younger	0.2	0.3	0.3	0.3
B.	13 years old	0.0	0.3	0.1	0.0
C.	14 years old	9.9	10.1	10.7	10.6
D.	15 years old	25.6	29.0	27.8	26.4
E.	16 years old	26.3	25.9	24.4	26.0
F.	17 years old	24.7	19.6	22.6	22.2
G.	18 years old or older	13.3	14.8	14.1	14.5
Q-2. What is your sex?					
A.	Female	49.0	51.0	48.4	48.1
B.	Male	51.0	49.0	51.6	51.9
Q-3. In what grade are you?					
A.	9 th grade	23.9	29.2	30.1	28.0
B.	10 th grade	27.1	28.2	26.0	26.1
C.	11 th grade	26.3	20.4	22.7	23.4
D.	12 th grade	22.4	21.8	21.0	22.2
E.	Ungraded or other grade	0.3	0.4	0.2	0.3
Q-4. Are you Hispanic or Latino?					
A.	Yes	9.6	9.3	9.3	6.6
B.	No	90.4	90.7	90.7	93.4
Q-5. What is your race?					
A.	American Indian or Alaskan Native	6.6	13.7	22.1	14.2
B.	Asian	3.4	2.6	2.2	2.1
C.	Black or African American	2.9	2.0	2.9	1.9
D.	Native Hawaiian or Other Pacific Islander	1.9	1.7	1.3	0.7
E.	White	85.2	80.0	71.5	81.1
Q-6. How tall are you without your shoes on?					
A.	Less than 4 ft	0.0	0.0	0.0	0.0
B.	4ft to 4ft, 6in	0.3	0.1	0.3	0.2
C.	4ft, 7in to 5 ft	2.4	3.4	2.4	2.0
D.	5ft, 1in to 5ft, 6in	38.8	39.4	38.2	35.8
E.	Over 5ft, 6in	58.5	57.1	59.1	62.0

DEMOGRAPHICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-7. How much do you weigh without your shoes on?					
A.	Less than 90 lbs	0.4	0.2	0.1	0.2
B.	90-99 lbs	1.2	1.8	1.3	1.3
C.	100-109 lbs	4.8	3.9	3.8	2.7
D.	110-119 lbs	9.6	9.6	9.3	6.9
E.	120-129 lbs	14.8	12.4	12.2	11.9
F.	130-139 lbs	16.0	15.4	13.8	13.8
G.	140 lbs+	53.2	56.7	59.5	63.2
UNINTENTIONAL INJURIES AND VIOLENCE					
Q-8. How often do you wear a seat belt when riding in a car driven by someone else?					
A.	Never	2.2	1.9	3.2	3.6
B.	Rarely	3.4	5.7	7.9	6.9
C.	Sometimes	6.0	12.8	12.9	12.9
D.	Most of the time	26.5	31.8	32.6	37.6
E.	Always	61.9	47.8	43.4	39.0
Q-9. How often do you wear a seat belt when driving a car?					
A.	I do not drive a car	19.4	21.2	19.2	16.3
B.	Never	1.4	2.8	3.0	3.0
C.	Rarely	2.3	4.7	5.5	5.3
D.	Sometimes	3.2	6.5	7.1	9.1
E.	Most of the time	10.6	12.3	15.8	20.7
F.	Always	63.1	52.5	49.4	45.6
Q-10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?					
A.	0 times	80.6	81.5	80.6	80.3
B.	1 time	9.1	8.8	7.8	7.4
C.	2 or 3 times	6.0	5.0	6.7	6.7
D.	4 or 5 times	1.8	1.4	1.1	2.0
E.	6 or more times	2.5	3.3	3.8	3.6
Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?					
A.	I did not drive a car or other vehicle during the past 30 days	26.7	28.6	28.9	23.8
B.	0 times	66.5	65.8	64.5	69.2
C.	1 time	3.7	2.9	3.0	3.0
D.	2 or 3 times	2.1	1.7	1.7	1.9
E.	4 or 5 times	0.4	0.3	0.7	0.7
F.	6 or more times	0.6	0.7	1.2	1.4

UNINTENTIONAL INJURIES AND VIOLENCE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?					
A.	I did not drive a car or other vehicle during the past 30 days	24.0	25.7	25.2	21.3
B.	0 days	31.4	33.6	35.0	36.1
C.	1 or 2 days	12.5	12.3	13.8	15.0
D.	3 to 5 days	6.0	6.4	4.9	7.2
E.	6 to 9 days	5.6	3.5	4.2	5.1
F.	10 to 19 days	5.3	5.1	5.2	5.5
G.	20 to 29 days	4.9	4.7	3.9	2.8
H.	All 30 days	10.3	8.7	7.8	7.0
Q-13. During the past 30 days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)					
A.	I did not drive a car or other vehicle during the past 30 days	23.7	25.3	24.5	20.6
B.	0 days	37.7	38.5	40.1	42.5
C.	1 or 2 days	10.6	10.4	10.2	12.2
D.	3 to 5 days	5.1	5.6	5.0	4.7
E.	6 to 9 days	3.4	2.9	3.2	4.2
F.	10 to 19 days	4.3	3.6	4.5	4.3
G.	20 to 29 days	4.5	3.8	3.4	3.5
H.	All 30 days	10.7	9.9	9.1	8.0
Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?					
A.	0 days	79.9	74.5	72.9	69.4
B.	1 day	4.5	5.5	5.0	5.5
C.	2 or 3 days	5.0	4.9	6.1	6.8
D.	4 or 5 days	2.0	2.7	2.5	3.1
E.	6 or more days	8.6	12.4	13.5	15.2
Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?					
A.	0 days	93.9	90.7	89.9	89.4
B.	1 day	1.4	2.4	2.5	2.9
C.	2 or 3 days	1.1	1.4	1.3	2.1
D.	4 or 5 days	0.6	0.4	0.7	0.7
E.	6 or more days	3.0	5.1	5.6	4.9

UNINTENTIONAL INJURIES AND VIOLENCE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-16. During the past 30 days, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)					
A.	0 days	93.8	91.6	89.9	87.8
B.	1 day	1.9	2.0	2.1	2.4
C.	2 or 3 days	1.9	1.8	2.6	2.7
D.	4 or 5 days	0.3	1.3	1.1	1.0
E.	6 or more days	2.1	3.3	4.3	6.1
Q-17. During the past 30 days, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?					
A.	0 days	89.9	88.9	91.1	92.9
B.	1 day	5.3	6.3	4.2	3.6
C.	2 or 3 days	3.4	3.0	2.4	1.9
D.	4 or 5 days	0.7	0.6	0.7	0.5
E.	6 or more days	0.7	1.2	1.6	1.1
Q-18. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?					
A.	0 times	92.7	89.8	92.3	92.4
B.	1 time	3.0	5.8	3.0	3.8
C.	2 or 3 times	2.5	2.4	2.4	2.3
D.	4 or 5 times	0.5	0.8	0.7	0.8
E.	6 or 7 times	0.4	0.2	0.4	0.2
F.	8 or 9 times	0.1	0.1	0.3	0.1
G.	10 or 11 times	0.1	0.1	0.1	0.0
H.	12 or more times	0.7	0.8	0.8	0.4
Q-19. During the past 12 months, how many times were you in a physical fight?					
A.	0 times	78.5	78.0	72.5	75.9
B.	1 time	10.8	10.7	12.5	10.7
C.	2 or 3 times	6.5	6.7	8.3	7.8
D.	4 or 5 times	1.4	1.9	2.4	2.7
E.	6 or 7 times	0.7	1.0	1.1	0.7
F.	8 or 9 times	0.3	0.2	0.7	0.4
G.	10 or 11 times	0.2	0.3	0.3	0.4
H.	12 or more times	1.6	1.2	2.2	1.4

UNINTENTIONAL INJURIES AND VIOLENCE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-20. During the past 12 months, how many times were you in a physical fight on school property?					
A.	0 times	92.5	91.0	89.1	90.3
B.	1 time	5.0	5.9	6.6	6.7
C.	2 or 3 times	1.4	2.1	2.5	2.0
D.	4 or 5 times	0.3	0.3	0.5	0.3
E.	6 or 7 times	0.2	0.2	0.3	0.2
F.	8 or 9 times	0.1	0.0	0.1	0.1
G.	10 or 11 times	0.1	0.1	0.1	0.0
H.	12 or more times	0.4	0.4	0.8	0.4
Q-21. Have you ever been physically forced to have sexual intercourse?					
A.	Yes	9.1	9.7	10.5	11.6
B.	No	90.9	90.3	89.5	88.4
Q-22. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)					
A.	0 times	87.1	87.4	88.7	89.0
B.	1 time	6.8	6.7	6.2	5.5
C.	2 or 3 times	3.6	4.0	2.9	3.4
D.	4 or 5 times	0.8	0.7	0.8	0.7
E.	6 or more times	1.7	1.2	1.4	1.4
Q-23. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)					
A.	I did not date or go out with anyone during the past 12 months	35.7	35.1	34.5	34.9
B.	0 times	57.7	57.2	59.0	59.0
C.	1 time	2.7	4.0	2.8	2.8
D.	2 or 3 times	2.4	2.2	1.9	1.9
E.	4 or 5 times	0.6	0.5	0.5	0.6
F.	6 or more times	0.9	1.0	1.3	0.8

UNINTENTIONAL INJURIES AND VIOLENCE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-24. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)					
A.	I did not date or go out with anyone during the past 12 months	34.6	34.6	34.0	35.2
B.	0 times	60.2	60.9	60.0	60.6
C.	1 time	2.1	2.0	2.3	1.9
D.	2 or 3 times	1.5	1.2	1.7	1.2
E.	4 or 5 times	0.4	0.4	0.6	0.3
F.	6 or more times	1.2	0.9	1.4	0.8
Q-25. During the past 12 months, have you ever been bullied on school property?					
A.	Yes	22.8	25.4	23.9	25.2
B.	No	77.2	74.6	76.1	74.8
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)					
A.	Yes	17.6	20.0	17.9	18.0
B.	No	82.4	80.0	82.1	82.0
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?					
A.	Yes	12.9	14.2	14.9	14.0
B.	No	87.1	85.8	85.1	86.0
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?					
A.	Yes	36.1	39.8	37.4	32.5
B.	No	63.9	60.2	62.6	67.5
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?					
A.	Yes	21.5	25.8	24.1	21.6
B.	No	78.5	74.2	75.9	78.4

UNINTENTIONAL INJURIES AND VIOLENCE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?					
A.	Yes	17.5	21.6	20.5	18.9
B.	No	82.5	78.4	79.5	81.1
Q-31. During the past 12 months, how many times did you actually attempt suicide?					
A.	0 times	88.0	84.0	84.7	85.6
B.	1 time	8.3	11.3	10.1	9.9
C.	2 or 3 times	2.7	3.5	3.6	3.4
D.	4 or 5 times	0.6	0.4	0.7	0.5
E.	6 or more times	0.4	0.8	0.9	0.6
Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?					
A.	I did not attempt suicide during the past 12 months	88.6	83.9	82.4	82.4
B.	Yes	3.3	4.6	5.0	5.9
C.	No	8.1	11.5	12.6	11.7
TOBACCO USE					
Q-33. Have you ever tried cigarette smoking, even one or two puffs?					
A.	Yes	26.5	32.2	40.1	38.4
B.	No	73.5	67.8	59.9	61.6
Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?					
A.	I have never tried cigarette smoking, not even one or two puffs	74.3	68.3	60.3	63.7
B.	8 years old or younger	3.1	3.8	4.9	4.0
C.	9 or 10 years old	1.8	2.7	3.8	4.0
D.	11 or 12 years old	3.1	4.5	6.4	5.3
E.	13 or 14 years old	6.8	9.0	10.4	9.2
F.	15 or 16 years old	8.4	8.7	11.5	10.5
G.	17 years old or older	2.5	3.0	2.7	3.3

TOBACCO USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-35. During the past 30 days, on how many days did you smoke cigarettes?					
A.	0 days	92.6	90.4	86.9	88.4
B.	1 or 2 days	3.8	3.7	5.2	4.8
C.	3 to 5 days	1.0	2.1	2.2	1.8
D.	6 to 9 days	0.6	0.8	1.3	1.1
E.	10 to 19 days	0.5	1.2	1.5	1.3
F.	20 to 29 days	0.4	0.5	0.8	0.5
G.	All 30 days	1.1	1.3	2.1	2.1
Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?					
A.	I did not smoke cigarettes during the past 30 days	92.5	90.2	86.6	88.1
B.	Less than 1 cigarette per day	3.7	4.6	5.9	4.5
C.	1 cigarette per day	1.3	1.6	2.5	2.1
D.	2 to 5 cigarettes per day	1.9	2.7	3.2	3.6
E.	6 to 10 cigarettes per day	0.2	0.4	0.8	0.8
F.	11 to 20 cigarettes per day	0.2	0.3	0.2	0.2
G.	More than 20 cigarettes per day	0.2	0.2	0.8	0.7
Q-37. Have you ever used an electronic vapor product?					
A.	Yes	59.4	57.1	54.8	54.8
B.	No	40.6	42.9	45.2	45.2
Q-38. During the past 30 days, on how many days did you use an electronic vapor product?					
A.	0 days	57.4	62.2	63.8	69.3
B.	1 or 2 days	12.4	12.8	12.1	11.3
C.	3 to 5 days	6.1	5.0	5.2	4.5
D.	6 to 9 days	3.8	4.0	4.2	4.1
E.	10 to 19 days	5.5	5.5	4.7	3.8
F.	20 to 29 days	4.4	4.0	3.9	2.6
G.	All 30 days	10.4	6.5	6.1	4.4
Q-39. During the past 30 days, on how many days did you use an electronic vapor product on school property?					
A.	0 days	78.9	82.1	83.3	88.0
B.	1 or 2 days	6.2	6.4	5.9	5.4
C.	3 to 5 days	2.8	2.9	2.5	1.7
D.	6 to 9 days	2.4	2.0	1.9	1.2
E.	10 to 19 days	3.3	2.9	2.4	1.3
F.	20 to 29 days	2.3	1.4	1.2	0.8
G.	All 30 days	4.1	2.3	2.8	1.6

TOBACCO USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)					
A.	I did not use any electronic vapor products during the past 30 days	57.6	62.0	63.9	68.6
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	6.1	5.9	5.8	4.6
C.	I got them on the Internet	0.7	1.0	1.9	1.5
D.	I gave someone else money to buy them for me	8.5	7.6	6.8	5.6
E.	I borrowed them from someone else	17.7	15.4	14.3	13.1
F.	A person who can legally buy these products gave them to me	4.2	3.1	2.9	2.3
G.	I took them from a store or another person	0.4	0.4	0.3	0.5
H.	I got them some other way	4.8	4.6	4.1	3.8
Q-41. What is the main reason you have used electronic vapor products? (Select only one response.)					
A.	I have never used an electronic vapor product	43.3	46.6	48.3	51.3
B.	Friend or family member used them	13.9	14.0	12.9	13.8
C.	To try to quit using other tobacco products	1.6	1.3	2.2	1.8
D.	They cost less than other tobacco products	0.8	0.7	0.7	0.8
E.	They are easier to get than other tobacco products	0.9	1.1	1.2	0.8
F.	They are less harmful than other forms of tobacco	4.9	3.6	4.3	3.1
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	6.2	7.1	7.8	7.2
H.	I used them for some other reason	28.4	25.6	22.6	21.2
Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)					
A.	0 days	94.3	92.1	89.5	88.3
B.	1 or 2 days	2.6	3.3	3.6	4.0
C.	3 to 5 days	0.8	1.1	1.7	1.4
D.	6 to 9 days	0.7	0.6	1.3	1.2
E.	10 to 19 days	0.6	0.7	0.9	1.1
F.	20 to 29 days	0.1	0.4	0.9	0.8
G.	All 30 days	0.9	1.8	2.1	3.2

TOBACCO USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?					
A.	0 days	91.9	91.1	90.0	90.9
B.	1 or 2 days	4.9	5.2	5.1	5.1
C.	3 to 5 days	1.5	2.1	1.9	1.8
D.	6 to 9 days	0.8	0.7	0.9	0.7
E.	10 to 19 days	0.4	0.3	0.8	0.5
F.	20 to 29 days	0.1	0.2	0.4	0.1
G.	All 30 days	0.4	0.4	0.9	0.9
Q-44. During the past 12 months, did you ever try to quit using all tobacco products, including cigarettes, cigars, smokeless tobacco, shisha, or hookah tobacco, and electronic vapor products?					
A.	I did not use any tobacco products during the past 12 months	65.9	68.2	65.6	67.7
B.	Yes	19.6	15.4	17.3	15.7
C.	No	14.5	16.4	17.1	16.6
ALCOHOL AND OTHER DRUG USE					
Q-45. How old were you when you had your first drink of alcohol other than a few sips?					
A.	I have never had a drink of alcohol other than a few sips	37.6	38.8	39.8	39.0
B.	8 years old or younger	4.8	5.9	7.1	7.9
C.	9 or 10 years old	3.7	4.5	4.7	5.3
D.	11 or 12 years old	6.4	7.1	8.3	8.3
E.	13 or 14 years old	19.2	18.7	19.5	17.8
F.	15 or 16 years old	24.2	21.3	17.6	18.4
G.	17 years old or older	4.1	3.7	3.0	3.3
Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?					
A.	0 days	62.4	66.9	67.9	69.4
B.	1 or 2 days	18.7	16.4	16.2	15.8
C.	3 to 5 days	9.8	7.4	7.4	6.8
D.	6 to 9 days	5.4	4.6	3.9	4.0
E.	10 to 19 days	2.5	3.2	2.3	2.7
F.	20 to 29 days	0.6	0.8	1.2	0.6
G.	All 30 days	0.6	0.7	1.1	0.7

ALCOHOL AND OTHER DRUG USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-47. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks in a row, that is, within a couple of hours (if you are male)?					
A.	0 days	76.9	78.4	79.5	81.5
B.	1 day	9.1	7.8	7.6	7.2
C.	2 days	5.6	5.3	4.5	3.6
D.	3 to 5 days	4.5	4.1	4.3	3.7
E.	6 to 9 days	2.2	2.4	2.2	2.1
F.	10 to 19 days	1.0	1.4	0.9	0.9
G.	20 or more days	0.7	0.6	1.0	1.0
Q-48. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?					
A.	I did not drink alcohol during the past 30 days	62.9	67.8	69.0	70.7
B.	1 or 2 drinks	12.6	10.7	10.1	11.3
C.	3 drinks	3.6	2.4	2.7	2.2
D.	4 drinks	3.9	3.2	2.2	3.0
E.	5 drinks	4.4	4.3	4.0	2.9
F.	6 or 7 drinks	4.8	4.6	3.6	3.5
G.	8 or 9 drinks	2.6	1.9	2.5	1.7
H.	10 or more drinks	5.2	5.1	5.9	4.7
Q-49. During the past 30 days, how did you usually get the alcohol you drank?					
A.	I did not drink alcohol during the past 30 days	62.6	66.4	68.6	70.7
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	1.4	0.5	1.0	1.4
C.	I bought it at a restaurant, bar, or club	0.4	0.2	0.4	0.7
D.	I bought it at a public event such as a concert or sporting event	0.1	0.3	0.4	0.1
E.	I gave someone else money to buy it for me	9.1	7.2	7.2	5.0
F.	Someone gave it to me	14.8	13.4	12.4	12.8
G.	I took it from a store or family member	4.4	4.6	2.9	3.1
H.	I got it some other way	7.2	7.4	7.1	6.2

ALCOHOL AND OTHER DRUG USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-50. During your life, how many times have you used marijuana?					
A.	0 times	61.8	62.8	61.8	67.4
B.	1 or 2 times	9.1	9.0	9.8	9.4
C.	3 to 9 times	8.0	8.2	6.3	6.4
D.	10 to 19 times	4.1	4.7	3.8	3.0
E.	20 to 39 times	4.2	3.9	3.8	2.5
F.	40 to 99 times	4.4	3.4	3.8	2.9
G.	100 or more times	8.4	8.0	10.7	8.4
Q-51. How old were you when you tried marijuana for the first time?					
A.	I have never tried marijuana	61.4	62.2	60.8	67.0
B.	8 years old or younger	1.2	1.2	2.7	2.2
C.	9 or 10 years old	1.2	2.2	2.7	1.9
D.	11 or 12 years old	3.5	4.1	5.8	4.2
E.	13 or 14 years old	12.7	12.3	12.1	10.7
F.	15 or 16 years old	16.5	14.2	13.1	11.2
G.	17 years old or older	3.5	3.9	2.8	2.8
Q-52. During the past 30 days, how many times did you use marijuana?					
A.	0 times	77.9	79.0	79.0	84.3
B.	1 or 2 times	8.9	8.2	6.5	4.9
C.	3 to 9 times	4.9	4.6	4.9	3.2
D.	10 to 19 times	2.5	2.3	2.7	2.2
E.	20 to 39 times	1.8	1.5	2.0	1.7
F.	40 or more times	4.0	4.4	4.9	3.7
Q-53. During your life, how many times have you used synthetic marijuana?					
A.	0 times	93.9	93.1	91.7	94.1
B.	1 or 2 times	3.5	3.3	4.1	3.0
C.	3 to 9 times	1.1	1.7	1.7	1.0
D.	10 to 19 times	0.6	0.5	0.8	0.5
E.	20 to 39 times	0.2	0.4	0.7	0.4
F.	40 or more times	0.7	0.9	0.9	1.0

ALCOHOL AND OTHER DRUG USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-54. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?					
A.	0 times	88.2	85.9	85.7	86.5
B.	1 or 2 times	6.7	6.8	6.4	5.8
C.	3 to 9 times	2.7	3.2	3.9	3.9
D.	10 to 19 times	1.3	1.6	1.5	1.9
E.	20 to 39 times	0.3	1.1	0.9	0.9
F.	40 or more times	0.8	1.4	1.6	1.0
Q-55. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?					
A.	0 times	95.9	95.6	94.9	96.4
B.	1 or 2 times	2.4	2.5	2.3	1.7
C.	3 to 9 times	0.9	0.7	1.3	0.8
D.	10 to 19 times	0.3	0.3	0.4	0.4
E.	20 to 39 times	0.2	0.3	0.1	0.1
F.	40 or more times	0.3	0.6	1.0	0.6
Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?					
A.	0 times	93.1	91.4	90.6	89.9
B.	1 or 2 times	4.1	4.3	5.0	5.9
C.	3 to 9 times	1.6	2.1	1.7	2.1
D.	10 to 19 times	0.5	1.0	1.0	0.6
E.	20 to 39 times	0.3	0.3	0.5	0.6
F.	40 or more times	0.4	0.9	1.2	0.9
Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?					
A.	0 times	98.5	98.2	97.5	98.2
B.	1 or 2 times	0.6	0.7	0.8	0.8
C.	3 to 9 times	0.2	0.3	0.5	0.3
D.	10 to 19 times	0.1	0.3	0.3	0.1
E.	20 to 39 times	0.2	0.2	0.1	0.1
F.	40 or more times	0.4	0.3	0.8	0.5

ALCOHOL AND OTHER DRUG USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?					
A.	0 times	98.0	98.2	97.5	98.2
B.	1 or 2 times	1.1	0.7	0.8	0.8
C.	3 to 9 times	0.1	0.3	0.5	0.3
D.	10 to 19 times	0.3	0.3	0.3	0.1
E.	20 to 39 times	0.1	0.2	0.1	0.1
F.	40 or more times	0.4	0.3	0.8	0.5
Q-59. During your life, how many times have you used ecstasy (also called MDMA)?					
A.	0 times	96.0	96.2	95.2	96.6
B.	1 or 2 times	2.7	2.3	2.4	2.2
C.	3 to 9 times	0.7	0.7	1.0	0.5
D.	10 to 19 times	0.2	0.2	0.5	0.1
E.	20 to 39 times	0.1	0.2	0.2	0.1
F.	40 or more times	0.3	0.4	0.7	0.5
Q-60. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?					
A.	0 times	98.3	97.9	97.2	98.3
B.	1 or 2 times	0.8	0.8	0.9	0.7
C.	3 to 9 times	0.3	0.6	0.6	0.3
D.	10 to 19 times	0.2	0.3	0.2	0.0
E.	20 to 39 times	0.1	0.1	0.1	0.2
F.	40 or more times	0.2	0.2	0.8	0.3
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?					
A.	0 times	98.9	98.0	98.0	98.0
B.	1 time	0.7	1.2	0.9	1.3
C.	2 or more times	0.4	0.8	1.1	0.7
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?					
A.	Yes	24.8	22.0	19.9	18.5
B.	No	75.2	78.0	80.1	81.5

SEXUAL BEHAVIORS THAT CONTRIBUTE TO UNINTENDED PREGNANCY /STDs		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-63. Have you ever had sexual intercourse?					
A.	Yes	42.7	47.3	47.8	46.2
B.	No	57.3	52.7	52.2	53.8
Q-64. How old were you when you had sexual intercourse for the first time?					
A.	I have never had sexual intercourse	58.4	53.9	53.4	55.7
B.	11 years old or younger	2.5	2.7	3.0	3.5
C.	12 years old	1.1	1.6	1.8	1.8
D.	13 years old	2.7	3.0	4.8	4.2
E.	14 years old	7.6	11.7	10.6	9.5
F.	15 years old	12.7	14.1	13.3	12.1
G.	16 years old	10.6	9.2	9.2	9.4
H.	17 years old or older	4.4	3.8	3.9	3.8
Q-65. During your life, with how many people have you had sexual intercourse?					
A.	I have never had sexual intercourse	59.1	54.4	54.3	56.2
B.	1 person	17.3	18.4	17.5	16.5
C.	2 people	7.7	9.2	8.4	8.6
D.	3 people	4.8	5.3	6.2	6.4
E.	4 people	3.4	3.0	3.7	3.4
F.	5 people	2.1	2.2	2.7	2.2
G.	6 or more people	5.6	7.5	7.2	6.7
Q-66. During the past 3 months, with how many people did you have sexual intercourse?					
A.	I have never had sexual intercourse	58.9	54.6	54.1	56.9
B.	I have had sexual intercourse, but not during the past 3 months	11.6	12.5	14.1	14.4
C.	1 person	22.9	25.4	24.2	22.0
D.	2 people	3.7	3.9	4.1	3.4
E.	3 people	1.5	1.7	1.8	1.1
F.	4 people	0.5	0.6	0.5	0.6
G.	5 people	0.2	0.3	0.4	0.4
H.	6 or more people	0.7	1.0	0.8	1.2

SEXUAL BEHAVIORS THAT CONTRIBUTE TO UNINTENDED PREGNANCY /STDs		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?					
A.	I have never had sexual intercourse	58.4	53.9	52.9	55.6
B.	Yes	8.4	8.0	9.9	8.5
C.	No	33.2	38.1	37.2	35.9
Q-68. The last time you had sexual intercourse, did you or your partner use a condom?					
A.	I have never had sexual intercourse	58.9	54.7	54.4	56.3
B.	Yes	23.6	25.1	26.7	26.5
C.	No	17.5	20.2	18.9	17.2
Q-69. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)					
A.	I have never had sexual intercourse	58.8	54.6	54.1	56.3
B.	No method was used to prevent pregnancy	3.9	4.1	5.8	4.8
C.	Birth control pills	9.8	11.2	9.8	9.3
D.	Condoms	15.4	18.1	20.0	19.9
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	4.6	4.8	3.1	2.8
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	2.2	2.3	2.3	1.9
G.	Withdrawal or some other method	3.4	3.7	3.4	3.2
H.	Not sure	1.9	1.2	1.5	1.8
DIETARY BEHAVIORS AND NUTRITION					
Q-70. How do you describe your weight?					
A.	Very underweight	2.9	2.7	3.7	3.6
B.	Slightly underweight	15.4	14.3	13.3	13.3
C.	About the right weight	53.5	51.6	51.0	52.2
D.	Slightly overweight	23.5	26.0	27.0	26.1
E.	Very overweight	4.7	5.4	5.0	4.8
Q-71. Which of the following are you trying to do about your weight?					
A.	Lose weight	39.2	43.4	43.7	40.9
B.	Gain weight	20.5	18.8	18.0	16.8
C.	Stay the same weight	17.4	16.1	16.2	17.7
D.	I am not trying to do anything about my weight	22.9	21.7	22.1	24.6

DIETARY BEHAVIORS AND NUTRITION		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)					
A.	I did not drink 100% fruit juice during the past 7 days	34.1	31.5	27.8	26.3
B.	1 to 3 times during the past 7 days	41.8	43.6	42.4	44.1
C.	4 to 6 times during the past 7 days	12.6	13.3	14.4	15.0
D.	1 time per day	5.1	4.0	5.9	5.9
E.	2 times per day	3.3	3.6	4.2	4.5
F.	3 times per day	1.4	1.9	1.8	1.4
G.	4 or more times per day	1.7	2.1	3.5	2.8
Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)					
A.	I did not eat fruit during the past 7 days	10.2	10.9	12.1	11.0
B.	1 to 3 times during the past 7 days	32.2	36.4	36.0	37.0
C.	4 to 6 times during the past 7 days	23.5	23.1	24.3	25.7
D.	1 time per day	12.3	10.7	11.1	10.0
E.	2 times per day	13.2	11.1	9.6	9.8
F.	3 times per day	5.1	3.6	3.0	2.9
G.	4 or more times per day	3.5	4.2	3.9	3.6
Q-74. During the past 7 days, how many times did you eat green salad?					
A.	I did not eat green salad during the past 7 days	35.3	31.0	34.0	33.4
B.	1 to 3 times during the past 7 days	41.2	47.2	41.0	42.7
C.	4 to 6 times during the past 7 days	14.5	12.7	13.7	13.4
D.	1 time per day	5.8	5.5	7.4	6.5
E.	2 times per day	1.9	1.7	1.9	2.2
F.	3 times per day	0.5	0.5	0.6	0.5
G.	4 or more times per day	0.8	1.4	1.4	1.3
Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)					
A.	I did not eat potatoes during the past 7 days	32.3	32.4	30.4	27.2
B.	1 to 3 times during the past 7 days	52.4	50.9	50.2	51.8
C.	4 to 6 times during the past 7 days	11.2	10.9	12.2	13.6
D.	1 time per day	2.1	2.7	3.8	4.0
E.	2 times per day	0.8	1.5	1.2	1.4
F.	3 times per day	0.4	0.4	0.7	0.7
G.	4 or more times per day	0.8	1.2	1.5	1.3

DIETARY BEHAVIORS AND NUTRITION		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-76. During the past 7 days, how many times did you eat carrots?					
A.	I did not eat carrots during the past 7 days	43.1	42.4	47.4	47.0
B.	1 to 3 times during the past 7 days	40.2	41.5	37.8	38.6
C.	4 to 6 times during the past 7 days	9.4	9.5	8.4	8.6
D.	1 time per day	4.2	3.7	3.4	3.2
E.	2 times per day	1.9	1.7	1.2	1.2
F.	3 times per day	0.4	0.3	0.5	0.4
G.	4 or more times per day	0.8	0.9	1.3	1.0
Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)					
A.	I did not eat other vegetables during the past 7 days	16.2	16.0	18.7	18.3
B.	1 to 3 times during the past 7 days	39.4	41.2	40.1	39.0
C.	4 to 6 times during the past 7 days	23.1	22.8	23.1	23.2
D.	1 time per day	10.6	9.9	9.3	9.7
E.	2 times per day	7.3	6.0	5.3	6.8
F.	3 times per day	1.8	2.0	1.3	1.3
G.	4 or more times per day	1.6	2.1	2.2	1.7
Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)					
A.	I did not drink soda or pop during the past 7 days	30.0	27.3	26.5	25.6
B.	1 to 3 times during the past 7 days	40.4	44.6	41.7	41.7
C.	4 to 6 times during the past 7 days	16.9	15.7	17.1	16.8
D.	1 time per day	6.7	5.3	6.4	7.5
E.	2 times per day	3.3	4.1	4.0	4.3
F.	3 times per day	1.1	1.0	1.7	1.6
G.	4 or more times per day	1.6	2.0	2.6	2.5
Q-79. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)					
A.	I did not drink milk during the past 7 days	23.5	21.6	21.8	17.9
B.	1 to 3 times during the past 7 days	27.0	28.6	26.4	24.6
C.	4 to 6 times during the past 7 days	16.7	17.3	18.0	18.6
D.	1 time per day	12.6	10.8	10.9	12.8
E.	2 times per day	11.4	11.1	11.5	13.6
F.	3 times per day	4.7	5.5	5.6	6.2
G.	4 or more times per day	4.1	5.1	5.8	6.3

DIETARY BEHAVIORS AND NUTRITION		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)					
A.	I did not drink energy drinks during the past 7 days	76.0	70.7	67.3	67.7
B.	1 to 3 times during the past 7 days	16.7	21.4	22.2	22.2
C.	4 to 6 times during the past 7 days	3.5	3.7	5.1	5.1
D.	1 time per day	1.9	1.4	2.3	1.8
E.	2 times per day	0.8	1.4	1.4	1.4
F.	3 times per day	0.4	0.4	0.5	0.4
G.	4 or more times per day	0.7	1.0	1.2	1.4
Q-81. During the past 7 days, on how many days did you eat breakfast?					
A.	0 days	12.8	10.6	11.7	10.2
B.	1 day	6.1	7.3	6.5	5.6
C.	2 days	8.4	8.3	8.1	6.3
D.	3 days	10.6	11.6	8.8	7.5
E.	4 days	12.0	10.2	10.6	9.8
F.	5 days	15.8	16.8	15.7	14.7
G.	6 days	10.3	9.9	11.1	15.0
H.	7 days	24.0	25.3	27.5	30.9
PHYSICAL ACTIVITY					
Q-82. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)					
A.	0 days	12.8	10.6	11.7	10.2
B.	1 day	6.1	7.3	6.5	5.6
C.	2 days	8.4	8.3	8.1	6.3
D.	3 days	10.6	11.6	8.8	7.5
E.	4 days	11.9	10.2	10.6	9.8
F.	5 days	15.9	16.8	15.7	14.7
G.	6 days	10.3	9.9	11.1	15.0
H.	7 days	24.0	25.3	27.5	30.9

PHYSICAL ACTIVITY		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-83. On an average school day, how many hours do you watch TV?					
A.	I do not watch TV on an average school day	22.7	23.8	23.4	21.4
B.	Less than 1 hour per day	22.1	22.8	21.8	22.8
C.	1 hour per day	17.6	15.9	15.9	17.4
D.	2 hours per day	19.0	19.3	18.2	18.5
E.	3 hours per day	10.1	10.7	11.0	11.0
F.	4 hours per day	4.7	3.5	5.0	3.9
G.	5 or more hours per day	3.8	4.0	4.7	5.0
Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent playing games, watching videos, texting, or using social media on your smartphone, computer, Xbox, PlayStation, iPad, or other tablet.)					
A.	I do not play video or computer games or use a computer for something that is not school work	21.9	23.3	22.8	23.5
B.	Less than 1 hour per day	14.2	14.1	14.6	14.4
C.	1 hour per day	12.1	11.5	11.3	10.7
D.	2 hours per day	17.0	14.1	15.0	15.2
E.	3 hours per day	12.9	14.7	12.7	13.6
F.	4 hours per day	9.0	9.0	9.1	8.3
G.	5 or more hours per day	12.9	13.3	14.5	14.3
Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?					
A.	0 days	47.6	37.6	38.0	36.9
B.	1 day	2.6	1.7	2.0	2.1
C.	2 days	4.6	4.6	2.6	5.0
D.	3 days	14.1	15.5	5.8	5.7
E.	4 days	3.5	4.0	6.7	16.5
F.	5 days	27.6	36.6	44.9	33.8
Q-86. During the past 12 months, on how many sports teams did you play?					
A.	0 teams	38.3	35.3	33.7	26.4
B.	1 team	24.0	23.9	22.8	24.9
C.	2 teams	21.0	21.7	21.4	21.2
D.	3 or more teams	16.7	19.1	22.1	27.5

OTHER HEALTH-RELATED TOPICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-87. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?					
A.	0 times	83.7	81.5	82.0	81.2
B.	1 time	10.9	12.7	11.5	11.5
C.	2 times	2.9	3.1	3.7	3.6
D.	3 times	1.0	1.0	1.2	1.5
E.	4 or more times	1.5	1.7	1.6	2.2
Q-88. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?					
A.	During the past 12 months	80.7	78.7	72.0	71.4
B.	Between 12 and 24 months ago	8.5	8.2	10.2	10.9
C.	More than 24 months ago	3.5	4.7	4.8	6.2
D.	Never	0.8	1.1	1.8	1.7
E.	Not sure	6.5	7.3	11.2	9.8
Q-89. Has a doctor or nurse ever told you that you have asthma?					
A.	Yes	21.2	21.7	23.0	22.2
B.	No	74.4	73.0	71.1	71.8
C.	Not sure	4.4	5.3	5.9	6.0
Q-90. On an average school night, how many hours of sleep do you get?					
A.	4 or less hours	6.8	6.8	8.5	8.8
B.	5 hours	10.7	10.6	10.8	10.2
C.	6 hours	24.4	20.2	19.8	18.3
D.	7 hours	30.5	30.4	29.8	30.2
E.	8 hours	22.4	23.4	24.0	24.0
F.	9 hours	4.3	7.3	5.3	6.8
G.	10 or more hours	0.9	1.3	1.8	1.7
Q-91. During the past 30 days, where did you usually sleep?					
A.	In my parent's or guardian's home	96.2	94.8	93.5	94.3
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	1.6	2.3	2.9	3.0
C.	In a shelter or emergency housing	0.3	0.6	0.8	0.8
D.	In a motel or hotel	0.3	0.6	0.5	0.4
E.	In a car, park, campground, or other public place	0.5	0.3	0.3	0.2
F.	I do not have a usual place to sleep	0.4	0.4	0.8	0.6
G.	Somewhere else	0.7	1.0	1.2	0.7

OTHER HEALTH-RELATED TOPICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-92. During the past 12 months, how would you describe your grades in school?					
A.	Mostly A's	50.5	47.1	40.4	47.8
B.	Mostly B's	30.5	29.6	32.9	32.1
C.	Mostly C's	12.7	14.9	15.8	12.3
D.	Mostly D's	2.9	3.0	3.7	2.5
E.	Mostly F's	1.0	1.5	2.1	1.2
F.	None of these grades	0.4	0.4	0.5	0.5
G.	Not sure	2.0	3.5	4.6	3.6
Q-93. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)					
A.	0 times	94.0	93.7	93.8	94.3
B.	1 or 2 times	2.7	2.5	2.7	2.5
C.	3 to 9 times	1.8	1.7	1.8	1.5
D.	10 to 19 times	0.9	1.2	0.8	0.8
E.	20 to 39 times	0.3	0.4	0.5	0.4
F.	40 or more times	0.3	0.5	0.4	0.5
Q-94. during the past 12 months, did you receive help from a resource teacher, speech therapist, or other special education teacher at school?					
A.	Yes	13.3	15.5	17.7	17.1
B.	No	86.7	84.5	82.3	82.9

Montana Youth Risk Behavior Survey
www.opi.mt.gov/yrbs

This document was supported by Cooperative Agreement No. 1U87PS004124 from the U.S. Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the authors and do not necessarily represent the views of the CDC.