CHAPTER 64

TRANSPORTATION

Subchapter 1

Board of Public Education Policies

Rule 10.64.101 Penalty for Noncompliance (REPEALED)

Subchapter 2

Driver Qualifications

Rule 10.64.201 School Bus Driver Qualifications

Subchapter 3

Minimum Standards for School Buses--Bus Chassis

Rule	10.64.301	Definitions
	10.64.302	Air Cleaner (REPEALED)
	10.64.303	Axles (REPEALED)
	10.64.304	AxlesExceptions for Transit and Metropolitan Vehicles (REPEALED
	10.64.305	Battery (REPEALED)
	10.64.306	Brakes (REPEALED)
	10.64.307	Bumper, Front (REPEALED)
	10.64.308	Bumper, FrontExceptions (REPEALED)
	10.64.309	Certification (REPEALED)
	10.64.310	Clutch (REPEALED)
	10.64.311	Color (REPEALED)
	10.64.312	Drive Shaft (REPEALED)
	10.64.313	Electrical System (REPEALED)

Rule	10.64.314	Exhaust System (REPEALED)
	10.64.315	Fenders, Front (REPEALED)
	10.64.316	Frame (REPEALED)
	10.64.317	Frame Lengths (REPEALED)
	10.64.318	Fuel Tank (REPEALED)
	10.64.319	Fuel TankExceptions (REPEALED)
	10.64.320	Generator or Alternator (REPEALED)
	10.64.321	Governor (REPEALED)
	10.64.322	Heating System, Provision for (REPEALED)
	10.64.323	Horn (REPEALED)
	10.64.324	Instruments and Instrument Panel (REPEALED)
	10.64.325	Oil Filter (REPEALED)
	10.64.326	Openings (REPEALED)
	10.64.327	Overall Length (REPEALED)
	10.64.328	Overall Width (REPEALED)
	10.64.329	Passenger Load (REPEALED)
	10.64.330	Power and Gradeability (REPEALED)
	10.64.331	Shock Absorbers (REPEALED)
	10.64.332	Skid Chains (REPEALED)
	10.64.333	Springs (REPEALED)
	10.64.334	Steering Gear (REPEALED)
	10.64.335	Tires and Rims (REPEALED)
	10.64.336	Tow Eyes or Hooks (REPEALED)

TRANSPORTATION

Rule	10.64.337	Transmission (REPEALED)
	10.64.338	Undercoating (REPEALED)
	10.64.339	Weight Distribution (REPEALED)
	10.64.340	Turning Radius (REPEALED)
	10.64.341	Interpretations (REPEALED)
	10.64.342	Replacement Parts
		Rules 343 through 349 reserved
	10.64.350	LP Gas Motor Fuel - General (REPEALED)
	10.64.351	LP Gas Motor Fuel - Equipment Installation (REPEALED)
	10.64.352	LP Gas Motor Fuel - Carburetion (REPEALED)
	10.64.353	LP Gas Motor Fuel - Filing Procedures (REPEALED)
	10.64.354	Bus Chassis (REPEALED)
	10.64.355	Bus Body (REPEALED
	10.64.356	Specially Equipped School Bus Standards (REPEALED)
	10.64.357	LP Gas Motor Fuel Installation (REPEALED)
	10.64.358	Alternative Fuel Powered School Buses (REPEALED)
		Subchapter 4
	Min	imum Standards for School BusesThe Bus Body
Rule	10.64.401	Aisle (REPEALED)
	10.64.402	Battery (REPEALED)
	10.64.403	Body Sizes (REPEALED)
	10.64.404	Book Racks (REPEALED)
	10.64.405	Bumpers (REPEALED)

Rule	10.64.406	Color (REPEALED)
	10.64.407	Construction (REPEALED)
	10.64.408	Defrosters (REPEALED)
	10.64.409	Doors (REPEALED)
	10.64.410	DoorsExceptions (REPEALED
	10.64.411	Fire Extinguisher (REPEALED)
	10.64.412	First Aid Kit (REPEALED)
	10.64.413	Floor Covering (REPEALED)
	10.64.414	Heaters (REPEALED)
	10.64.415	Identification (REPEALED)
	10.64.416	Inside Height (REPEALED)
	10.64 417	Insulation (REPEALED)
	10.64.418	Interior (REPEALED)
	10.64.419	Lamps and Signals (REPEALED)
	10.64.420	Metal Treatment (REPEALED)
	10.64.421	Mirrors (REPEALED)
	10.64.422	Mounting (REPEALED)
	10.64.423	Overall Length (REPEALED)
	10.64.424	Overall Width (REPEALED)
	10.64.425	Rub Rails (REPEALED)
	10.64.426	Sanders (REPEALED)
	10.64.427	Seat Belts for Drivers (REPEALED)
	10.64.428	Seats and Crash Barriers (REPEALED)
	10.64.429	Stanchions and Guard Rails (REPEALED)

TRANSPORTATION

Rule	10.64.430	Steps (REPEALED)
	10.64.431	Step Treads (REPEALED)
	10.64.432	Storage Compartment (REPEALED)
	10.64.433	Sun Shield (REPEALED)
	10.64.434	Undercoating (REPEALED)
	10.64.435	Ventilation (REPEALED)
	10.64.436	Wheel Housing (REPEALED)
	10.64.437	Windshield and Windows (REPEALED)
	10.64.438	Windshield Washers (REPEALED)
	10.64.439	Windshield Wipers (REPEALED)
	10.64.440	Wiring (REPEALED)
	10.64.441	Changes (REPEALED)
	10.64.442	Stirrup (REPEALED)
		Subchapter 5
		Special Education Vehicle Standards
Rule	10.64.501	Purposes and Objectives (REPEALED)
	10.64.502	General Requirements (REPEALED)
	10.64.503	Special Service Entrance (REPEALED)
	10.64.504	Special Service Entrance Doors (REPEALED)
	10.64.505	Power Lift (REPEALED)
	10.64.506	Fastening Devices (REPEALED)
	10.64.507	Restraining Devices (REPEALED)
	10.64.508	Special Light (REPEALED)
	10.64.509	Aisles (REPEALED)

		20/11/2 01 1 022/0 22 00/11/01/
Rule	10.64.510	Seating Arrangements (REPEALED)
	10.64.511	Glazing (REPEALED)
	10.64.512	Heaters (REPEALED)
	10.64.513	Communications (REPEALED)
	10.64.514	Regular Service Entrance (REPEALED)
	10.64.515	Exhaust System (REPEALED)
	10.64.516	Type A School Buses Used for Special Transportation (REPEALED)
		Subchapter 6
	Minimum	Standards for School Use of Four Wheel Drive Vehicles
Rule	10.64.601	General (REPEALED)
	10.64.602	Application (REPEALED)
	10.64.603	Special Equipment (REPEALED)

Subchapter 7

Transportation Areas

Rule 10.64.701 Criteria for Establishing Transportation Areas

Inspections (REPEALED)

10.64.604

Board of Public Education Policies

<u>10.64.101 PENALTY FOR NONCOMPLIANCE</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-104, MCA; Eff. 7/8/77; ARM Pub. 11/26/77; <u>REP</u>, 2002 MAR p. 2187, Eff. 8/16/02.)

Driver Qualifications

- 10.64.201 SCHOOL BUS DRIVER QUALIFICATIONS (1) In addition to the school bus driver qualifications set forth in 20-10-103, MCA, the Board of Public Education requires that school bus drivers must obtain a Montana school bus driver certificate (form TR-35) pursuant to the requirements of ARM 10.7.111, by submitting proof of the following:
 - (a) a minimum of five years of licensed driving experience;
- (b) no record of criminal offenses indicating they may be dangerous to children, as evidenced by a criminal background check provided to and approved by the school district prior to initial employment;
- (c) a satisfactory report of a physical examination as prescribed by 20-10-103, MCA;
 - (d) a current first aid certificate meeting the requirements of ARM 10.7.111;
- (e) a properly endorsed commercial driver's license (CDL) with continuing compliance with all of the requirements associated with that license; and
 - (f) a safe driving record, which may not have evidence of any of the following:
- (i) more than one moving traffic violation within any 12-month period of the preceding 36 months;
- (ii) any conviction for driving under the influence of alcohol or drugs within the preceding 36 months; or
- (iii) a conviction resulting in mandatory revocation or suspension of a driver's license in the previous five years. (History: 20-2-121, MCA; IMP, 20-10-103, 20-10-111, MCA; Eff. 7/8/74; ARM Pub. 11/26/77; AMD, 2014 MAR p. 1801, Eff. 8/8/14.)

Minimum Standards for School Buses

10.64.301 SCHOOL BUS REQUIREMENTS (1) The Board of Public Education adopts and incorporates the Standards for School Buses in Montana - 2017. A copy of this document is available from the Office of Public Instruction, Pupil Transportation Division, P.O. Box 202501, Helena, Montana 59620-2501 and is available at the following web address:

http://opi.mt.gov/pdf/PupilTransport/17BusStandards_Proposed.pdf.

(2) The Board of Public Education adopts standards for school buses in Montana in part from the National School Transportation Specifications and Procedures, as adopted in 2015 by the Sixteenth National Congress on School Transportation (NCST). The NCST occasionally issues an interpretation on its adopted specifications and procedures. Any interpretation adopted by the NCST shall be the official interpretation of the corresponding Montana standard unless that interpretation is specifically redefined or preempted by a corresponding Montana standard, law, or regulation. The National School Transportation Specifications and Procedures and additional information regarding the NCST are available at www.NCSTOnline.org. (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; AMD, 1981 MAR p. 1493, Eff. 11/31/81; AMD, 1993 MAR p. 684, Eff. 4/30/93; AMD, 2002 MAR p. 2187, Eff. 8/16/02; AMD, 2013 MAR p. 412, Eff. 3/29/13; AMD, 2017 MAR p. 1891, Eff. 10/14/17.)

- <u>10.64.302 AIR CLEANER</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.303 AXLES</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.304 AXLES--EXCEPTIONS FOR TRANSIT AND METROPOLITAN VEHICLES (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; REP, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.305 BATTERY</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; REP, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.306 BRAKES</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.307 BUMPER, FRONT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.308 BUMPER, FRONT--EXCEPTIONS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>REP</u>, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.309 CERTIFICATION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.310 CLUTCH</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.311 COLOR</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.312 DRIVE SHAFT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.313 ELECTRICAL SYSTEM</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)

- <u>10.64.314 EXHAUST SYSTEM</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.315 FENDERS, FRONT (for Type C vehicles)</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.316 FRAME</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.317 FRAME LENGTHS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>REP</u>, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.318 FUEL TANK</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.319 FUEL TANK--EXCEPTIONS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>REP</u>, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.320 GENERATOR OR ALTERNATOR</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>REP</u>, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.321 GOVERNOR</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.322 HEATING SYSTEM, PROVISION FOR</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.323 HORN</u> (REPEALED) (History: 20-2-121 MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.324 INSTRUMENTS AND INSTRUMENT PANEL</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.325 OIL FILTER (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)

- <u>10.64.326 OPENINGS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.327 OVERALL LENGTH</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>REP</u>, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.328 OVERALL WIDTH</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>REP</u>, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.329 PASSENGER LOAD</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.330 POWER AND GRADEABILITY (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; REP, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.331 SHOCK ABSORBERS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.332 SKID CHAINS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>REP</u>, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.333 SPRINGS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.334 STEERING GEAR</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.335 TIRES AND RIMS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.336 TOW EYES OR HOOKS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.337 TRANSMISSION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)

10.64.338 UNDERCOATING (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)

<u>10.64.339 WEIGHT DISTRIBUTION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)

<u>10.64.340 TURNING RADIUS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 712/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)

<u>10.64.341 INTERPRETATIONS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 10-10-111, MCA: <u>NEW</u>, 1993 MAR p. 684, Eff. 4/30/93; <u>REP</u>, 2002 MAR p. 2187, Eff. 8/16/02.)

10.64.342 REPLACEMENT PARTS (1) The standards for school buses in Montana apply to all new school buses to be used in Montana. Although it is recommended that used school buses be re-equipped with parts and supplies that meet the construction standards as they are replaced through periodic maintenance and repair, it is not intended that the requirements of these standards preclude the use of replacement parts or supplies that do not meet these higher standards when said parts and supplies are not readily available for emergency and/or roadside repairs. Further, it is not intended that the use of such regular parts, because of the lack of ready availability, should incur increased liability to the operator or district should damages or risk occur as a result of the use or failure of that part or supply when such district or operator has acted in good faith in making the emergency and/or roadside repair(s). If emergency and/or roadside repairs are made with regular standards parts, or supplies, it is recommended that said parts or supplies be replaced by parts or supplies which meet or exceed the standards for school buses in Montana within sixty (60) days. (History: 20-2-121, MCA; IMP, 20-10-111, MCA; NEW, 1993 MAR p. 684, Eff. 4/30/93.)

Rules 10.64.343 through 10.64.349 reserved

10.64.350 LP GAS MOTOR FUEL = INSTALLATION - MINIMUM STANDARDS -- GENERAL (REPEALED) (History: 20-10-111, MCA; IMP, 20-10-111, MCA; NEW, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)

10.64.351 LP GAS MOTOR FUEL - INSALLATION OF EQUIPMENT (REPEALED) (History: 20-10-111, MCA; IMP, 20-10-111, MCA; NEW, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)

<u>10.64.352 LP GAS MOTOR FUEL - CARBURETION</u> (REPEALED) (History: 20-10-111, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)

<u>10.64.353 LP GAS MOTOR FUEL - FILLING PROCEDURES</u> (REPEALED) (History: 20-10-111, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)

<u>10.64.354 BUS CHASSIS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1987 MAR p. 158, Eff. 2/1/87; <u>AMD</u>, 1993 MAR p. 684, Eff. 8/15/93; REP, 2002 MAR p. 2187, Eff. 8/16/02.)

<u>10.64.355 BUS BODY</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1987 MAR p. 158, Eff. 2/1/87; <u>AMD</u>, 1993 MAR p. 684, Eff. 4/30/93; <u>AMD</u>, 1994 MAR p. 2526, Eff. 9/9/94; <u>REP</u>, 2002 MAR p. 2187, Eff. 8/16/02.)

<u>10.64.356 SPECIALLY EQUIPPED SCHOOL BUS STANDARDS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1987 MAR p. 158, Eff. 2/1/87; <u>AMD</u>, 1993 MAR p. 684, Eff. 8/15/93; <u>REP</u>, 2002 MAR p. 2187, Eff. 8/16/02.)

<u>10.64.357 LP GAS MOTOR FUEL INSTALLATION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1987 MAR p. 158, Eff. 2/1/87; <u>REP</u>, 1993 MAR p. 684, Eff. 8/15/93.)

<u>10.64.358 ALTERNATE FUEL POWERED SCHOOL BUSES</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1993 MAR p. 684, Eff. 4/30/93; <u>REP</u>, 2002 MAR p. 2187, Eff. 8/16/02.)

Minimum Standards for School Buses--The Bus Body

- <u>10.64.401 AISLE</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.402 BATTERY (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.403 BODY SIZES</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.404 BOOK RACKS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.405 BUMPERS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.406 COLOR</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.407 CONSTRUCTION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.408 DEFROSTERS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.409 DOORS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/15/75; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.410 DOORS--EXCEPTION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/15/75; ARM Pub. 11/26/77, <u>REP</u>, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.411 FIRE EXTINGUISHER</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)

- <u>10.64.412 FIRST AID KIT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/15/75; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.413 FLOOR COVERING</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.414 HEATERS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.415 IDENNTIFICATION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.416 INSIDE HEIGHT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.417 INSULATION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.418 INTERIOR</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.419 LAMPS AND SIGNALS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/15/75; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.420 METAL TREATMENT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.421 MIRRORS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.422 MOUNTING (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.423 OVERALL LENGTH</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)

- <u>10.64.424 OVERALL WIDTH</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.425 RUB RAILS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.426 SANDERS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.427 SEAT BELT FOR DRIVER</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.428 SEATS AND CRASH BARRIERS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111 MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.429 STANCHIONS AND GUARD RAILS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, REP, 1981 MAR p. 1493, Eff. 11/13/81.)
- <u>10.64.430 STEPS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>Eff. 7/1/73</u>; ARM Pub. 11/26/77; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.431 STEP TREADS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.432 STORAGE COMPARTMENT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.433 SUN SHIELD</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.434 UNDERCOATING</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.435 VENTILATION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)

- <u>10.64.436 WHEEL HOUSINGS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.437 WINDSHIELD AND WINDOWS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.438 WINDSHIELD WASHERS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.439 WINDSHIELD WIPERS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, AMD, 1981 MAR p. 1493, Eff. 11/13/81; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.440 WIRING</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77, <u>AMD</u>, 1981 MAR p. 1493, Eff. 11/13/81; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.441 CHANGES</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>Eff. 7/1/73</u>; ARM Pub. 11/26/77; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.442 STIRRUP</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; Eff. 7/1/73; ARM Pub. 11/26/77; REP, 1987 MAR p. 104, Eff. 1/30/87.)

Special Education Vehicle Standards

- 10.64.501 PURPOSES AND OBJECTIVES (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; NEW, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.502 GENERAL REQUIREMENTS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.503 SPECIAL SERVICE ENTRANCE</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.504 SPECIAL SERVICE ENTRANCE DOORS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; NEW, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.505 POWER LIFT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.506 FASTENING DEVICES</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.507 RESTRAINING DEVICES</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.508 SPECIAL LIGHT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.509 AISLES (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; NEW, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.510 SEATING ARRANGEMENTS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.511 GLAZING (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; NEW, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)

- 10.64.512 HEATERS (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; NEW, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.513 COMMUNICATIONS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.514 REGULAR SERVICE ENTRANCE</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- <u>10.64.515 EXHAUST SYSTEM</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 381, Eff. 2/26/82; <u>REP</u>, 1987 MAR p. 104, Eff. 1/30/87.)
- 10.64.516 TYPE A SCHOOL BUSES USED FOR SPECIAL TRANSPORTATION (REPEALED) (History: 20-2-121, MCA; IMP, 20-10-111, MCA; NEW, 1982 MAR p. 381, Eff. 2/26/82; REP, 1987 MAR p. 104, Eff. 1/30/87.)

Minimum Standards for School Use of Four Wheel Drive Vehicles

<u>10.64.601 GENERAL</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 382, Eff. 2/26/82; <u>AMD</u>, 1985 MAR p. 274, Eff. 3/29/85; <u>AMD</u>, 1987 MAR p. 103, Eff. 1/30/87; <u>REP</u>, 1993 MAR p. 684, Eff. 4/30/93.)

<u>10.64.602 APPLICATION</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 382, Eff. 2/26/82; <u>REP</u>, 1993 MAR p. 684, Eff. 4/30/93.)

<u>10.64.603 SPECIAL EQUIPMENT</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 382, Eff. 2/26/82; <u>REP</u>, 1993 MAR p. 684, Eff. 4/30/93.)

<u>10.64.604 INSPECTIONS</u> (REPEALED) (History: 20-2-121, MCA; <u>IMP</u>, 20-10-111, MCA; <u>NEW</u>, 1982 MAR p. 382, Eff. 2/26/82; <u>AMD</u>, 1985 MAR p. 274, Eff. 3/29/85; REP, 1993 MAR p. 684, Eff. 4/30/93.)

Transportation Areas

10.64.701 CRITERIA FOR ESTABLISHING TRANSPORTATION AREAS

- (1) Relationship to School Law. The criteria must fit into the framework of school law for the administration of public schools, such as transfer of pupils, payment of tuition and other principles of school administration.
- (a) County and school district boundaries do not apply: school bus areas when several of the following criteria apply:
 - (i) Pupils live closer to a school in an adjoining school district or county.
- (ii) Geographical features such as mountains, or rivers make attendance in the home district impractical.
- (iii) Road conditions should have a great deal of consideration if there is a big difference in the type of roads available for school transportation.
- (iv) The natural trading center might have some bearing in some instances.
- (v) Very often, parents wish small children to attend the same school as older children.
 - (vi) A majority opinion of the parents of the children concerned.
 - (vii) Convenience and safety of children.
 - (viii) Type of training required by pupils.
- (b) The opinion of the board of trustees where the pupil or pupils reside should have consideration in case of continued controversy.
- (c) In the case of further controversy, the problem should be submitted to the voters of the school district at the annual election and the majority opinion of the voters should have consideration.
- (d) Costs should enter into the decision. The area should be set up in a manner which will provide transportation to adequate school facilities at a minimum cost. The area should be assigned to the school bus route which can do the job at a minimum cost. (History: 20-3-106, MCA; IMP, 20-10-112, MCA; Eff. 2/26/53; ARM Pub. 11/26/77; AMD, 1981 MAR p. 422, Eff. 5/1/81.)