

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 6,810 middle school students in Montana during February of 2017. Frequency distributions may not total 6,810 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	10 years old or younger	9	0.13%
B.	11 years old	20	0.29%
C.	12 years old	1,277	18.78%
D.	13 years old	3,192	46.94%
E.	14 years old	2,173	31.96%
F.	15 years old	126	1.85%
G.	16 years old or older	3	0.04%
TOTALS		6,800	100.00%
Q-2. What is your sex?			
A.	Female	3,275	48.32%
B.	Male	3,503	51.68%
TOTALS		6,778	100.00%
Q-3. In what grade are you?			
A.	7th grade	3,112	46.54%
B.	8th grade	3,575	53.46%
TOTALS		6,687	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	685	10.28%
B.	No	5,979	89.72%
TOTALS		6,664	100.00%
Q-5. What is your race? (Select one or more responses.)			
A.	American Indian or Alaskan Native	1,253	17.11%
B.	Asian	220	3.00%
C.	Black or African American	191	2.61%
D.	Native Hawaiian or Other Pacific Islander	122	1.67%
E.	White	5,539	75.62%
TOTALS		7,325	100.00%
Q-6. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	127	1.89%
B.	Rarely	289	4.31%
C.	Sometimes	743	11.07%
D.	Most of the time	2,313	34.47%
E.	Always	3,238	48.26%
TOTALS		6,710	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-7. How often do you wear a seat belt when driving a car?

A.	I do not drive a car	4,705	69.72%
B.	Never	102	1.51%
C.	Rarely	124	1.84%
D.	Sometimes	208	3.08%
E.	Most of the time	411	6.09%
F.	Always	1,198	17.75%
TOTALS		6,748	100.00%

Q-8. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	5,522	82.70%
B.	1 time	443	6.63%
C.	2 or 3 times	334	5.00%
D.	4 or 5 times	81	1.21%
E.	6 or more times	297	4.45%
TOTALS		6,677	100.00%

Q-9. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	5,005	73.66%
B.	1 day	477	7.02%
C.	2 or 3 days	531	7.81%
D.	4 or 5 days	200	2.94%
E.	6 or more days	582	8.57%
TOTALS		6,795	100.00%

Q-10. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	6,493	95.56%
B.	1 day	119	1.75%
C.	2 or 3 days	73	1.07%
D.	4 or 5 days	23	0.34%
E.	6 or more days	87	1.28%
TOTALS		6,795	100.00%

Q-11. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	6,180	91.39%
B.	1 day	175	2.59%
C.	2 or 3 days	149	2.20%
D.	4 or 5 days	67	0.99%
E.	6 or more days	191	2.82%
TOTALS		6,762	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-12. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	6,222	91.46%
B.	1 day	291	4.28%
C.	2 or 3 days	187	2.75%
D.	4 or 5 days	34	0.50%
E.	6 or more days	69	1.01%
TOTALS		6,803	100.00%

Q-13. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	6,324	93.16%
B.	1 time	244	3.59%
C.	2 or 3 times	117	1.72%
D.	4 or 5 times	41	0.60%
E.	6 or 7 times	12	0.18%
F.	8 or 9 times	6	0.09%
G.	10 or 11 times	3	0.04%
H.	12 or more times	41	0.60%
TOTALS		6,788	100.00%

Q-14. During the past 12 months, how many times were you in a physical fight?

A.	0 times	4,570	67.68%
B.	1 time	1,042	15.43%
C.	2 or 3 times	701	10.38%
D.	4 or 5 times	190	2.81%
E.	6 or 7 times	59	0.87%
F.	8 or 9 times	40	0.59%
G.	10 or 11 times	19	0.28%
H.	12 or more times	131	1.94%
TOTALS		6,752	100.00%

Q-15. During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	5,763	84.73%
B.	1 time	686	10.09%
C.	2 or 3 times	254	3.73%
D.	4 or 5 times	39	0.57%
E.	6 or 7 times	15	0.22%
F.	8 or 9 times	4	0.06%
G.	10 or 11 times	8	0.12%
H.	12 or more times	33	0.49%
TOTALS		6,802	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-16. Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	394	5.81%
B.	No	6,385	94.19%
TOTALS		6,779	100.00%

Q-17. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	0 times	6,272	92.70%
B.	1 time	281	4.15%
C.	2 or 3 times	128	1.89%
D.	4 or 5 times	25	0.37%
E.	6 or more times	60	0.89%
TOTALS		6,766	100.00%

Q-18. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	I did not date or go out with anyone during the past 12 months	3,462	51.03%
B.	0 times	3,028	44.63%
C.	1 time	163	2.40%
D.	2 or 3 times	87	1.28%
E.	4 or 5 times	14	0.21%
F.	6 or more times	30	0.44%
TOTALS		6,784	100.00%

Q-19. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A.	I did not date or go out with anyone during the past 12 months	3,413	50.29%
B.	0 times	3,210	47.30%
C.	1 time	97	1.43%
D.	2 or 3 times	40	0.59%
E.	4 or 5 times	8	0.12%
F.	6 or more times	19	0.28%
TOTALS		6,787	100.00%

Q-20. During the past 12 months, have you ever been bullied on school property?

A.	Yes	2,363	35.10%
B.	No	4,370	64.90%
TOTALS		6,733	100.00%

Q-21. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

A.	Yes	1,401	20.64%
B.	No	5,387	79.36%
TOTALS		6,788	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-22. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

A.	Yes	1,197	17.63%
B.	No	5,592	82.37%
TOTALS		6,789	100.00%

Q-23. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A.	Yes	1,737	26.03%
B.	No	4,936	73.97%
TOTALS		6,673	100.00%

Q-24. During the past 12 months, did you ever seriously consider attempting suicide?

A.	Yes	1,234	18.18%
B.	No	5,554	81.82%
TOTALS		6,788	100.00%

Q-25. During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	1,049	15.47%
B.	No	5,734	84.53%
TOTALS		6,783	100.00%

Q-26. During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	5,753	85.23%
B.	1 time	678	10.04%
C.	2 or 3 times	207	3.07%
D.	4 or 5 times	45	0.67%
E.	6 or more times	67	0.99%
TOTALS		6,750	100.00%

Q-27. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	5,739	84.67%
B.	Yes	283	4.18%
C.	No	756	11.15%
TOTALS		6,778	100.00%

Q-28. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	1,239	18.30%
B.	No	5,533	81.70%
TOTALS		6,772	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-29. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	5,599	82.67%
B.	8 years old or younger	255	3.76%
C.	9 or 10 years old	266	3.93%
D.	11 or 12 years old	385	5.68%
E.	13 or 14 years old	264	3.90%
F.	15 or 16 years old	2	0.03%
G.	17 years old or older	2	0.03%
TOTALS		6,773	100.00%

Q-30. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	6,469	95.30%
B.	1 or 2 days	171	2.52%
C.	3 to 5 days	48	0.71%
D.	6 to 9 days	27	0.40%
E.	10 to 19 days	31	0.46%
F.	20 to 29 days	11	0.16%
G.	All 30 days	31	0.46%
TOTALS		6,788	100.00%

Q-31. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	6,447	95.06%
B.	Less than 1 cigarette per day	159	2.34%
C.	1 cigarette per day	74	1.09%
D.	2 to 5 cigarettes per day	71	1.05%
E.	6 to 10 cigarettes per day	9	0.13%
F.	11 to 20 cigarettes per day	4	0.06%
G.	More than 20 cigarettes per day	18	0.27%
TOTALS		6,782	100.00%

Q-32. During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	6,205	91.90%
B.	Yes	339	5.02%
C.	No	208	3.08%
TOTALS		6,752	100.00%

Q-33. Have you ever used an electronic vapor product?

A.	Yes	1,294	19.08%
B.	No	5,489	80.92%
TOTALS		6,783	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-34. During the past 30 days, on how many days did you use an electronic vapor product?

A.	0 days	6,195	91.36%
B.	1 or 2 days	336	4.96%
C.	3 to 5 days	88	1.30%
D.	6 to 9 days	60	0.88%
E.	10 to 19 days	46	0.68%
F.	20 to 29 days	16	0.24%
G.	All 30 days	40	0.59%
TOTALS		6,781	100.00%

Q-35. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

A.	I did not use any electronic vapor products during the past 30 days	6,083	91.27%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	22	0.33%
C.	I got them on the Internet	32	0.48%
D.	I gave someone else money to buy them for me	56	0.84%
E.	I borrowed them from someone else	240	3.60%
F.	A person 18 years old or older gave them to me	46	0.69%
G.	I took them from a store or another person	21	0.32%
H.	I got them some other way	165	2.48%
TOTALS		6,665	100.00%

Q-36. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)

A.	0 days	6,523	96.18%
B.	1 or 2 days	126	1.86%
C.	3 to 5 days	44	0.65%
D.	6 to 9 days	28	0.41%
E.	10 to 19 days	26	0.38%
F.	20 to 29 days	8	0.12%
G.	All 30 days	27	0.40%
TOTALS		6,782	100.00%

Q-37. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco productions such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs on school property? (Do not count any electronic vapor products.)

A.	0 days	6,615	97.62%
B.	1 or 2 days	98	1.45%
C.	3 to 5 days	22	0.32%
D.	6 to 9 days	15	0.22%
E.	10 to 19 days	6	0.09%
F.	20 to 29 days	4	0.06%
G.	All 30 days	16	0.24%
TOTALS		6,776	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-38. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	6,537	97.00%
B.	1 or 2 days	118	1.75%
C.	3 to 5 days	33	0.49%
D.	6 to 9 days	16	0.24%
E.	10 to 19 days	9	0.13%
F.	20 to 29 days	6	0.09%
G.	All 30 days	20	0.30%
TOTALS		6,739	100.00%

Q-39. During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	4,065	60.04%
B.	1 or 2 days	1,387	20.49%
C.	3 to 9 days	706	10.43%
D.	10 to 19 days	271	4.00%
E.	20 to 39 days	160	2.36%
F.	40 to 99 days	89	1.31%
G.	100 or more days	92	1.36%
TOTALS		6,770	100.00%

Q-40. How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	4,472	66.67%
B.	8 years old or younger	529	7.89%
C.	9 or 10 years old	445	6.63%
D.	11 or 12 years old	718	10.70%
E.	13 or 14 years old	526	7.84%
F.	15 or 16 years old	10	0.15%
G.	17 years old or older	8	0.12%
TOTALS		6,708	100.00%

Q-41. During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	5,889	87.30%
B.	1 or 2 days	576	8.54%
C.	3 to 5 days	161	2.39%
D.	6 to 9 days	61	0.90%
E.	10 to 19 days	29	0.43%
F.	20 to 29 days	9	0.13%
G.	All 30 days	21	0.31%
TOTALS		6,746	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-42. During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	5,733	84.81%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	20	0.30%
C.	I bought it at a restaurant, bar, or club	5	0.07%
D.	I bought it at a public event such as a concert or sporting event	9	0.13%
E.	I gave someone else money to buy it for me	84	1.24%
F.	Someone gave it to me	425	6.29%
G.	I took it from a store or family member	205	3.03%
H.	I got it some other way	279	4.13%
TOTALS		6,760	100.00%

Q-43. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?

A.	0 days	6,298	93.21%
B.	1 day	218	3.23%
C.	2 days	108	1.60%
D.	3 to 5 days	66	0.98%
E.	6 to 9 days	32	0.47%
F.	10 to 19 days	9	0.13%
G.	20 or more days	26	0.38%
TOTALS		6,757	100.00%

Q-44. During your life, how many times have you used marijuana?

A.	0 times	5,825	86.90%
B.	1 or 2 times	310	4.62%
C.	3 to 9 times	174	2.60%
D.	10 to 19 times	86	1.28%
E.	20 to 39 times	74	1.10%
F.	40 to 99 times	82	1.22%
G.	100 or more times	152	2.27%
TOTALS		6,703	100.00%

Q-45. How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	5,881	86.96%
B.	8 years old or younger	121	1.79%
C.	9 or 10 years old	144	2.13%
D.	11 or 12 years old	340	5.03%
E.	13 or 14 years old	269	3.98%
F.	15 or 16 years old	7	0.10%
G.	17 years old or older	1	0.01%
TOTALS		6,763	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-46. During the past 30 days, how many times did you use marijuana?

A.	0 times	6,301	93.28%
B.	1 or 2 times	173	2.56%
C.	3 to 9 times	104	1.54%
D.	10 to 19 times	65	0.96%
E.	20 to 39 times	36	0.53%
F.	40 or more times	76	1.13%
TOTALS		6,755	100.00%

Q-47. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	6,634	98.75%
B.	1 or 2 times	38	0.57%
C.	3 to 9 times	18	0.27%
D.	10 to 19 times	6	0.09%
E.	20 to 39 times	1	0.01%
F.	40 or more times	21	0.31%
TOTALS		6,718	100.00%

Q-48. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	6,273	92.73%
B.	1 or 2 times	273	4.04%
C.	3 to 9 times	117	1.73%
D.	10 to 19 times	45	0.67%
E.	20 to 39 times	17	0.25%
F.	40 or more times	40	0.59%
TOTALS		6,765	100.00%

Q-49. During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	6,698	99.10%
B.	1 or 2 times	28	0.41%
C.	3 to 9 times	12	0.18%
D.	10 to 19 times	5	0.07%
E.	20 to 39 times	1	0.01%
F.	40 or more times	15	0.22%
TOTALS		6,759	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-50. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	6,671	98.99%
B.	1 or 2 times	27	0.40%
C.	3 to 9 times	14	0.21%
D.	10 to 19 times	6	0.09%
E.	20 to 39 times	3	0.04%
F.	40 or more times	18	0.27%
TOTALS		6,739	100.00%

Q-51. During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	6,688	98.92%
B.	1 or 2 times	36	0.53%
C.	3 to 9 times	16	0.24%
D.	10 to 19 times	5	0.07%
E.	20 to 39 times	1	0.01%
F.	40 or more times	15	0.22%
TOTALS		6,761	100.00%

Q-52. During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

A.	0 times	6,508	96.36%
B.	1 or 2 times	145	2.15%
C.	3 to 9 times	44	0.65%
D.	10 to 19 times	22	0.33%
E.	20 to 39 times	14	0.21%
F.	40 or more times	21	0.31%
TOTALS		6,754	100.00%

Q-53. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	6,607	98.13%
B.	1 or 2 times	68	1.01%
C.	3 to 9 times	31	0.46%
D.	10 to 19 times	8	0.12%
E.	20 to 39 times	2	0.03%
F.	40 or more times	17	0.25%
TOTALS		6,733	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-54. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)

A.	0 times	6,338	93.84%
B.	1 or 2 times	234	3.46%
C.	3 to 9 times	93	1.38%
D.	10 to 19 times	39	0.58%
E.	20 to 39 times	18	0.27%
F.	40 or more times	32	0.47%
TOTALS		6,754	100.00%

Q-55. During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	6,675	98.92%
B.	1 time	46	0.68%
C.	2 or more times	27	0.40%
TOTALS		6,748	100.00%

Q-56. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	1,007	14.97%
B.	No	5,720	85.02%
TOTALS		6,728	100.00%

Q-57. Have you ever had sexual intercourse?

A.	Yes	835	12.42%
B.	No	5,889	87.58%
TOTALS		6,724	100.00%

Q-58. How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	6,018	89.39%
B.	11 years old or younger	231	3.43%
C.	12 years old	156	2.32%
D.	13 years old	220	3.27%
E.	14 years old	100	1.49%
F.	15 years old	6	0.09%
G.	16 years old	1	0.01%
H.	17 years old or older	0	0.00%
TOTALS		6,732	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-59. During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	6,021	89.96%
B.	1 person	376	5.62%
C.	2 people	127	1.90%
D.	3 people	56	0.84%
E.	4 people	30	0.45%
F.	5 people	15	0.22%
G.	6 or more people	68	1.02%
TOTALS		6,693	100.00%

Q-60. During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	6,054	89.97%
B.	I have had sexual intercourse, but not during the past 3 months	328	4.87%
C.	1 person	240	3.57%
D.	2 people	43	0.64%
E.	3 people	14	0.21%
F.	4 people	7	0.10%
G.	5 people	12	0.18%
H.	6 or more people	31	0.46%
TOTALS		6,729	100.00%

Q-61. Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	5,933	88.42%
B.	Yes	191	2.85%
C.	No	586	8.73%
TOTALS		6,710	100.00%

Q-62. The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	5,959	89.17%
B.	Yes	388	5.81%
C.	No	336	5.03%
TOTALS		6,683	100.00%

Q-63. How do you describe your weight?

A.	Very underweight	232	3.46%
B.	Slightly underweight	992	14.79%
C.	About the right weight	3,747	55.86%
D.	Slightly overweight	1,527	22.76%
E.	Very overweight	210	3.13%
TOTALS		6,708	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-64. Which of the following are you trying to do about your weight?

A.	Lose weight	2,697	40.18%
B.	Gain weight	751	11.19%
C.	Stay the same weight	1,431	21.32%
D.	I am not trying to do anything about my weight	1,833	27.31%
TOTALS		6,712	100.00%

Q-65. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A.	I did not drink 100% fruit juice during the past 7 days	1,849	27.78%
B.	1 to 3 times during the past 7 days	2,686	40.35%
C.	4 to 6 times during the past 7 days	1,032	15.50%
D.	1 time per day	419	6.30%
E.	2 times per day	317	4.76%
F.	3 times per day	133	2.00%
G.	4 or more times per day	220	3.31%
TOTALS		6,656	100.00%

Q-66. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A.	I did not eat fruit during the past 7 days	590	8.80%
B.	1 to 3 times during the past 7 days	2,113	31.51%
C.	4 to 6 times during the past 7 days	1,657	24.71%
D.	1 time per day	753	11.23%
E.	2 times per day	790	11.78%
F.	3 times per day	387	5.77%
G.	4 or more times per day	416	6.20%
TOTALS		6,706	100.00%

Q-67. During the past 7 days, how many times did you eat green salad?

A.	I did not eat green salad during the past 7 days	2,260	33.77%
B.	1 to 3 times during the past 7 days	2,764	41.30%
C.	4 to 6 times during the past 7 days	892	13.33%
D.	1 time per day	497	7.43%
E.	2 times per day	144	2.15%
F.	3 times per day	32	0.48%
G.	4 or more times per day	104	1.55%
TOTALS		6,693	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-68. During the past 7 days, how many times did you potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A.	I did not eat potatoes during the past 7 days	2,502	37.60%
B.	1 to 3 times during the past 7 days	3,228	48.50%
C.	4 to 6 times during the past 7 days	582	8.75%
D.	1 time per day	179	2.69%
E.	2 times per day	74	1.11%
F.	3 times per day	18	0.27%
G.	4 or more times per day	72	1.08%
TOTALS		6,655	100.00%

Q-69. During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	2,843	42.50%
B.	1 to 3 times during the past 7 days	2,590	38.72%
C.	4 to 6 times during the past 7 days	724	10.82%
D.	1 time per day	261	3.90%
E.	2 times per day	106	1.58%
F.	3 times per day	39	0.58%
G.	4 or more times per day	126	1.88%
TOTALS		6,689	100.00%

Q-70. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days.	1,100	16.49%
B.	1 to 3 times during the past 7 days	2,539	38.05%
C.	4 to 6 times during the past 7 days	1,550	23.23%
D.	1 time per day	658	9.86%
E.	2 times per day	435	6.52%
F.	3 times per day	154	2.31%
G.	4 or more times per day	236	3.54%
TOTALS		6,672	100.00%

Q-71. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	1,701	25.56%
B.	1 to 3 times during the past 7 days	3,178	47.75%
C.	4 to 6 times during the past 7 days	995	14.95%
D.	1 time per day	347	5.21%
E.	2 times per day	206	3.09%
F.	3 times per day	81	1.22%
G.	4 or more times per day	148	2.22%
TOTALS		6,656	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-72. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	900	13.53%
B.	1 to 3 glasses during the past 7 days	1,485	22.33%
C.	4 to 6 glasses during the past 7 days	1,325	19.92%
D.	1 glass per day	902	13.56%
E.	2 glasses per day	988	14.86%
F.	3 glasses per day	511	7.68%
G.	4 or more glasses per day	539	8.11%
TOTALS		6,650	100.00%

Q-73. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	5,287	79.72%
B.	1 to 3 times during the past 7 days	937	14.13%
C.	4 to 6 times during the past 7 days	173	2.61%
D.	1 time per day	91	1.37%
E.	2 times per day	56	0.84%
F.	3 times per day	23	0.35%
G.	4 or more times per day	65	0.98%
TOTALS		6,632	100.00%

Q-74. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	560	8.47%
B.	1 day	404	6.11%
C.	2 days	481	7.27%
D.	3 days	505	7.64%
E.	4 days	466	7.05%
F.	5 days	481	7.27%
G.	6 days	491	7.42%
H.	7 days	3,225	48.77%
TOTALS		6,613	100.00%

Q-75. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	483	7.27%
B.	1 day	344	5.18%
C.	2 days	489	7.36%
D.	3 days	709	10.67%
E.	4 days	726	10.92%
F.	5 days	1,029	15.48%
G.	6 days	628	9.45%
H.	7 days	2,238	33.67%
TOTALS		6,646	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-76. On an average school day, how many hours do you watch TV?

A.	I do not watch TV on an average school day	1,169	17.73%
B.	Less than 1 hour per day	1,700	25.78%
C.	1 hour per day	1,191	18.06%
D.	2 hours per day	1,273	19.31%
E.	3 hours per day	687	10.42%
F.	4 hours per day	258	3.91%
G.	5 or more hours per day	315	4.78%
TOTALS		6,593	100.00%

Q-77. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)

A.	I do not play video or computer games or use a computer for something that is not school work	1,071	16.30%
B.	Less than 1 hour per day	1,206	18.35%
C.	1 hour per day	891	13.56%
D.	2 hours per day	1,056	16.07%
E.	3 hours per day	819	12.46%
F.	4 hours per day	572	8.70%
G.	5 or more hours per day	957	14.56%
TOTALS		6,572	100.00%

Q-78. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	687	10.45%
B.	1 day	122	1.86%
C.	2 days	1,081	16.45%
D.	3 days	1,921	29.23%
E.	4 days	464	7.06%
F.	5 days	2,280	34.69%
TOTALS		6,573	100.00%

Q-79. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	1,718	26.13%
B.	1 team	1,465	22.28%
C.	2 teams	1,375	20.92%
D.	3 or more teams	2,015	30.65%
TOTALS		6,574	100.00%

Q-80. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

A.	0 times	5,338	81.73%
B.	1 time	700	10.72%
C.	2 times	232	3.55%
D.	3 times	116	1.78%
E.	4 or more time	145	2.22%
TOTALS		6,531	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-81. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

A.	During the past 12 months	4,890	74.03%
B.	Between 12 and 24 months ago	562	8.51%
C.	More than 24 months ago	179	2.71%
D.	Never	91	1.38%
E.	Not sure	881	13.34%
TOTALS		6,605	100.00%

Q-82. Has a doctor or nurse ever told you that you have asthma?

A.	Yes	1,137	17.34%
B.	No	4,764	72.67%
C.	Not sure	655	9.99%
TOTALS		6,556	100.00%

Q-83. On an average school night, how many hours of sleep do you get?

A.	4 or less hours	403	6.17%
B.	5 hours	436	6.68%
C.	6 hours	783	11.99%
D.	7 hours	1,364	20.89%
E.	8 hours	1,955	29.93%
F.	9 hours	1,120	17.15%
G.	10 or more hours	470	7.20%
TOTALS		6,531	100.00%

Q-84. During the past 30 days, where did you usually sleep?

A.	In my parent's or guardian's home	6,281	95.54%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	124	1.89%
C.	In a shelter or emergency housing	23	0.35%
D.	In a motel or hotel	21	0.32%
E.	In a car, park, campground, or other public place	31	0.47%
F.	I do not have a usual place to sleep	33	0.50%
G.	Somewhere else	61	0.93%
TOTALS		6,574	100.00%

Q-85. During the past 12 months, how would you describe your grades in school?

A.	Mostly A's	3,035	46.63%
B.	Mostly B's	1,994	30.64%
C.	Mostly C's	770	11.83%
D.	Mostly D's	185	2.84%
E.	Mostly F's	100	1.54%
F.	None of these grades	40	0.61%
G.	Not sure	384	5.90%
TOTALS		6,508	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-86. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A.	Yes	1,371	21.21%
B.	No	5,094	78.79%
TOTALS		6,465	100.00%