

# 2017 NORTH EAST REGION YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 795 high school students in North East Region during February of 2017. Frequency distributions may not total 795 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	3	0.38%
B.	13 years old	2	0.25%
C.	14 years old	67	8.49%
D.	15 years old	203	25.73%
E.	16 years old	176	22.31%
F.	17 years old	171	21.67%
G.	18 years old or older	167	21.17%
	<b>TOTALS</b>	<b>789</b>	<b>100.00%</b>
Q-2. What is your sex?			
A.	Female	374	47.52%
B.	Male	413	52.48%
	<b>TOTALS</b>	<b>787</b>	<b>100.00%</b>
Q-3. In what grade are you?			
A.	9th grade	204	26.19%
B.	10th grade	187	24.01%
C.	11th grade	171	21.95%
D.	12th grade	215	27.60%
E.	Ungraded or other grade	2	0.26%
	<b>TOTALS</b>	<b>779</b>	<b>100.00%</b>
Q-4. Are you Hispanic or Latino?			
A.	Yes	55	7.02%
B.	No	728	92.98%
	<b>TOTALS</b>	<b>783</b>	<b>100.00%</b>
Q-5. What is your race?			
A.	American Indian or Alaskan Native	183	21.73%
B.	Asian	21	2.49%
C.	Black or African American	11	1.31%
D.	Native Hawaiian or Other Pacific Islander	9	1.07%
E.	White	618	73.40%
	<b>TOTALS</b>	<b>842</b>	<b>100.00%</b>

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	3	0.43%
C.	4ft, 7in to 5 ft	8	1.15%
D.	5ft, 1in to 5ft, 6in	266	38.16%
E.	Over 5ft, 6in	420	60.26%
<b>TOTALS</b>		<b>697</b>	<b>100.00%</b>

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	2	0.26%
B.	90-99 lbs	5	0.65%
C.	100-109 lbs	22	2.85%
D.	110-119lbs	48	6.21%
E.	120-129 lbs	81	10.48%
F.	130-139 lbs	90	11.64%
G.	140 lbs +	525	67.92%
<b>TOTALS</b>		<b>773</b>	<b>100.00%</b>

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	30	3.78%
B.	Rarely	72	9.08%
C.	Sometimes	181	22.82%
D.	Most of the time	282	35.56%
E.	Always	228	28.75%
<b>TOTALS</b>		<b>793</b>	<b>100.00%</b>

Q-9. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	114	14.43%
B.	Never	38	4.81%
C.	Rarely	66	8.35%
D.	Sometimes	95	12.03%
E.	Most of the time	164	20.76%
F.	Always	313	39.62%
<b>TOTALS</b>		<b>790</b>	<b>100.00%</b>

Q-10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	629	79.52%
B.	1 time	64	8.09%
C.	2 or 3 times	55	6.95%
D.	4 or 5 times	13	1.64%
E.	6 or more times	30	3.79%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	160	20.20%
B.	0 times	556	70.20%
C.	1 time	46	5.81%
D.	2 or 3 times	16	2.02%
E.	4 or 5 times	3	0.38%
F.	6 or more times	11	1.39%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>
Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	145	18.26%
B.	0 days	281	35.39%
C.	1 or 2 days	118	14.86%
D.	3 to 5 days	62	7.81%
E.	6 to 9 days	34	4.28%
F.	10 to 19 days	50	6.30%
G.	20 to 29 days	33	4.16%
H.	All 30 days	71	8.94%
<b>TOTALS</b>		<b>794</b>	<b>100.00%</b>
Q-13. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	147	18.58%
B.	0 days	267	33.75%
C.	1 or 2 days	159	20.10%
D.	3 to 5 days	71	8.98%
E.	6 to 9 days	56	7.08%
F.	10 to 19 days	50	6.32%
G.	20 to 29 days	19	2.40%
H.	All 30 days	22	2.78%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>
Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
A.	0 days	612	77.08%
B.	1 day	28	3.53%
C.	2 or 3 days	49	6.17%
D.	4 or 5 days	17	2.14%
E.	6 or more days	88	11.08%
<b>TOTALS</b>		<b>794</b>	<b>100.00%</b>

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	726	91.67%
B.	1 day	13	1.64%
C.	2 or 3 days	15	1.89%
D.	4 or 5 days	5	0.63%
E.	6 or more days	33	4.17%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>

Q-16. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)			
A.	0 days	717	91.22%
B.	1 day	12	1.53%
C.	2 or 3 days	17	2.16%
D.	4 or 5 days	6	0.76%
E.	6 or more days	34	4.33%
<b>TOTALS</b>		<b>786</b>	<b>100.00%</b>

Q-17. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
A.	0 days	758	95.35%
B.	1 day	23	2.89%
C.	2 or 3 days	5	0.63%
D.	4 or 5 days	3	0.38%
E.	6 or more days	6	0.75%
<b>TOTALS</b>		<b>795</b>	<b>100.00%</b>

Q-18. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
A.	0 times	757	95.58%
B.	1 time	13	1.64%
C.	2 or 3 times	15	1.89%
D.	4 or 5 times	2	0.25%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	1	0.13%
G.	10 or 11 times	0	0.00%
H.	12 or more times	4	0.51%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>

Q-19. During the past 12 months, how many times were you in a physical fight?			
A.	0 times	629	79.82%
B.	1 time	76	9.64%
C.	2 or 3 times	52	6.60%
D.	4 or 5 times	11	1.40%
E.	6 or 7 times	6	0.76%
F.	8 or 9 times	3	0.38%
G.	10 or 11 times	4	0.51%
H.	12 or more times	7	0.89%
<b>TOTALS</b>		<b>788</b>	<b>100.00%</b>
Q-20. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	736	92.70%
B.	1 time	38	4.79%
C.	2 or 3 times	10	1.26%
D.	4 or 5 times	5	0.63%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	1	0.13%
G.	10 or 11 times	1	0.13%
H.	12 or more times	3	0.38%
<b>TOTALS</b>		<b>794</b>	<b>100.00%</b>
Q-21. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	59	7.45%
B.	No	733	92.55%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>
Q-22. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	724	91.30%
B.	1 time	37	4.67%
C.	2 or 3 times	17	2.14%
D.	4 or 5 times	8	1.01%
E.	6 or more times	7	0.88%
<b>TOTALS</b>		<b>793</b>	<b>100.00%</b>
Q-23. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	293	36.90%
B.	0 times	464	58.44%
C.	1 time	12	1.51%
D.	2 or 3 times	15	1.89%
E.	4 or 5 times	5	0.63%
F.	6 or more times	5	0.63%
<b>TOTALS</b>		<b>794</b>	<b>100.00%</b>

Q-24. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	283	35.64%
B.	0 times	479	60.33%
C.	1 time	16	2.02%
D.	2 or 3 times	9	1.13%
E.	4 or 5 times	4	0.50%
F.	6 or more times	3	0.38%
<b>TOTALS</b>		<b>794</b>	<b>100.00%</b>
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	193	24.68%
B.	No	589	75.32%
<b>TOTALS</b>		<b>782</b>	<b>100.00%</b>
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	150	18.99%
B.	No	640	81.01%
<b>TOTALS</b>		<b>790</b>	<b>100.00%</b>
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	112	14.16%
B.	No	679	85.84%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	194	24.74%
B.	No	590	75.26%
<b>TOTALS</b>		<b>784</b>	<b>100.00%</b>
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	139	17.55%
B.	No	653	82.45%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	107	13.53%
B.	No	684	86.47%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	687	87.18%
B.	1 time	77	9.77%
C.	2 or 3 times	20	2.54%
D.	4 or 5 times	2	0.25%
E.	6 or more times	2	0.25%
<b>TOTALS</b>		<b>788</b>	<b>100.00%</b>

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	689	86.89%
B.	Yes	24	3.03%
C.	No	80	10.09%
<b>TOTALS</b>		<b>793</b>	<b>100.00%</b>

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	300	38.02%
B.	No	489	61.98%
<b>TOTALS</b>		<b>789</b>	<b>100.00%</b>

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs.	493	62.56%
B.	8 years old or younger	23	2.92%
C.	9 or 10 years old	24	3.05%
D.	11 or 12 years old	53	6.73%
E.	13 or 14 years old	83	10.53%
F.	15 or 16 years old	89	11.29%
G.	17 years old or older	23	2.92%
<b>TOTALS</b>		<b>788</b>	<b>100.00%</b>

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	674	84.99%
B.	1 or 2 days	43	5.42%
C.	3 to 5 days	16	2.02%
D.	6 to 9 days	8	1.01%
E.	10 to 19 days	14	1.77%
F.	20 to 29 days	11	1.39%
G.	All 30 days	27	3.40%
<b>TOTALS</b>		<b>793</b>	<b>100.00%</b>

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	672	84.63%
B.	Less than 1 cigarette per day	37	4.66%
C.	1 cigarette per day	24	3.02%
D.	2 to 5 cigarettes per day	47	5.92%
E.	6 to 10 cigarettes per day	7	0.88%
F.	11 to 20 cigarettes per day	3	0.38%
G.	More than 20 cigarettes per day	4	0.50%
<b>TOTALS</b>		<b>794</b>	<b>100.00%</b>

Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	632	80.10%
B.	Yes	75	9.51%
C.	No	82	10.39%
<b>TOTALS</b>		<b>789</b>	<b>100.00%</b>

Q-38. Have you ever used an electronic vapor product?			
A.	Yes	330	41.83%
B.	No	459	58.17%
<b>TOTALS</b>		<b>789</b>	<b>100.00%</b>

Q-39. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	671	84.51%
B.	1 or 2 days	63	7.93%
C.	3 to 5 days	23	2.90%
D.	6 to 9 days	11	1.39%
E.	10 to 19 days	8	1.01%
F.	20 to 29 days	6	0.76%
G.	All 30 days	12	1.51%
<b>TOTALS</b>		<b>794</b>	<b>100.00%</b>

Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	650	82.07%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	24	3.03%
C.	I got them on the Internet	13	1.64%
D.	I gave someone else money to buy them for me	20	2.53%
E.	I borrowed them from someone else	53	6.69%
F.	A person 18 years old or older gave them to me	18	2.27%
G.	I took them from a store or another person	2	0.25%
H.	I got them some other way	12	1.52%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>

Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)			
A.	0 days	694	87.52%
B.	1 or 2 days	17	2.14%
C.	3 to 5 days	12	1.51%
D.	6 to 9 days	14	1.77%
E.	10 to 19 days	16	2.02%
F.	20 to 29 days	5	0.63%
G.	All 30 days	35	4.41%
<b>TOTALS</b>		<b>793</b>	<b>100.00%</b>



Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs, on school property? (Do not count any electronic vapor products.)

A.	0 days	718	90.54%
B.	1 or 2 days	16	2.02%
C.	3 to 5 days	11	1.39%
D.	6 to 9 days	17	2.14%
E.	10 to 19 days	6	0.76%
F.	20 to 29 days	3	0.38%
G.	All 30 days	22	2.77%
<b>TOTALS</b>		<b>793</b>	<b>100.00%</b>

Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	701	88.51%
B.	1 or 2 days	41	5.18%
C.	3 to 5 days	19	2.40%
D.	6 to 9 days	11	1.39%
E.	10 to 19 days	11	1.39%
F.	20 to 29 days	3	0.38%
G.	All 30 days	6	0.76%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>

Q-44. During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	308	38.94%
B.	1 or 2 days	114	14.41%
C.	3 to 9 days	127	16.06%
D.	10 to 19 days	70	8.85%
E.	20 to 39 days	55	6.95%
F.	40 to 99 days	61	7.71%
G.	100 or more days	56	7.08%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>

Q-45. How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	316	40.00%
B.	8 years old or younger	40	5.06%
C.	9 or 10 years old	36	4.56%
D.	11 or 12 years old	75	9.49%
E.	13 or 14 years old	149	18.86%
F.	15 or 16 years old	134	16.96%
G.	17 years old or older	40	5.06%
<b>TOTALS</b>		<b>790</b>	<b>100.00%</b>

Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?		
A.	0 days	546 69.29%
B.	1 or 2 days	109 13.83%
C.	3 to 5 days	67 8.50%
D.	6 to 9 days	38 4.82%
E.	10 to 19 days	15 1.90%
F.	20 to 29 days	5 0.63%
G.	All 30 days	8 1.02%
<b>TOTALS</b>		<b>788 100.00%</b>

Q-47. During the past 30 days, how did you usually get the alcohol you drank?		
A.	I did not drink alcohol during the past 30 days	544 68.60%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	10 1.26%
C.	I bought it at a restaurant, bar, or club	6 0.76%
D.	I bought it at a public event such as a concert or sporting event	0 0.00%
E.	I gave someone else money to buy it for me	82 10.34%
F.	Someone gave it to me	94 11.85%
G.	I took it from a store or family member	22 2.77%
H.	I got it some other way	35 4.41%
<b>TOTALS</b>		<b>793 100.00%</b>

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?		
A.	0 days	622 78.44%
B.	1 day	52 6.56%
C.	2 days	44 5.55%
D.	3 to 5 days	45 5.67%
E.	6 to 9 days	13 1.64%
F.	10 to 19 days	7 0.88%
G.	20 or more days	10 1.26%
<b>TOTALS</b>		<b>793 100.00%</b>

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row?		
A.	I did not drink alcohol during the past 30 days	558 70.72%
B.	1 or 2 drinks	52 6.59%
C.	3 drinks	21 2.66%
D.	4 drinks	24 3.04%
E.	5 drinks	35 4.44%
F.	6 or 7 drinks	29 3.68%
G.	8 or 9 drinks	12 1.52%
H.	10 or more drinks	58 7.35%
<b>TOTALS</b>		<b>789 100.00%</b>

Q-50. During your life, how many times have you used marijuana?			
A.	0 times	573	72.44%
B.	1 or 2 times	55	6.95%
C.	3 to 9 times	50	6.32%
D.	10 to 19 times	16	2.02%
E.	20 to 39 times	18	2.28%
F.	40 to 99 times	27	3.41%
G.	100 or more times	52	6.57%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>

Q-51. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	568	71.72%
B.	8 years old or younger	15	1.89%
C.	9 or 10 years old	9	1.14%
D.	11 or 12 years old	23	2.90%
E.	13 or 14 years old	80	10.10%
F.	15 or 16 years old	78	9.85%
G.	17 years old or older	19	2.40%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>

Q-52. During the past 30 days, how many times did you use marijuana?			
A.	0 times	690	87.34%
B.	1 or 2 times	30	3.80%
C.	3 to 9 times	21	2.66%
D.	10 to 19 times	20	2.53%
E.	20 to 39 times	4	0.51%
F.	40 or more times	25	3.16%
<b>TOTALS</b>		<b>790</b>	<b>100.00%</b>

Q-53. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
A.	0 times	762	96.21%
B.	1 or 2 times	15	1.89%
C.	3 to 9 times	5	0.63%
D.	10 to 19 times	5	0.63%
E.	20 to 39 times	0	0.00%
F.	40 or more times	5	0.63%
<b>TOTALS</b>		<b>792</b>	<b>100.00%</b>

Q-54. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
A.	0 times	741	93.68%
B.	1 or 2 times	23	2.91%
C.	3 to 9 times	14	1.77%
D.	10 to 19 times	2	0.25%
E.	20 to 39 times	3	0.38%
F.	40 or more times	8	1.01%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>
Q-55. During your life, how many times have you used heroin (also called smack, junk, or China White)?			
A.	0 times	770	97.72%
B.	1 or 2 times	6	0.76%
C.	3 to 9 times	5	0.63%
D.	10 to 19 times	1	0.13%
E.	20 to 39 times	1	0.13%
F.	40 or more times	5	0.63%
<b>TOTALS</b>		<b>788</b>	<b>100.00%</b>
Q-56. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?			
A.	0 times	769	97.22%
B.	1 or 2 times	6	0.76%
C.	3 to 9 times	6	0.76%
D.	10 to 19 times	2	0.25%
E.	20 to 39 times	1	0.13%
F.	40 or more times	7	0.88%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>
Q-57. During your life, how many times have you used ecstasy (also called MDMA)?			
A.	0 times	761	96.21%
B.	1 or 2 times	15	1.90%
C.	3 to 9 times	8	1.01%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	4	0.51%
F.	40 or more times	3	0.38%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>
Q-58. During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
A.	0 times	739	94.26%
B.	1 or 2 times	30	3.83%
C.	3 to 9 times	7	0.89%
D.	10 to 19 times	1	0.13%
E.	20 to 39 times	1	0.13%
F.	40 or more times	6	0.77%
<b>TOTALS</b>		<b>784</b>	<b>100.00%</b>

Q-59. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
A.	0 times	770	97.35%
B.	1 or 2 times	9	1.14%
C.	3 to 9 times	4	0.51%
D.	10 to 19 times	3	0.38%
E.	20 to 39 times	2	0.25%
F.	40 or more times	3	0.38%
<b>TOTALS</b>		<b>791</b>	<b>100.00%</b>

Q-60. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)			
A.	0 times	708	89.73%
B.	1 or 2 times	37	4.69%
C.	3 to 9 times	27	3.42%
D.	10 to 19 times	4	0.51%
E.	20 to 39 times	6	0.76%
F.	40 or more times	7	0.89%
<b>TOTALS</b>		<b>789</b>	<b>100.00%</b>

Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	765	97.58%
B.	1 time	6	0.77%
C.	2 or more times	13	1.66%
<b>TOTALS</b>		<b>784</b>	<b>100.00%</b>

Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	90	11.46%
B.	No	695	88.54%
<b>TOTALS</b>		<b>785</b>	<b>100.00%</b>

Q-63. Have you ever had sexual intercourse?			
A.	Yes	355	45.57%
B.	No	424	54.43%
<b>TOTALS</b>		<b>779</b>	<b>100.00%</b>

Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	430	54.50%
B.	11 years old or younger	21	2.66%
C.	12 years old	9	1.14%
D.	13 years old	30	3.80%
E.	14 years old	65	8.24%
F.	15 years old	106	13.43%
G.	16 years old	79	10.01%
H.	17 years old or older	49	6.21%
<b>TOTALS</b>		<b>789</b>	<b>100.00%</b>

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	434	55.08%
B.	1 person	157	19.92%
C.	2 people	81	10.28%
D.	3 people	32	4.06%
E.	4 people	25	3.17%
F.	5 people	23	2.92%
G.	6 or more people	36	4.57%
<b>TOTALS</b>		<b>788</b>	<b>100.00%</b>

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	437	55.39%
B.	I have had sexual intercourse, but not during the past 3 months	98	12.42%
C.	1 person	199	25.22%
D.	2 people	33	4.18%
E.	3 people	9	1.14%
F.	4 people	5	0.63%
G.	5 people	2	0.25%
H.	6 or more people	6	0.76%
<b>TOTALS</b>		<b>789</b>	<b>100.00%</b>

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	422	53.49%
B.	Yes	64	8.11%
C.	No	303	38.40%
<b>TOTALS</b>		<b>789</b>	<b>100.00%</b>

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	431	54.76%
B.	Yes	198	25.16%
C.	No	158	20.08%
<b>TOTALS</b>		<b>787</b>	<b>100.00%</b>

Q-69. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse	432	54.96%
B.	No method was used to prevent pregnancy	49	6.23%
C.	Birth control pills	76	9.67%
D.	Condoms	149	18.96%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	19	2.42%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	22	2.80%
G.	Withdrawal or some other method	27	3.44%
H.	Not sure	12	1.53%
<b>TOTALS</b>		<b>786</b>	<b>100.00%</b>

Q-70. How do you describe your weight?			
A.	Very underweight	17	2.17%
B.	Slightly underweight	78	9.95%
C.	About the right weight	416	53.06%
D.	Slightly overweight	228	29.08%
E.	Very overweight	45	5.74%
<b>TOTALS</b>		<b>784</b>	<b>100.00%</b>

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	336	42.69%
B.	Gain weight	115	14.61%
C.	Stay the same weight	152	19.31%
D.	I am not trying to do anything about my weight	184	23.38%
<b>TOTALS</b>		<b>787</b>	<b>100.00%</b>

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	215	27.28%
B.	1 to 3 times during the past 7 days	359	45.56%
C.	4 to 6 times during the past 7 days	113	14.34%
D.	1 time per day	40	5.08%
E.	2 times per day	28	3.55%
F.	3 times per day	15	1.90%
G.	4 or more times per day	18	2.28%
<b>TOTALS</b>		<b>788</b>	<b>100.00%</b>

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	83	10.56%
B.	1 to 3 times during the past 7 days	332	42.24%
C.	4 to 6 times during the past 7 days	185	23.54%
D.	1 time per day	74	9.41%
E.	2 times per day	56	7.12%
F.	3 times per day	27	3.44%
G.	4 or more times per day	29	3.69%
<b>TOTALS</b>		<b>786</b>	<b>100.00%</b>

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	285	36.12%
B.	1 to 3 times during the past 7 days	315	39.92%
C.	4 to 6 times during the past 7 days	114	14.45%
D.	1 time per day	40	5.07%
E.	2 times per day	16	2.03%
F.	3 times per day	6	0.76%
G.	4 or more times per day	13	1.65%
<b>TOTALS</b>		<b>789</b>	<b>100.00%</b>

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	206	26.18%
B.	1 to 3 times during the past 7 days	435	55.27%
C.	4 to 6 times during the past 7 days	101	12.83%
D.	1 time per day	27	3.43%
E.	2 times per day	10	1.27%
F.	3 times per day	0	0.00%
G.	4 or more times per day	8	1.02%
<b>TOTALS</b>		<b>787</b>	<b>100.00%</b>
Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	375	47.95%
B.	1 to 3 times during the past 7 days	295	37.72%
C.	4 to 6 times during the past 7 days	65	8.31%
D.	1 time per day	24	3.07%
E.	2 times per day	9	1.15%
F.	3 times per day	4	0.51%
G.	4 or more times per day	10	1.28%
<b>TOTALS</b>		<b>782</b>	<b>100.00%</b>
Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	147	18.65%
B.	1 to 3 times during the past 7 days	329	41.75%
C.	4 to 6 times during the past 7 days	186	23.60%
D.	1 time per day	61	7.74%
E.	2 times per day	41	5.20%
F.	3 times per day	9	1.14%
G.	4 or more times per day	15	1.90%
<b>TOTALS</b>		<b>788</b>	<b>100.00%</b>
Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	163	20.74%
B.	1 to 3 times during the past 7 days	309	39.31%
C.	4 to 6 times during the past 7 days	158	20.10%
D.	1 time per day	68	8.65%
E.	2 times per day	38	4.83%
F.	3 times per day	23	2.93%
G.	4 or more times per day	27	3.44%
<b>TOTALS</b>		<b>786</b>	<b>100.00%</b>



Q-79. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	118	15.03%
B.	1 to 3 glasses during the past 7 days	181	23.06%
C.	4 to 6 glasses during the past 7 days	167	21.27%
D.	1 glass per day	94	11.97%
E.	2 glasses per day	101	12.87%
F.	3 glasses per day	70	8.92%
G.	4 or more glasses per day	54	6.88%
<b>TOTALS</b>		<b>785</b>	<b>100.00%</b>

Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	592	75.32%
B.	1 to 3 times during the past 7 days	136	17.30%
C.	4 to 6 times during the past 7 days	25	3.18%
D.	1 time per day	15	1.91%
E.	2 times per day	7	0.89%
F.	3 times per day	5	0.64%
G.	4 or more times per day	6	0.76%
<b>TOTALS</b>		<b>786</b>	<b>100.00%</b>

Q-81. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	84	10.70%
B.	1 day	59	7.52%
C.	2 days	76	9.68%
D.	3 days	79	10.06%
E.	4 days	64	8.15%
F.	5 days	88	11.21%
G.	6 days	49	6.24%
H.	7 days	286	36.43%
<b>TOTALS</b>		<b>785</b>	<b>100.00%</b>

Q-82. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	84	10.71%
B.	1 day	52	6.63%
C.	2 days	50	6.38%
D.	3 days	62	7.91%
E.	4 days	95	12.12%
F.	5 days	112	14.29%
G.	6 days	99	12.63%
H.	7 days	230	29.34%
<b>TOTALS</b>		<b>784</b>	<b>100.00%</b>

Q-83. On an average school day, how many hours do you watch TV?			
A.	I do not watch TV on an average school day	163	20.82%
B.	Less than 1 hour per day	195	24.90%
C.	1 hour per day	135	17.24%
D.	2 hours per day	148	18.90%
E.	3 hours per day	80	10.22%
F.	4 hours per day	27	3.45%
G.	5 or more hours per day	35	4.47%
<b>TOTALS</b>		<b>783</b>	<b>100.00%</b>

Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)			
A.	I do not play video or computer games or use a computer for something that is not school work	147	18.70%
B.	Less than 1 hour per day	141	17.94%
C.	1 hour per day	89	11.32%
D.	2 hours per day	107	13.61%
E.	3 hours per day	101	12.85%
F.	4 hours per day	73	9.29%
G.	5 or more hours per day	128	16.28%
<b>TOTALS</b>		<b>786</b>	<b>100.00%</b>

Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	337	43.04%
B.	1 day	15	1.92%
C.	2 days	22	2.81%
D.	3 days	87	11.11%
E.	4 days	102	13.03%
F.	5 days	220	28.10%
<b>TOTALS</b>		<b>783</b>	<b>100.00%</b>

Q-86. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	216	27.59%
B.	1 team	174	22.22%
C.	2 teams	178	22.73%
D.	3 or more teams	215	27.46%
<b>TOTALS</b>		<b>783</b>	<b>100.00%</b>

Q-87. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	650	82.80%
B.	1 time	90	11.46%
C.	2 times	26	3.31%
D.	3 times	10	1.27%
E.	4 or more times	9	1.15%
<b>TOTALS</b>		<b>785</b>	<b>100.00%</b>

Q-88. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	588	75.00%
B.	Between 12 and 24 months ago	84	10.71%
C.	More than 24 months ago	35	4.46%
D.	Never	14	1.79%
E.	Not sure	63	8.04%
<b>TOTALS</b>		<b>784</b>	<b>100.00%</b>

Q-89. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	189	24.23%
B.	No	552	70.77%
C.	Not sure	39	5.00%
<b>TOTALS</b>		<b>780</b>	<b>100.00%</b>

Q-90. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	43	5.51%
B.	5 hours	77	9.87%
C.	6 hours	168	21.54%
D.	7 hours	239	30.64%
E.	8 hours	198	25.38%
F.	9 hours	42	5.38%
G.	10 or more hours	13	1.67%
<b>TOTALS</b>		<b>780</b>	<b>100.00%</b>

Q-91. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	738	94.25%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	22	2.81%
C.	In a shelter or emergency housing	6	0.77%
D.	In a motel or hotel	3	0.38%
E.	In a car, park, campground, or other public place	4	0.51%
F.	I do not have a usual place to sleep	3	0.38%
G.	Somewhere else	7	0.89%
<b>TOTALS</b>		<b>783</b>	<b>100.00%</b>

Q-92. During the past 12 months, how would you describe your grades in school?			
A.	Mostly A's	332	42.56%
B.	Mostly B's	257	32.95%
C.	Mostly C's	129	16.54%
D.	Mostly D's	25	3.21%
E.	Mostly F's	9	1.15%
F.	None of these grades	4	0.51%
G.	Not sure	24	3.08%
<b>TOTALS</b>		<b>780</b>	<b>100.00%</b>

Q-93. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)			
A.	0 times	711	90.80%
B.	1 or 2 times	30	3.83%
C.	3 to 9 times	23	2.94%
D.	10 to 19 times	11	1.40%
E.	20 to 39 times	5	0.64%
F.	40 or more times	3	0.38%
<b>TOTALS</b>		<b>783</b>	<b>100.00%</b>
Q-94. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?			
A.	Yes	143	18.43%
B.	No	633	81.57%
<b>TOTALS</b>		<b>776</b>	<b>100.00%</b>