

# 2017 NORTH WEST REGION YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 699 high school students in North West Region during February of 2017. Frequency distributions may not total 699 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	1	0.14%
B.	13 years old	0	0.00%
C.	14 years old	59	8.46%
D.	15 years old	201	28.84%
E.	16 years old	165	23.67%
F.	17 years old	191	27.40%
G.	18 years old or older	80	11.48%
	<b>TOTALS</b>	<b>697</b>	<b>100.00%</b>
Q-2. What is your sex?			
A.	Female	318	45.69%
B.	Male	378	54.31%
	<b>TOTALS</b>	<b>696</b>	<b>100.00%</b>
Q-3. In what grade are you?			
A.	9th grade	184	26.51%
B.	10th grade	176	25.36%
C.	11th grade	183	26.37%
D.	12th grade	151	21.76%
E.	Ungraded or other grade	0	0.00%
	<b>TOTALS</b>	<b>694</b>	<b>100.00%</b>
Q-4. Are you Hispanic or Latino?			
A.	Yes	48	6.96%
B.	No	642	93.04%
	<b>TOTALS</b>	<b>690</b>	<b>100.00%</b>
Q-5. What is your race?			
A.	American Indian or Alaskan Native	64	8.51%
B.	Asian	24	3.19%
C.	Black or African American	17	2.26%
D.	Native Hawaiian or Other Pacific Islander	7	0.93%
E.	White	640	85.11%
	<b>TOTALS</b>	<b>752</b>	<b>100.00%</b>

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	1	0.15%
B.	4ft to 4 ft, 6 in	1	0.15%
C.	4ft, 7in to 5 ft	9	1.33%
D.	5ft, 1in to 5ft, 6in	254	37.52%
E.	Over 5ft, 6in	412	60.86%
<b>TOTALS</b>		<b>677</b>	<b>100.00%</b>

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	1	0.14%
B.	90-99 lbs	8	1.15%
C.	100-109 lbs	26	3.74%
D.	110-119lbs	65	9.35%
E.	120-129 lbs	92	13.24%
F.	130-139 lbs	104	14.96%
G.	140 lbs +	399	57.41%
<b>TOTALS</b>		<b>695</b>	<b>100.00%</b>

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	9	1.29%
B.	Rarely	34	4.88%
C.	Sometimes	74	10.62%
D.	Most of the time	210	30.13%
E.	Always	370	53.08%
<b>TOTALS</b>		<b>697</b>	<b>100.00%</b>

Q-9. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	144	20.72%
B.	Never	10	1.44%
C.	Rarely	31	4.46%
D.	Sometimes	24	3.45%
E.	Most of the time	93	13.38%
F.	Always	393	56.55%
<b>TOTALS</b>		<b>695</b>	<b>100.00%</b>

Q-10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	555	79.97%
B.	1 time	63	9.08%
C.	2 or 3 times	50	7.20%
D.	4 or 5 times	10	1.44%
E.	6 or more times	16	2.31%
<b>TOTALS</b>		<b>694</b>	<b>100.00%</b>

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	204	29.18%
B.	0 times	458	65.52%
C.	1 time	15	2.15%
D.	2 or 3 times	12	1.72%
E.	4 or 5 times	4	0.57%
F.	6 or more times	6	0.86%
<b>TOTALS</b>		<b>699</b>	<b>100.00%</b>
Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	190	27.22%
B.	0 days	249	35.67%
C.	1 or 2 days	82	11.75%
D.	3 to 5 days	27	3.87%
E.	6 to 9 days	26	3.72%
F.	10 to 19 days	31	4.44%
G.	20 to 29 days	43	6.16%
H.	All 30 days	50	7.16%
<b>TOTALS</b>		<b>698</b>	<b>100.00%</b>
Q-13. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	199	28.76%
B.	0 days	227	32.80%
C.	1 or 2 days	99	14.31%
D.	3 to 5 days	56	8.09%
E.	6 to 9 days	47	6.79%
F.	10 to 19 days	28	4.05%
G.	20 to 29 days	22	3.18%
H.	All 30 days	14	2.02%
<b>TOTALS</b>		<b>692</b>	<b>100.00%</b>
Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
A.	0 days	502	72.33%
B.	1 day	29	4.18%
C.	2 or 3 days	37	5.33%
D.	4 or 5 days	20	2.88%
E.	6 or more days	106	15.27%
<b>TOTALS</b>		<b>694</b>	<b>100.00%</b>

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	626	89.68%
B.	1 day	12	1.72%
C.	2 or 3 days	9	1.29%
D.	4 or 5 days	2	0.29%
E.	6 or more days	49	7.02%
<b>TOTALS</b>		<b>698</b>	<b>100.00%</b>
Q-16. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)			
A.	0 days	624	89.78%
B.	1 day	13	1.87%
C.	2 or 3 days	15	2.16%
D.	4 or 5 days	10	1.44%
E.	6 or more days	33	4.75%
<b>TOTALS</b>		<b>695</b>	<b>100.00%</b>
Q-17. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
A.	0 days	653	93.42%
B.	1 day	29	4.15%
C.	2 or 3 days	10	1.43%
D.	4 or 5 days	1	0.14%
E.	6 or more days	6	0.86%
<b>TOTALS</b>		<b>699</b>	<b>100.00%</b>
Q-18. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
A.	0 times	644	92.40%
B.	1 time	20	2.87%
C.	2 or 3 times	14	2.01%
D.	4 or 5 times	8	1.15%
E.	6 or 7 times	2	0.29%
F.	8 or 9 times	1	0.14%
G.	10 or 11 times	2	0.29%
H.	12 or more times	6	0.86%
<b>TOTALS</b>		<b>697</b>	<b>100.00%</b>

Q-19. During the past 12 months, how many times were you in a physical fight?			
A.	0 times	534	77.28%
B.	1 time	76	11.00%
C.	2 or 3 times	51	7.38%
D.	4 or 5 times	13	1.88%
E.	6 or 7 times	3	0.43%
F.	8 or 9 times	4	0.58%
G.	10 or 11 times	3	0.43%
H.	12 or more times	7	1.01%
<b>TOTALS</b>		<b>691</b>	<b>100.00%</b>

Q-20. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	635	91.10%
B.	1 time	39	5.60%
C.	2 or 3 times	15	2.15%
D.	4 or 5 times	2	0.29%
E.	6 or 7 times	2	0.29%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	1	0.14%
H.	12 or more times	3	0.43%
<b>TOTALS</b>		<b>697</b>	<b>100.00%</b>

Q-21. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	80	11.51%
B.	No	615	88.49%
<b>TOTALS</b>		<b>695</b>	<b>100.00%</b>

Q-22. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	609	87.88%
B.	1 time	48	6.93%
C.	2 or 3 times	24	3.46%
D.	4 or 5 times	6	0.87%
E.	6 or more times	6	0.87%
<b>TOTALS</b>		<b>693</b>	<b>100.00%</b>

Q-23. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	224	32.18%
B.	0 times	427	61.35%
C.	1 time	24	3.45%
D.	2 or 3 times	10	1.44%
E.	4 or 5 times	2	0.29%
F.	6 or more times	9	1.29%
<b>TOTALS</b>		<b>696</b>	<b>100.00%</b>

Q-24. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	216	31.03%
B.	0 times	441	63.36%
C.	1 time	12	1.72%
D.	2 or 3 times	13	1.87%
E.	4 or 5 times	7	1.01%
F.	6 or more times	7	1.01%
<b>TOTALS</b>		<b>696</b>	<b>100.00%</b>
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	154	22.55%
B.	No	529	77.45%
<b>TOTALS</b>		<b>683</b>	<b>100.00%</b>
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	142	20.34%
B.	No	556	79.66%
<b>TOTALS</b>		<b>698</b>	<b>100.00%</b>
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	75	10.76%
B.	No	622	89.24%
<b>TOTALS</b>		<b>697</b>	<b>100.00%</b>
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	242	35.17%
B.	No	446	64.83%
<b>TOTALS</b>		<b>688</b>	<b>100.00%</b>
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	145	20.80%
B.	No	552	79.20%
<b>TOTALS</b>		<b>697</b>	<b>100.00%</b>
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	136	19.48%
B.	No	562	80.52%
<b>TOTALS</b>		<b>698</b>	<b>100.00%</b>
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	587	84.70%
B.	1 time	81	11.69%
C.	2 or 3 times	19	2.74%
D.	4 or 5 times	4	0.58%
E.	6 or more times	2	0.29%
<b>TOTALS</b>		<b>693</b>	<b>100.00%</b>

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	604	86.91%
B.	Yes	23	3.31%
C.	No	68	9.78%
<b>TOTALS</b>		<b>695</b>	<b>100.00%</b>

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	237	34.20%
B.	No	456	65.80%
<b>TOTALS</b>		<b>693</b>	<b>100.00%</b>

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs.	460	66.38%
B.	8 years old or younger	23	3.32%
C.	9 or 10 years old	18	2.60%
D.	11 or 12 years old	37	5.34%
E.	13 or 14 years old	66	9.52%
F.	15 or 16 years old	68	9.81%
G.	17 years old or older	21	3.03%
<b>TOTALS</b>		<b>693</b>	<b>100.00%</b>

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	605	87.05%
B.	1 or 2 days	40	5.76%
C.	3 to 5 days	11	1.58%
D.	6 to 9 days	5	0.72%
E.	10 to 19 days	11	1.58%
F.	20 to 29 days	8	1.15%
G.	All 30 days	15	2.16%
<b>TOTALS</b>		<b>695</b>	<b>100.00%</b>

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	604	87.03%
B.	Less than 1 cigarette per day	32	4.61%
C.	1 cigarette per day	13	1.87%
D.	2 to 5 cigarettes per day	36	5.19%
E.	6 to 10 cigarettes per day	6	0.86%
F.	11 to 20 cigarettes per day	1	0.14%
G.	More than 20 cigarettes per day	2	0.29%
<b>TOTALS</b>		<b>694</b>	<b>100.00%</b>

Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	564	81.98%
B.	Yes	64	9.30%
C.	No	60	8.72%
<b>TOTALS</b>		<b>688</b>	<b>100.00%</b>

Q-38. Have you ever used an electronic vapor product?			
A.	Yes	318	45.95%
B.	No	374	54.05%
<b>TOTALS</b>		<b>692</b>	<b>100.00%</b>

Q-39. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	569	81.99%
B.	1 or 2 days	62	8.93%
C.	3 to 5 days	17	2.45%
D.	6 to 9 days	15	2.16%
E.	10 to 19 days	14	2.02%
F.	20 to 29 days	11	1.59%
G.	All 30 days	6	0.86%
<b>TOTALS</b>		<b>694</b>	<b>100.00%</b>

Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	556	80.58%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	14	2.03%
C.	I got them on the Internet	5	0.72%
D.	I gave someone else money to buy them for me	15	2.17%
E.	I borrowed them from someone else	58	8.41%
F.	A person 18 years old or older gave them to me	14	2.03%
G.	I took them from a store or another person	3	0.43%
H.	I got them some other way	25	3.62%
<b>TOTALS</b>		<b>690</b>	<b>100.00%</b>

Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)			
A.	0 days	623	89.77%
B.	1 or 2 days	18	2.59%
C.	3 to 5 days	7	1.01%
D.	6 to 9 days	8	1.15%
E.	10 to 19 days	11	1.59%
F.	20 to 29 days	6	0.86%
G.	All 30 days	21	3.03%
<b>TOTALS</b>		<b>694</b>	<b>100.00%</b>



Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs, on school property? (Do not count any electronic vapor products.)

A.	0 days	648	93.37%
B.	1 or 2 days	15	2.16%
C.	3 to 5 days	7	1.01%
D.	6 to 9 days	5	0.72%
E.	10 to 19 days	5	0.72%
F.	20 to 29 days	2	0.29%
G.	All 30 days	12	1.73%
<b>TOTALS</b>		<b>694</b>	<b>100.00%</b>

Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	594	85.96%
B.	1 or 2 days	52	7.53%
C.	3 to 5 days	15	2.17%
D.	6 to 9 days	13	1.88%
E.	10 to 19 days	8	1.16%
F.	20 to 29 days	1	0.14%
G.	All 30 days	8	1.16%
<b>TOTALS</b>		<b>691</b>	<b>100.00%</b>

Q-44. During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	228	32.85%
B.	1 or 2 days	92	13.26%
C.	3 to 9 days	124	17.87%
D.	10 to 19 days	68	9.80%
E.	20 to 39 days	70	10.09%
F.	40 to 99 days	58	8.36%
G.	100 or more days	54	7.78%
<b>TOTALS</b>		<b>694</b>	<b>100.00%</b>

Q-45. How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	241	35.03%
B.	8 years old or younger	37	5.38%
C.	9 or 10 years old	38	5.52%
D.	11 or 12 years old	65	9.45%
E.	13 or 14 years old	140	20.35%
F.	15 or 16 years old	140	20.35%
G.	17 years old or older	27	3.92%
<b>TOTALS</b>		<b>688</b>	<b>100.00%</b>

Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	453	65.65%
B.	1 or 2 days	121	17.54%
C.	3 to 5 days	54	7.83%
D.	6 to 9 days	30	4.35%
E.	10 to 19 days	22	3.19%
F.	20 to 29 days	5	0.72%
G.	All 30 days	5	0.72%
<b>TOTALS</b>		<b>690</b>	<b>100.00%</b>

Q-47. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	435	63.13%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	5	0.73%
C.	I bought it at a restaurant, bar, or club	2	0.29%
D.	I bought it at a public event such as a concert or sporting event	2	0.29%
E.	I gave someone else money to buy it for me	62	9.00%
F.	Someone gave it to me	115	16.69%
G.	I took it from a store or family member	25	3.63%
H.	I got it some other way	43	6.24%
<b>TOTALS</b>		<b>689</b>	<b>100.00%</b>

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?			
A.	0 days	537	78.17%
B.	1 day	53	7.71%
C.	2 days	34	4.95%
D.	3 to 5 days	31	4.51%
E.	6 to 9 days	24	3.49%
F.	10 to 19 days	3	0.44%
G.	20 or more days	5	0.73%
<b>TOTALS</b>		<b>687</b>	<b>100.00%</b>

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row?			
A.	I did not drink alcohol during the past 30 days	463	67.30%
B.	1 or 2 drinks	71	10.32%
C.	3 drinks	9	1.31%
D.	4 drinks	20	2.91%
E.	5 drinks	26	3.78%
F.	6 or 7 drinks	33	4.80%
G.	8 or 9 drinks	24	3.49%
H.	10 or more drinks	42	6.10%
<b>TOTALS</b>		<b>688</b>	<b>100.00%</b>

Q-50. During your life, how many times have you used marijuana?			
A.	0 times	437	63.61%
B.	1 or 2 times	60	8.73%
C.	3 to 9 times	48	6.99%
D.	10 to 19 times	15	2.18%
E.	20 to 39 times	36	5.24%
F.	40 to 99 times	23	3.35%
G.	100 or more times	68	9.90%
<b>TOTALS</b>		<b>687</b>	<b>100.00%</b>

Q-51. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	437	63.43%
B.	8 years old or younger	10	1.45%
C.	9 or 10 years old	9	1.31%
D.	11 or 12 years old	29	4.21%
E.	13 or 14 years old	82	11.90%
F.	15 or 16 years old	97	14.08%
G.	17 years old or older	25	3.63%
<b>TOTALS</b>		<b>689</b>	<b>100.00%</b>

Q-52. During the past 30 days, how many times did you use marijuana?			
A.	0 times	568	82.68%
B.	1 or 2 times	36	5.24%
C.	3 to 9 times	42	6.11%
D.	10 to 19 times	12	1.75%
E.	20 to 39 times	9	1.31%
F.	40 or more times	20	2.91%
<b>TOTALS</b>		<b>687</b>	<b>100.00%</b>

Q-53. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
A.	0 times	650	94.34%
B.	1 or 2 times	12	1.74%
C.	3 to 9 times	10	1.45%
D.	10 to 19 times	2	0.29%
E.	20 to 39 times	6	0.87%
F.	40 or more times	9	1.31%
<b>TOTALS</b>		<b>689</b>	<b>100.00%</b>

Q-54. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
A.	0 times	648	94.19%
B.	1 or 2 times	17	2.47%
C.	3 to 9 times	11	1.60%
D.	10 to 19 times	3	0.44%
E.	20 to 39 times	2	0.29%
F.	40 or more times	7	1.02%
<b>TOTALS</b>		<b>688</b>	<b>100.00%</b>
Q-55. During your life, how many times have you used heroin (also called smack, junk, or China White)?			
A.	0 times	671	97.67%
B.	1 or 2 times	4	0.58%
C.	3 to 9 times	2	0.29%
D.	10 to 19 times	1	0.15%
E.	20 to 39 times	1	0.15%
F.	40 or more times	8	1.16%
<b>TOTALS</b>		<b>687</b>	<b>100.00%</b>
Q-56. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?			
A.	0 times	672	97.67%
B.	1 or 2 times	7	1.02%
C.	3 to 9 times	2	0.29%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	1	0.15%
F.	40 or more times	6	0.87%
<b>TOTALS</b>		<b>688</b>	<b>100.00%</b>
Q-57. During your life, how many times have you used ecstasy (also called MDMA)?			
A.	0 times	646	93.90%
B.	1 or 2 times	19	2.76%
C.	3 to 9 times	9	1.31%
D.	10 to 19 times	4	0.58%
E.	20 to 39 times	3	0.44%
F.	40 or more times	7	1.02%
<b>TOTALS</b>		<b>688</b>	<b>100.00%</b>
Q-58. During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
A.	0 times	640	93.57%
B.	1 or 2 times	20	2.92%
C.	3 to 9 times	12	1.75%
D.	10 to 19 times	3	0.44%
E.	20 to 39 times	3	0.44%
F.	40 or more times	6	0.88%
<b>TOTALS</b>		<b>684</b>	<b>100.00%</b>

Q-59. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
A.	0 times	671	97.53%
B.	1 or 2 times	10	1.45%
C.	3 to 9 times	4	0.58%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	3	0.44%
<b>TOTALS</b>		<b>688</b>	<b>100.00%</b>

Q-60. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)			
A.	0 times	586	85.42%
B.	1 or 2 times	39	5.69%
C.	3 to 9 times	27	3.94%
D.	10 to 19 times	13	1.90%
E.	20 to 39 times	9	1.31%
F.	40 or more times	12	1.75%
<b>TOTALS</b>		<b>686</b>	<b>100.00%</b>

Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	663	97.50%
B.	1 time	3	0.44%
C.	2 or more times	14	2.06%
<b>TOTALS</b>		<b>680</b>	<b>100.00%</b>

Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	175	25.55%
B.	No	510	74.45%
<b>TOTALS</b>		<b>685</b>	<b>100.00%</b>

Q-63. Have you ever had sexual intercourse?			
A.	Yes	314	45.77%
B.	No	372	54.23%
<b>TOTALS</b>		<b>686</b>	<b>100.00%</b>

Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	381	55.70%
B.	11 years old or younger	16	2.34%
C.	12 years old	10	1.46%
D.	13 years old	28	4.09%
E.	14 years old	64	9.36%
F.	15 years old	87	12.72%
G.	16 years old	63	9.21%
H.	17 years old or older	35	5.12%
<b>TOTALS</b>		<b>684</b>	<b>100.00%</b>

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	384	56.06%
B.	1 person	133	19.42%
C.	2 people	47	6.86%
D.	3 people	44	6.42%
E.	4 people	22	3.21%
F.	5 people	19	2.77%
G.	6 or more people	36	5.26%
<b>TOTALS</b>		<b>685</b>	<b>100.00%</b>

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	390	57.02%
B.	I have had sexual intercourse, but not during the past 3 months	101	14.77%
C.	1 person	149	21.78%
D.	2 people	26	3.80%
E.	3 people	7	1.02%
F.	4 people	5	0.73%
G.	5 people	0	0.00%
H.	6 or more people	6	0.88%
<b>TOTALS</b>		<b>684</b>	<b>100.00%</b>

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	378	55.43%
B.	Yes	65	9.53%
C.	No	239	35.04%
<b>TOTALS</b>		<b>682</b>	<b>100.00%</b>

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	388	56.73%
B.	Yes	162	23.68%
C.	No	134	19.59%
<b>TOTALS</b>		<b>684</b>	<b>100.00%</b>

Q-69. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse	383	56.32%
B.	No method was used to prevent pregnancy	40	5.88%
C.	Birth control pills	62	9.12%
D.	Condoms	115	16.91%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	24	3.53%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	21	3.09%
G.	Withdrawal or some other method	23	3.38%
H.	Not sure	12	1.76%
<b>TOTALS</b>		<b>680</b>	<b>100.00%</b>

Q-70. How do you describe your weight?			
A.	Very underweight	8	1.18%
B.	Slightly underweight	85	12.52%
C.	About the right weight	413	60.82%
D.	Slightly overweight	162	23.86%
E.	Very overweight	11	1.62%
<b>TOTALS</b>		<b>679</b>	<b>100.00%</b>

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	257	37.63%
B.	Gain weight	120	17.57%
C.	Stay the same weight	124	18.16%
D.	I am not trying to do anything about my weight	182	26.65%
<b>TOTALS</b>		<b>683</b>	<b>100.00%</b>

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	169	24.71%
B.	1 to 3 times during the past 7 days	288	42.11%
C.	4 to 6 times during the past 7 days	130	19.01%
D.	1 time per day	38	5.56%
E.	2 times per day	37	5.41%
F.	3 times per day	6	0.88%
G.	4 or more times per day	16	2.34%
<b>TOTALS</b>		<b>684</b>	<b>100.00%</b>

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	58	8.53%
B.	1 to 3 times during the past 7 days	212	31.18%
C.	4 to 6 times during the past 7 days	147	21.62%
D.	1 time per day	105	15.44%
E.	2 times per day	90	13.24%
F.	3 times per day	40	5.88%
G.	4 or more times per day	28	4.12%
<b>TOTALS</b>		<b>680</b>	<b>100.00%</b>

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	194	28.36%
B.	1 to 3 times during the past 7 days	297	43.42%
C.	4 to 6 times during the past 7 days	108	15.79%
D.	1 time per day	59	8.63%
E.	2 times per day	17	2.49%
F.	3 times per day	4	0.58%
G.	4 or more times per day	5	0.73%
<b>TOTALS</b>		<b>684</b>	<b>100.00%</b>

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	184	26.98%
B.	1 to 3 times during the past 7 days	383	56.16%
C.	4 to 6 times during the past 7 days	77	11.29%
D.	1 time per day	21	3.08%
E.	2 times per day	8	1.17%
F.	3 times per day	2	0.29%
G.	4 or more times per day	7	1.03%
<b>TOTALS</b>		<b>682</b>	<b>100.00%</b>

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	254	37.24%
B.	1 to 3 times during the past 7 days	297	43.55%
C.	4 to 6 times during the past 7 days	84	12.32%
D.	1 time per day	31	4.55%
E.	2 times per day	11	1.61%
F.	3 times per day	1	0.15%
G.	4 or more times per day	4	0.59%
<b>TOTALS</b>		<b>682</b>	<b>100.00%</b>

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	82	12.06%
B.	1 to 3 times during the past 7 days	278	40.88%
C.	4 to 6 times during the past 7 days	165	24.26%
D.	1 time per day	81	11.91%
E.	2 times per day	50	7.35%
F.	3 times per day	12	1.76%
G.	4 or more times per day	12	1.76%
<b>TOTALS</b>		<b>680</b>	<b>100.00%</b>

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	192	28.11%
B.	1 to 3 times during the past 7 days	320	46.85%
C.	4 to 6 times during the past 7 days	85	12.45%
D.	1 time per day	48	7.03%
E.	2 times per day	15	2.20%
F.	3 times per day	13	1.90%
G.	4 or more times per day	10	1.46%
<b>TOTALS</b>		<b>683</b>	<b>100.00%</b>



Q-79. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	119	17.68%
B.	1 to 3 glasses during the past 7 days	157	23.33%
C.	4 to 6 glasses during the past 7 days	123	18.28%
D.	1 glass per day	113	16.79%
E.	2 glasses per day	90	13.37%
F.	3 glasses per day	43	6.39%
G.	4 or more glasses per day	28	4.16%
<b>TOTALS</b>		<b>673</b>	<b>100.00%</b>

Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	512	75.18%
B.	1 to 3 times during the past 7 days	122	17.91%
C.	4 to 6 times during the past 7 days	26	3.82%
D.	1 time per day	10	1.47%
E.	2 times per day	5	0.73%
F.	3 times per day	3	0.44%
G.	4 or more times per day	3	0.44%
<b>TOTALS</b>		<b>681</b>	<b>100.00%</b>

Q-81. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	68	10.04%
B.	1 day	41	6.06%
C.	2 days	76	11.23%
D.	3 days	67	9.90%
E.	4 days	50	7.39%
F.	5 days	58	8.57%
G.	6 days	52	7.68%
H.	7 days	265	39.14%
<b>TOTALS</b>		<b>677</b>	<b>100.00%</b>

Q-82. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	73	10.94%
B.	1 day	39	5.85%
C.	2 days	50	7.50%
D.	3 days	58	8.70%
E.	4 days	69	10.34%
F.	5 days	94	14.09%
G.	6 days	79	11.84%
H.	7 days	205	30.73%
<b>TOTALS</b>		<b>667</b>	<b>100.00%</b>

Q-83. On an average school day, how many hours do you watch TV?			
A.	I do not watch TV on an average school day	185	27.33%
B.	Less than 1 hour per day	141	20.83%
C.	1 hour per day	105	15.51%
D.	2 hours per day	127	18.76%
E.	3 hours per day	71	10.49%
F.	4 hours per day	24	3.55%
G.	5 or more hours per day	24	3.55%
<b>TOTALS</b>		<b>677</b>	<b>100.00%</b>

Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)			
A.	I do not play video or computer games or use a computer for something that is not school work	143	21.06%
B.	Less than 1 hour per day	111	16.35%
C.	1 hour per day	82	12.08%
D.	2 hours per day	99	14.58%
E.	3 hours per day	85	12.52%
F.	4 hours per day	59	8.69%
G.	5 or more hours per day	100	14.73%
<b>TOTALS</b>		<b>679</b>	<b>100.00%</b>

Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	317	46.69%
B.	1 day	7	1.03%
C.	2 days	12	1.77%
D.	3 days	88	12.96%
E.	4 days	13	1.91%
F.	5 days	242	35.64%
<b>TOTALS</b>		<b>679</b>	<b>100.00%</b>

Q-86. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	250	37.15%
B.	1 team	152	22.59%
C.	2 teams	129	19.17%
D.	3 or more teams	142	21.10%
<b>TOTALS</b>		<b>673</b>	<b>100.00%</b>

Q-87. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	535	79.03%
B.	1 time	96	14.18%
C.	2 times	29	4.28%
D.	3 times	8	1.18%
E.	4 or more times	9	1.33%
<b>TOTALS</b>		<b>677</b>	<b>100.00%</b>

Q-88. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	531	78.90%
B.	Between 12 and 24 months ago	62	9.21%
C.	More than 24 months ago	27	4.01%
D.	Never	6	0.89%
E.	Not sure	47	6.98%
<b>TOTALS</b>		<b>673</b>	<b>100.00%</b>
Q-89. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	128	18.99%
B.	No	513	76.11%
C.	Not sure	33	4.90%
<b>TOTALS</b>		<b>674</b>	<b>100.00%</b>
Q-90. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	50	7.40%
B.	5 hours	73	10.80%
C.	6 hours	119	17.60%
D.	7 hours	198	29.29%
E.	8 hours	169	25.00%
F.	9 hours	53	7.84%
G.	10 or more hours	14	2.07%
<b>TOTALS</b>		<b>676</b>	<b>100.00%</b>
Q-91. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	644	95.41%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	10	1.48%
C.	In a shelter or emergency housing	7	1.04%
D.	In a motel or hotel	3	0.44%
E.	In a car, park, campground, or other public place	4	0.59%
F.	I do not have a usual place to sleep	1	0.15%
G.	Somewhere else	6	0.89%
<b>TOTALS</b>		<b>675</b>	<b>100.00%</b>
Q-92. During the past 12 months, how would you describe your grades in school?			
A.	Mostly A's	287	42.46%
B.	Mostly B's	223	32.99%
C.	Mostly C's	121	17.90%
D.	Mostly D's	20	2.96%
E.	Mostly F's	8	1.18%
F.	None of these grades	2	0.30%
G.	Not sure	15	2.22%
<b>TOTALS</b>		<b>676</b>	<b>100.00%</b>

Q-93. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)			
A.	0 times	625	92.87%
B.	1 or 2 times	28	4.16%
C.	3 to 9 times	11	1.63%
D.	10 to 19 times	5	0.74%
E.	20 to 39 times	2	0.30%
F.	40 or more times	2	0.30%
<b>TOTALS</b>		<b>673</b>	<b>100.00%</b>
Q-94. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?			
A.	Yes	96	14.29%
B.	No	576	85.71%
<b>TOTALS</b>		<b>672</b>	<b>100.00%</b>