

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION

The following frequency distributions are based upon surveys with 805 high school American Indian students who live on or near a Reservation in Montana during February 2017. Frequency distributions may not total 805 due to nonresponses and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q -1 How old are you?			
A.	12 years old or younger	1	0.12%
B.	13 years old	0	0.00%
C.	14 years old	91	11.32%
D.	15 years old	183	22.76%
E.	16 years old	224	27.86%
F.	17 years old	204	25.37%
G.	18 years old or older	101	12.56%
	TOTALS	804	100.00%
Q -2 What is your sex?			
A.	Female	414	51.69%
B.	Male	387	48.31%
	TOTALS	801	100.00%
Q -3 In what grade are you?			
A.	9th grade	209	26.29%
B.	10th grade	206	25.91%
C.	11th grade	201	25.28%
D.	12th grade	174	21.89%
E.	Ungraded or other grade	5	0.63%
	TOTALS	795	100.00%
Q -4 Are you Hispanic or Latino?			
A.	Yes	82	10.26%
B.	No	717	89.74%
	TOTALS	799	100.00%
Q -5 What is your race?			
A.	American Indian or Alaskan Native	805	81.15%
B.	Asian	23	2.32%
C.	Black or African American	21	2.12%
D.	Native Hawaiian or Other Pacific Islander	10	1.01%
E.	White	133	13.41%
	TOTALS	992	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -6 How tall are you without your shoes on?

A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	1	0.13%
C.	4ft, 7in to 5 ft	7	0.93%
D.	5ft, 1in to 5ft, 6in	302	40.05%
E.	Over 5ft, 6in	444	58.89%
TOTALS		754	100.00%

Q -7 How much do you weigh without your shoes on?

A.	Less than 90 lbs	2	0.26%
B.	90-99 lbs	2	0.26%
C.	100-109 lbs	19	2.46%
D.	110-119lbs	45	5.83%
E.	120-129 lbs	68	8.81%
F.	130-139 lbs	90	11.66%
G.	140 lbs +	546	70.73%
TOTALS		772	100.00%

Q -8 How often do you wear a seat belt when riding in a car driven by someone else?

A.	Never	34	4.24%
B.	Rarely	89	11.11%
C.	Sometimes	176	21.97%
D.	Most of the time	287	35.83%
E.	Always	215	26.84%
TOTALS		801	100.00%

Q -9 How often do you wear a seat belt when driving a car?

A.	I do not drive a car	118	14.82%
B.	Never	34	4.27%
C.	Rarely	64	8.04%
D.	Sometimes	80	10.05%
E.	Most of the time	156	19.60%
F.	Always	344	43.22%
TOTALS		796	100.00%

Q -10 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	610	76.44%
B.	1 time	92	11.53%
C.	2 or 3 times	48	6.02%
D.	4 or 5 times	17	2.13%
E.	6 or more times	31	3.88%
TOTALS		798	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -11 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

A.	I did not drive a car or other vehicle during the past 30 days	217	27.02%
B.	0 times	518	64.51%
C.	1 time	36	4.48%
D.	2 or 3 times	16	1.99%
E.	4 or 5 times	7	0.87%
F.	6 or more times	9	1.12%
TOTALS		803	100.00%

Q -12 During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	196	24.38%
B.	0 days	335	41.67%
C.	1 or 2 days	132	16.42%
D.	3 to 5 days	54	6.72%
E.	6 to 9 days	25	3.11%
F.	10 to 19 days	19	2.36%
G.	20 to 29 days	15	1.87%
H.	All 30 days	28	3.48%
TOTALS		804	100.00%

Q -13 During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	198	24.81%
B.	0 days	386	48.37%
C.	1 or 2 days	104	13.03%
D.	3 to 5 days	46	5.76%
E.	6 to 9 days	25	3.13%
F.	10 to 19 days	18	2.26%
G.	20 to 29 days	9	1.13%
H.	All 30 days	12	1.50%
TOTALS		798	100.00%

Q -14 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	623	77.78%
B.	1 day	46	5.74%
C.	2 or 3 days	38	4.74%
D.	4 or 5 days	17	2.12%
E.	6 or more days	77	9.61%
TOTALS		801	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -15 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	742	92.52%
B.	1 day	13	1.62%
C.	2 or 3 days	11	1.37%
D.	4 or 5 days	8	1.00%
E.	6 or more days	28	3.49%
TOTALS		802	100.00%

Q -16 During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	732	92.08%
B.	1 day	16	2.01%
C.	2 or 3 days	15	1.89%
D.	4 or 5 days	10	1.26%
E.	6 or more days	22	2.77%
TOTALS		795	100.00%

Q -17 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	718	89.30%
B.	1 day	37	4.60%
C.	2 or 3 days	26	3.23%
D.	4 or 5 days	6	0.75%
E.	6 or more days	17	2.11%
TOTALS		804	100.00%

Q -18 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	750	93.63%
B.	1 time	23	2.87%
C.	2 or 3 times	15	1.87%
D.	4 or 5 times	3	0.37%
E.	6 or 7 times	5	0.62%
F.	8 or 9 times	2	0.25%
G.	10 or 11 times	0	0.00%
H.	12 or more times	3	0.37%
TOTALS		801	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -19 During the past 12 months, how many times were you in a physical fight?

A.	0 times	553	70.09%
B.	1 time	109	13.81%
C.	2 or 3 times	76	9.63%
D.	4 or 5 times	19	2.41%
E.	6 or 7 times	9	1.14%
F.	8 or 9 times	3	0.38%
G.	10 or 11 times	5	0.63%
H.	12 or more times	15	1.90%
TOTALS		789	100.00%

Q -20 During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	721	90.13%
B.	1 time	58	7.25%
C.	2 or 3 times	13	1.63%
D.	4 or 5 times	6	0.75%
E.	6 or 7 times	1	0.13%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	1	0.13%
TOTALS		800	100.00%

Q -21 Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	95	12.01%
B.	No	696	87.99%
TOTALS		791	100.00%

Q -22 During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	0 times	707	88.60%
B.	1 time	51	6.39%
C.	2 or 3 times	24	3.01%
D.	4 or 5 times	6	0.75%
E.	6 or more times	10	1.25%
TOTALS		798	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -23 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	I did not date or go out with anyone during the past 12 months	240	29.96%
B.	0 times	494	61.67%
C.	1 time	24	3.00%
D.	2 or 3 times	32	4.00%
E.	4 or 5 times	4	0.50%
F.	6 or more times	7	0.87%
TOTALS		801	100.00%

Q -24 During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A.	I did not date or go out with anyone during the past 12 months	219	27.41%
B.	0 times	511	63.95%
C.	1 time	29	3.63%
D.	2 or 3 times	22	2.75%
E.	4 or 5 times	6	0.75%
F.	6 or more times	12	1.50%
TOTALS		799	100.00%

Q -25 During the past 12 months, have you ever been bullied on school property?

A.	Yes	182	23.30%
B.	No	599	76.70%
TOTALS		781	100.00%

Q -26 During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

A.	Yes	157	19.92%
B.	No	631	80.08%
TOTALS		788	100.00%

Q -27 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

A.	Yes	111	13.98%
B.	No	683	86.02%
TOTALS		794	100.00%

Q -28 During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A.	Yes	332	42.89%
B.	No	442	57.11%
TOTALS		774	100.00%

Q -29 During the past 12 months, did you ever seriously consider attempting suicide?

A.	Yes	208	26.33%
B.	No	582	73.67%
TOTALS		790	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -30 During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	179	22.77%
B.	No	607	77.23%
TOTALS		786	100.00%

Q -31 During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	608	77.55%
B.	1 time	124	15.82%
C.	2 or 3 times	38	4.85%
D.	4 or 5 times	5	0.64%
E.	6 or more times	9	1.15%
TOTALS		784	100.00%

Q -32 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	572	72.13%
B.	Yes	47	5.93%
C.	No	174	21.94%
TOTALS		793	100.00%

Q -33 Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	475	60.13%
B.	No	315	39.87%
TOTALS		790	100.00%

Q -34 How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs.	294	37.17%
B.	8 years old or younger	74	9.36%
C.	9 or 10 years old	71	8.98%
D.	11 or 12 years old	112	14.16%
E.	13 or 14 years old	148	18.71%
F.	15 or 16 years old	75	9.48%
G.	17 years old or older	17	2.15%
TOTALS		791	100.00%

Q -35 During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	587	73.65%
B.	1 or 2 days	63	7.90%
C.	3 to 5 days	34	4.27%
D.	6 to 9 days	25	3.14%
E.	10 to 19 days	32	4.02%
F.	20 to 29 days	20	2.51%
G.	All 30 days	36	4.52%
TOTALS		797	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -36 During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	594	74.62%
B.	Less than 1 cigarette per day	54	6.78%
C.	1 cigarette per day	48	6.03%
D.	2 to 5 cigarettes per day	82	10.30%
E.	6 to 10 cigarettes per day	10	1.26%
F.	11 to 20 cigarettes per day	3	0.38%
G.	More than 20 cigarettes per day	5	0.63%
TOTALS		796	100.00%

Q -37 During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	548	69.90%
B.	Yes	138	17.60%
C.	No	98	12.50%
TOTALS		784	100.00%

Q -38 Have you ever used an electronic vapor product?

A.	Yes	387	48.99%
B.	No	403	51.01%
TOTALS		790	100.00%

Q -39 During the past 30 days, on how many days did you use an electronic vapor product?

A.	0 days	639	80.38%
B.	1 or 2 days	84	10.57%
C.	3 to 5 days	31	3.90%
D.	6 to 9 days	16	2.01%
E.	10 to 19 days	8	1.01%
F.	20 to 29 days	3	0.38%
G.	All 30 days	14	1.76%
TOTALS		795	100.00%

Q -40 During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

A.	I did not use any electronic vapor products during the past 30 days	632	80.00%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	24	3.04%
C.	I got them on the Internet	14	1.77%
D.	I gave someone else money to buy them for me	16	2.03%
E.	I borrowed them from someone else	63	7.97%
F.	A person 18 years old or older gave them to me	15	1.90%
G.	I took them from a store or another person	1	0.13%
H.	I got them some other way	25	3.16%
TOTALS		790	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -41 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)

A.	0 days	640	80.50%
B.	1 or 2 days	41	5.16%
C.	3 to 5 days	27	3.40%
D.	6 to 9 days	21	2.64%
E.	10 to 19 days	22	2.77%
F.	20 to 29 days	8	1.01%
G.	All 30 days	36	4.53%
TOTALS		795	100.00%

Q -42 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs, on school property? (Do not count any electronic vapor products.)

A.	0 days	677	85.05%
B.	1 or 2 days	38	4.77%
C.	3 to 5 days	25	3.14%
D.	6 to 9 days	17	2.14%
E.	10 to 19 days	14	1.76%
F.	20 to 29 days	5	0.63%
G.	All 30 days	20	2.51%
TOTALS		796	100.00%

Q -43 During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	693	87.50%
B.	1 or 2 days	47	5.93%
C.	3 to 5 days	24	3.03%
D.	6 to 9 days	9	1.14%
E.	10 to 19 days	6	0.76%
F.	20 to 29 days	4	0.51%
G.	All 30 days	9	1.14%
TOTALS		792	100.00%

Q -44 During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	329	41.44%
B.	1 or 2 days	136	17.13%
C.	3 to 9 days	116	14.61%
D.	10 to 19 days	63	7.93%
E.	20 to 39 days	46	5.79%
F.	40 to 99 days	50	6.30%
G.	100 or more days	54	6.80%
TOTALS		794	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -45 How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	298	37.72%
B.	8 years old or younger	40	5.06%
C.	9 or 10 years old	40	5.06%
D.	11 or 12 years old	69	8.73%
E.	13 or 14 years old	188	23.80%
F.	15 or 16 years old	135	17.09%
G.	17 years old or older	20	2.53%
TOTALS		790	100.00%

Q -46 During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	562	71.14%
B.	1 or 2 days	117	14.81%
C.	3 to 5 days	51	6.46%
D.	6 to 9 days	30	3.80%
E.	10 to 19 days	12	1.52%
F.	20 to 29 days	7	0.89%
G.	All 30 days	11	1.39%
TOTALS		790	100.00%

Q -47 During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	533	67.13%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	15	1.89%
C.	I bought it at a restaurant, bar, or club	11	1.39%
D.	I bought it at a public event such as a concert or sporting event	4	0.50%
E.	I gave someone else money to buy it for me	102	12.85%
F.	Someone gave it to me	85	10.71%
G.	I took it from a store or family member	12	1.51%
H.	I got it some other way	32	4.03%
TOTALS		794	100.00%

Q -48 During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?

A.	0 days	617	78.10%
B.	1 day	70	8.86%
C.	2 days	45	5.70%
D.	3 to 5 days	30	3.80%
E.	6 to 9 days	13	1.65%
F.	10 to 19 days	8	1.01%
G.	20 or more days	7	0.89%
TOTALS		790	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -49 During the past 30 days, what is the largest number of alcoholic drinks you had in a row?

A.	I did not drink alcohol during the past 30 days	559	71.12%
B.	1 or 2 drinks	54	6.87%
C.	3 drinks	21	2.67%
D.	4 drinks	11	1.40%
E.	5 drinks	27	3.44%
F.	6 or 7 drinks	29	3.69%
G.	8 or 9 drinks	11	1.40%
H.	10 or more drinks	74	9.41%
TOTALS		786	100.00%

Q -50 During your life, how many times have you used marijuana?

A.	0 times	321	40.79%
B.	1 or 2 times	73	9.28%
C.	3 to 9 times	76	9.66%
D.	10 to 19 times	48	6.10%
E.	20 to 39 times	36	4.57%
F.	40 to 99 times	51	6.48%
G.	100 or more times	182	23.13%
TOTALS		787	100.00%

Q -51 How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	309	39.21%
B.	8 years old or younger	51	6.47%
C.	9 or 10 years old	65	8.25%
D.	11 or 12 years old	97	12.31%
E.	13 or 14 years old	165	20.94%
F.	15 or 16 years old	94	11.93%
G.	17 years old or older	7	0.89%
TOTALS		788	100.00%

Q -52 During the past 30 days, how many times did you use marijuana?

A.	0 times	511	65.01%
B.	1 or 2 times	51	6.49%
C.	3 to 9 times	62	7.89%
D.	10 to 19 times	48	6.11%
E.	20 to 39 times	37	4.71%
F.	40 or more times	77	9.80%
TOTALS		786	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -53 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	738	93.54%
B.	1 or 2 times	28	3.55%
C.	3 to 9 times	12	1.52%
D.	10 to 19 times	5	0.63%
E.	20 to 39 times	2	0.25%
F.	40 or more times	4	0.51%
TOTALS		789	100.00%

Q -54 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	696	88.66%
B.	1 or 2 times	48	6.11%
C.	3 to 9 times	23	2.93%
D.	10 to 19 times	6	0.76%
E.	20 to 39 times	6	0.76%
F.	40 or more times	6	0.76%
TOTALS		785	100.00%

Q -55 During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	761	97.19%
B.	1 or 2 times	7	0.89%
C.	3 to 9 times	6	0.77%
D.	10 to 19 times	3	0.38%
E.	20 to 39 times	2	0.26%
F.	40 or more times	4	0.51%
TOTALS		783	100.00%

Q -56 During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	748	94.68%
B.	1 or 2 times	13	1.65%
C.	3 to 9 times	15	1.90%
D.	10 to 19 times	4	0.51%
E.	20 to 39 times	3	0.38%
F.	40 or more times	7	0.89%
TOTALS		790	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -57 During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	738	93.54%
B.	1 or 2 times	36	4.56%
C.	3 to 9 times	7	0.89%
D.	10 to 19 times	2	0.25%
E.	20 to 39 times	0	0.00%
F.	40 or more times	6	0.76%
TOTALS		789	100.00%

Q -58 During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

A.	0 times	657	83.91%
B.	1 or 2 times	66	8.43%
C.	3 to 9 times	32	4.09%
D.	10 to 19 times	9	1.15%
E.	20 to 39 times	5	0.64%
F.	40 or more times	14	1.79%
TOTALS		783	100.00%

Q -59 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	761	96.33%
B.	1 or 2 times	15	1.90%
C.	3 to 9 times	9	1.14%
D.	10 to 19 times	3	0.38%
E.	20 to 39 times	0	0.00%
F.	40 or more times	2	0.25%
TOTALS		790	100.00%

Q -60 During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)

A.	0 times	659	83.74%
B.	1 or 2 times	55	6.99%
C.	3 to 9 times	36	4.57%
D.	10 to 19 times	17	2.16%
E.	20 to 39 times	9	1.14%
F.	40 or more times	11	1.40%
TOTALS		787	100.00%

Q -61 During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	756	96.55%
B.	1 time	14	1.79%
C.	2 or more times	13	1.66%
TOTALS		783	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -62 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	140	17.88%
B.	No	643	82.12%
TOTALS		783	100.00%

Q -63 Have you ever had sexual intercourse?

A.	Yes	438	56.52%
B.	No	337	43.48%
TOTALS		775	100.00%

Q -64 How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	338	43.28%
B.	11 years old or younger	35	4.48%
C.	12 years old	28	3.59%
D.	13 years old	64	8.19%
E.	14 years old	92	11.78%
F.	15 years old	131	16.77%
G.	16 years old	73	9.35%
H.	17 years old or older	20	2.56%
TOTALS		781	100.00%

Q -65 During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	348	44.11%
B.	1 person	139	17.62%
C.	2 people	87	11.03%
D.	3 people	63	7.98%
E.	4 people	49	6.21%
F.	5 people	30	3.80%
G.	6 or more people	73	9.25%
TOTALS		789	100.00%

Q -66 During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	356	45.12%
B.	I have had sexual intercourse, but not during the past 3 months	120	15.21%
C.	1 person	221	28.01%
D.	2 people	42	5.32%
E.	3 people	28	3.55%
F.	4 people	7	0.89%
G.	5 people	2	0.25%
H.	6 or more people	13	1.65%
TOTALS		789	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -67 Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	331	42.49%
B.	Yes	93	11.94%
C.	No	355	45.57%
TOTALS		779	100.00%

Q -68 The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	341	43.66%
B.	Yes	224	28.68%
C.	No	216	27.66%
TOTALS		781	100.00%

Q -69 The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

A.	I have never had sexual intercourse	343	44.09%
B.	No method was used to prevent pregnancy	90	11.57%
C.	Birth control pills	55	7.07%
D.	Condoms	169	21.72%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	28	3.60%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	37	4.76%
G.	Withdrawal or some other method	27	3.47%
H.	Not sure	29	3.73%
TOTALS		778	100.00%

Q -70 How do you describe your weight?

A.	Very underweight	24	3.08%
B.	Slightly underweight	68	8.72%
C.	About the right weight	338	43.33%
D.	Slightly overweight	279	35.77%
E.	Very overweight	71	9.10%
TOTALS		780	100.00%

Q -71 Which of the following are you trying to do about your weight?

A.	Lose weight	446	56.74%
B.	Gain weight	85	10.81%
C.	Stay the same weight	110	13.99%
D.	I am not trying to do anything about my weight	145	18.45%
TOTALS		786	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -72 During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A.	I did not drink 100% fruit juice during the past 7 days	187	23.79%
B.	1 to 3 times during the past 7 days	313	39.82%
C.	4 to 6 times during the past 7 days	143	18.19%
D.	1 time per day	50	6.36%
E.	2 times per day	41	5.22%
F.	3 times per day	27	3.44%
G.	4 or more times per day	25	3.18%
TOTALS		786	100.00%

Q -73 During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A.	I did not eat fruit during the past 7 days	86	10.94%
B.	1 to 3 times during the past 7 days	281	35.75%
C.	4 to 6 times during the past 7 days	199	25.32%
D.	1 time per day	69	8.78%
E.	2 times per day	68	8.65%
F.	3 times per day	44	5.60%
G.	4 or more times per day	39	4.96%
TOTALS		786	100.00%

Q -74 During the past 7 days, how many times did you eat green salad?

A.	I did not eat green salad during the past 7 days	320	40.71%
B.	1 to 3 times during the past 7 days	315	40.08%
C.	4 to 6 times during the past 7 days	73	9.29%
D.	1 time per day	41	5.22%
E.	2 times per day	13	1.65%
F.	3 times per day	3	0.38%
G.	4 or more times per day	21	2.67%
TOTALS		786	100.00%

Q -75 During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A.	I did not eat potatoes during the past 7 days	263	33.46%
B.	1 to 3 times during the past 7 days	385	48.98%
C.	4 to 6 times during the past 7 days	89	11.32%
D.	1 time per day	15	1.91%
E.	2 times per day	15	1.91%
F.	3 times per day	3	0.38%
G.	4 or more times per day	16	2.04%
TOTALS		786	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -76 During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	393	50.58%
B.	1 to 3 times during the past 7 days	269	34.62%
C.	4 to 6 times during the past 7 days	62	7.98%
D.	1 time per day	25	3.22%
E.	2 times per day	10	1.29%
F.	3 times per day	5	0.64%
G.	4 or more times per day	13	1.67%
TOTALS		777	100.00%

Q -77 During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days	190	24.39%
B.	1 to 3 times during the past 7 days	336	43.13%
C.	4 to 6 times during the past 7 days	147	18.87%
D.	1 time per day	49	6.29%
E.	2 times per day	28	3.59%
F.	3 times per day	14	1.80%
G.	4 or more times per day	15	1.93%
TOTALS		779	100.00%

Q -78 During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	153	19.59%
B.	1 to 3 times during the past 7 days	326	41.74%
C.	4 to 6 times during the past 7 days	162	20.74%
D.	1 time per day	38	4.87%
E.	2 times per day	51	6.53%
F.	3 times per day	25	3.20%
G.	4 or more times per day	26	3.33%
TOTALS		781	100.00%

Q -79 During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	197	25.35%
B.	1 to 3 glasses during the past 7 days	230	29.60%
C.	4 to 6 glasses during the past 7 days	141	18.15%
D.	1 glass per day	68	8.75%
E.	2 glasses per day	75	9.65%
F.	3 glasses per day	31	3.99%
G.	4 or more glasses per day	35	4.50%
TOTALS		777	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -80 During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	510	65.47%
B.	1 to 3 times during the past 7 days	179	22.98%
C.	4 to 6 times during the past 7 days	45	5.78%
D.	1 time per day	19	2.44%
E.	2 times per day	11	1.41%
F.	3 times per day	7	0.90%
G.	4 or more times per day	8	1.03%
TOTALS		779	100.00%

Q -81 During the past 7 days, on how many days did you eat breakfast?

A.	0 days	83	10.74%
B.	1 day	65	8.41%
C.	2 days	87	11.25%
D.	3 days	99	12.81%
E.	4 days	96	12.42%
F.	5 days	95	12.29%
G.	6 days	43	5.56%
H.	7 days	205	26.52%
TOTALS		773	100.00%

Q -82 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	123	16.02%
B.	1 day	54	7.03%
C.	2 days	71	9.24%
D.	3 days	85	11.07%
E.	4 days	83	10.81%
F.	5 days	92	11.98%
G.	6 days	75	9.77%
H.	7 days	185	24.09%
TOTALS		768	100.00%

Q -83 On an average school day, how many hours do you watch TV?

A.	I do not watch TV on an average school day	155	20.05%
B.	Less than 1 hour per day	169	21.86%
C.	1 hour per day	114	14.75%
D.	2 hours per day	151	19.53%
E.	3 hours per day	86	11.13%
F.	4 hours per day	45	5.82%
G.	5 or more hours per day	53	6.86%
TOTALS		773	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -84 On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)

A.	I do not play video or computer games or use a computer for something that is not school work	148	19.12%
B.	Less than 1 hour per day	106	13.70%
C.	1 hour per day	85	10.98%
D.	2 hours per day	103	13.31%
E.	3 hours per day	101	13.05%
F.	4 hours per day	81	10.47%
G.	5 or more hours per day	150	19.38%
TOTALS		774	100.00%

Q -85 In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	321	41.96%
B.	1 day	34	4.44%
C.	2 days	20	2.61%
D.	3 days	20	2.61%
E.	4 days	107	13.99%
F.	5 days	263	34.38%
TOTALS		765	100.00%

Q -86 During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	290	37.66%
B.	1 team	206	26.75%
C.	2 teams	133	17.27%
D.	3 or more teams	141	18.31%
TOTALS		770	100.00%

Q -87 During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

A.	0 times	623	80.91%
B.	1 time	78	10.13%
C.	2 times	35	4.55%
D.	3 times	14	1.82%
E.	4 or more times	20	2.60%
TOTALS		770	100.00%

Q -88 When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

A.	During the past 12 months	499	65.06%
B.	Between 12 and 24 months ago	98	12.78%
C.	More than 24 months ago	39	5.08%
D.	Never	15	1.96%
E.	Not sure	116	15.12%
TOTALS		767	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -89 Has a doctor or nurse ever told you that you have asthma?

A.	Yes	175	22.91%
B.	No	513	67.15%
C.	Not sure	76	9.95%
TOTALS		764	100.00%

Q -90 On an average school night, how many hours of sleep do you get?

A.	4 or less hours	67	8.75%
B.	5 hours	111	14.49%
C.	6 hours	168	21.93%
D.	7 hours	205	26.76%
E.	8 hours	153	19.97%
F.	9 hours	45	5.87%
G.	10 or more hours	17	2.22%
TOTALS		766	100.00%

Q -91 During the past 30 days, where did you usually sleep?

A.	In my parent's or guardian's home	702	91.88%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	30	3.93%
C.	In a shelter or emergency housing	12	1.57%
D.	In a motel or hotel	5	0.65%
E.	In a car, park, campground, or other public place	4	0.52%
F.	I do not have a usual place to sleep	4	0.52%
G.	Somewhere else	7	0.92%
TOTALS		764	100.00%

Q -92 During the past 12 months, how would you describe your grades in school?

A.	Mostly A's	182	23.85%
B.	Mostly B's	261	34.21%
C.	Mostly C's	166	21.76%
D.	Mostly D's	54	7.08%
E.	Mostly F's	24	3.15%
F.	None of these grades	7	0.92%
G.	Not sure	69	9.04%
TOTALS		763	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -93 During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)

A.	0 times	725	94.52%
B.	1 or 2 times	26	3.39%
C.	3 to 9 times	6	0.78%
D.	10 to 19 times	7	0.91%
E.	20 to 39 times	1	0.13%
F.	40 or more times	2	0.26%
TOTALS		767	100.00%

Q -94 During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A.	Yes	189	25.03%
B.	No	566	74.97%
TOTALS		755	100.00%