

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR STUDENTS WITH DISABILITIES

The following frequency distributions are based upon surveys with 1,458 high school students with disabilities in Montana during February 2017. Frequency distributions may not total 1,458 due to nonresponses and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
<b>Q -1 How old are you?</b>			
A.	12 years old or younger	15	1.03%
B.	13 years old	2	0.14%
C.	14 years old	146	10.06%
D.	15 years old	381	26.24%
E.	16 years old	422	29.06%
F.	17 years old	284	19.56%
G.	18 years old or older	202	13.91%
<b>TOTALS</b>		<b>1,452</b>	<b>100.00%</b>
<b>Q -2 What is your sex?</b>			
A.	Female	695	48.20%
B.	Male	747	51.80%
<b>TOTALS</b>		<b>1,442</b>	<b>100.00%</b>
<b>Q -3 In what grade are you?</b>			
A.	9th grade	426	29.73%
B.	10th grade	401	27.98%
C.	11th grade	334	23.31%
D.	12th grade	266	18.56%
E.	Ungraded or other grade	6	0.42%
<b>TOTALS</b>		<b>1,433</b>	<b>100.00%</b>
<b>Q -4 Are you Hispanic or Latino?</b>			
A.	Yes	158	11.04%
B.	No	1273	88.96%
<b>TOTALS</b>		<b>1,431</b>	<b>100.00%</b>
<b>Q -5 What is your race?</b>			
A.	American Indian or Alaskan Native	342	21.84%
B.	Asian	47	3.00%
C.	Black or African American	55	3.51%
D.	Native Hawaiian or Other Pacific Islander	40	2.55%
E.	White	1082	69.09%
<b>TOTALS</b>		<b>1,566</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -6 How tall are you without your shoes on?

A.	Less than 4 ft	3	0.22%
B.	4ft to 4 ft, 6 in	2	0.15%
C.	4ft, 7in to 5 ft	24	1.77%
D.	5ft, 1in to 5ft, 6in	567	41.88%
E.	Over 5ft, 6in	758	55.98%
<b>TOTALS</b>		<b>1,354</b>	<b>100.00%</b>

## Q -7 How much do you weigh without your shoes on?

A.	Less than 90 lbs	7	0.49%
B.	90-99 lbs	19	1.34%
C.	100-109 lbs	54	3.80%
D.	110-119lbs	137	9.65%
E.	120-129 lbs	158	11.13%
F.	130-139 lbs	186	13.10%
G.	140 lbs +	859	60.49%
<b>TOTALS</b>		<b>1,420</b>	<b>100.00%</b>

## Q -8 How often do you wear a seat belt when riding in a car driven by someone else?

A.	Never	55	3.80%
B.	Rarely	138	9.54%
C.	Sometimes	219	15.15%
D.	Most of the time	448	30.98%
E.	Always	586	40.53%
<b>TOTALS</b>		<b>1,446</b>	<b>100.00%</b>

## Q -9 How often do you wear a seat belt when driving a car?

A.	I do not drive a car	343	23.74%
B.	Never	53	3.67%
C.	Rarely	79	5.47%
D.	Sometimes	114	7.89%
E.	Most of the time	198	13.70%
F.	Always	658	45.54%
<b>TOTALS</b>		<b>1,445</b>	<b>100.00%</b>

## Q -10 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	1100	76.55%
B.	1 time	131	9.12%
C.	2 or 3 times	106	7.38%
D.	4 or 5 times	35	2.44%
E.	6 or more times	65	4.52%
<b>TOTALS</b>		<b>1,437</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -11 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

A.	I did not drive a car or other vehicle during the past 30 days	454	31.22%
B.	0 times	871	59.90%
C.	1 time	55	3.78%
D.	2 or 3 times	33	2.27%
E.	4 or 5 times	18	1.24%
F.	6 or more times	23	1.58%
<b>TOTALS</b>		<b>1,454</b>	<b>100.00%</b>

## Q -12 During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	422	29.04%
B.	0 days	538	37.03%
C.	1 or 2 days	164	11.29%
D.	3 to 5 days	76	5.23%
E.	6 to 9 days	54	3.72%
F.	10 to 19 days	57	3.92%
G.	20 to 29 days	36	2.48%
H.	All 30 days	106	7.30%
<b>TOTALS</b>		<b>1,453</b>	<b>100.00%</b>

## Q -13 During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	424	29.26%
B.	0 days	552	38.10%
C.	1 or 2 days	187	12.91%
D.	3 to 5 days	81	5.59%
E.	6 to 9 days	69	4.76%
F.	10 to 19 days	56	3.86%
G.	20 to 29 days	32	2.21%
H.	All 30 days	48	3.31%
<b>TOTALS</b>		<b>1,449</b>	<b>100.00%</b>

## Q -14 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	1020	70.30%
B.	1 day	82	5.65%
C.	2 or 3 days	70	4.82%
D.	4 or 5 days	41	2.83%
E.	6 or more days	238	16.40%
<b>TOTALS</b>		<b>1,451</b>	<b>100.00%</b>

## 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

**Q -15 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?**

A.	0 days	1255	86.61%
B.	1 day	30	2.07%
C.	2 or 3 days	37	2.55%
D.	4 or 5 days	23	1.59%
E.	6 or more days	104	7.18%
<b>TOTALS</b>		<b>1,449</b>	<b>100.00%</b>

**Q -16 During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)**

A.	0 days	1267	87.62%
B.	1 day	42	2.90%
C.	2 or 3 days	34	2.35%
D.	4 or 5 days	19	1.31%
E.	6 or more days	84	5.81%
<b>TOTALS</b>		<b>1,446</b>	<b>100.00%</b>

**Q -17 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?**

A.	0 days	1297	89.02%
B.	1 day	64	4.39%
C.	2 or 3 days	53	3.64%
D.	4 or 5 days	12	0.82%
E.	6 or more days	31	2.13%
<b>TOTALS</b>		<b>1,457</b>	<b>100.00%</b>

**Q -18 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?**

A.	0 times	1299	89.40%
B.	1 time	67	4.61%
C.	2 or 3 times	36	2.48%
D.	4 or 5 times	17	1.17%
E.	6 or 7 times	8	0.55%
F.	8 or 9 times	4	0.28%
G.	10 or 11 times	1	0.07%
H.	12 or more times	21	1.45%
<b>TOTALS</b>		<b>1,453</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -19 During the past 12 months, how many times were you in a physical fight?

A.	0 times	991	69.06%
B.	1 time	188	13.10%
C.	2 or 3 times	136	9.48%
D.	4 or 5 times	48	3.34%
E.	6 or 7 times	16	1.11%
F.	8 or 9 times	10	0.70%
G.	10 or 11 times	10	0.70%
H.	12 or more times	36	2.51%
<b>TOTALS</b>		<b>1,435</b>	<b>100.00%</b>

## Q -20 During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	1261	86.79%
B.	1 time	100	6.88%
C.	2 or 3 times	53	3.65%
D.	4 or 5 times	10	0.69%
E.	6 or 7 times	4	0.28%
F.	8 or 9 times	4	0.28%
G.	10 or 11 times	5	0.34%
H.	12 or more times	16	1.10%
<b>TOTALS</b>		<b>1,453</b>	<b>100.00%</b>

## Q -21 Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	212	14.71%
B.	No	1229	85.29%
<b>TOTALS</b>		<b>1,441</b>	<b>100.00%</b>

## Q -22 During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	0 times	1225	85.07%
B.	1 time	100	6.94%
C.	2 or 3 times	57	3.96%
D.	4 or 5 times	19	1.32%
E.	6 or more times	39	2.71%
<b>TOTALS</b>		<b>1,440</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

**Q -23 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)**

A.	I did not date or go out with anyone during the past 12 months	466	32.07%
B.	0 times	849	58.43%
C.	1 time	58	3.99%
D.	2 or 3 times	41	2.82%
E.	4 or 5 times	9	0.62%
F.	6 or more times	30	2.06%
<b>TOTALS</b>		<b>1,453</b>	<b>100.00%</b>

**Q -24 During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)**

A.	I did not date or go out with anyone during the past 12 months	455	31.27%
B.	0 times	899	61.79%
C.	1 time	36	2.47%
D.	2 or 3 times	27	1.86%
E.	4 or 5 times	11	0.76%
F.	6 or more times	27	1.86%
<b>TOTALS</b>		<b>1,455</b>	<b>100.00%</b>

**Q -25 During the past 12 months, have you ever been bullied on school property?**

A.	Yes	499	35.44%
B.	No	909	64.56%
<b>TOTALS</b>		<b>1,408</b>	<b>100.00%</b>

**Q -26 During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)**

A.	Yes	378	26.16%
B.	No	1067	73.84%
<b>TOTALS</b>		<b>1,445</b>	<b>100.00%</b>

**Q -27 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?**

A.	Yes	269	18.55%
B.	No	1181	81.45%
<b>TOTALS</b>		<b>1,450</b>	<b>100.00%</b>

**Q -28 During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?**

A.	Yes	593	42.06%
B.	No	817	57.94%
<b>TOTALS</b>		<b>1,410</b>	<b>100.00%</b>

**Q -29 During the past 12 months, did you ever seriously consider attempting suicide?**

A.	Yes	429	29.63%
B.	No	1019	70.37%
<b>TOTALS</b>		<b>1,448</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -30 During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	390	27.01%
B.	No	1054	72.99%
<b>TOTALS</b>		<b>1,444</b>	<b>100.00%</b>

## Q -31 During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	1153	79.85%
B.	1 time	184	12.74%
C.	2 or 3 times	73	5.06%
D.	4 or 5 times	12	0.83%
E.	6 or more times	22	1.52%
<b>TOTALS</b>		<b>1,444</b>	<b>100.00%</b>

## Q -32 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	1059	72.83%
B.	Yes	127	8.73%
C.	No	268	18.43%
<b>TOTALS</b>		<b>1,454</b>	<b>100.00%</b>

## Q -33 Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	679	47.32%
B.	No	756	52.68%
<b>TOTALS</b>		<b>1,435</b>	<b>100.00%</b>

## Q -34 How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs.	761	52.66%
B.	8 years old or younger	81	5.61%
C.	9 or 10 years old	92	6.37%
D.	11 or 12 years old	110	7.61%
E.	13 or 14 years old	218	15.09%
F.	15 or 16 years old	147	10.17%
G.	17 years old or older	36	2.49%
<b>TOTALS</b>		<b>1,445</b>	<b>100.00%</b>

## Q -35 During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	1142	78.60%
B.	1 or 2 days	111	7.64%
C.	3 to 5 days	48	3.30%
D.	6 to 9 days	25	1.72%
E.	10 to 19 days	40	2.75%
F.	20 to 29 days	21	1.45%
G.	All 30 days	66	4.54%
<b>TOTALS</b>		<b>1,453</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -36 During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	1136	78.40%
B.	Less than 1 cigarette per day	106	7.32%
C.	1 cigarette per day	59	4.07%
D.	2 to 5 cigarettes per day	110	7.59%
E.	6 to 10 cigarettes per day	21	1.45%
F.	11 to 20 cigarettes per day	6	0.41%
G.	More than 20 cigarettes per day	11	0.76%
<b>TOTALS</b>		<b>1,449</b>	<b>100.00%</b>

## Q -37 During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	1031	71.65%
B.	Yes	235	16.33%
C.	No	173	12.02%
<b>TOTALS</b>		<b>1,439</b>	<b>100.00%</b>

## Q -38 Have you ever used an electronic vapor product?

A.	Yes	740	51.35%
B.	No	701	48.65%
<b>TOTALS</b>		<b>1,441</b>	<b>100.00%</b>

## Q -39 During the past 30 days, on how many days did you use an electronic vapor product?

A.	0 days	1071	73.76%
B.	1 or 2 days	156	10.74%
C.	3 to 5 days	61	4.20%
D.	6 to 9 days	46	3.17%
E.	10 to 19 days	38	2.62%
F.	20 to 29 days	28	1.93%
G.	All 30 days	52	3.58%
<b>TOTALS</b>		<b>1,452</b>	<b>100.00%</b>

## Q -40 During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

A.	I did not use any electronic vapor products during the past 30 days	1028	71.59%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	71	4.94%
C.	I got them on the Internet	29	2.02%
D.	I gave someone else money to buy them for me	45	3.13%
E.	I borrowed them from someone else	141	9.82%
F.	A person 18 years old or older gave them to me	38	2.65%
G.	I took them from a store or another person	10	0.70%
H.	I got them some other way	74	5.15%
<b>TOTALS</b>		<b>1,436</b>	<b>100.00%</b>

## 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

**Q -41 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)**

A.	0 days	1224	84.24%
B.	1 or 2 days	62	4.27%
C.	3 to 5 days	30	2.06%
D.	6 to 9 days	22	1.51%
E.	10 to 19 days	26	1.79%
F.	20 to 29 days	16	1.10%
G.	All 30 days	73	5.02%
<b>TOTALS</b>		<b>1,453</b>	<b>100.00%</b>

**Q -42 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs, on school property? (Do not count any electronic vapor products.)**

A.	0 days	1287	88.45%
B.	1 or 2 days	54	3.71%
C.	3 to 5 days	26	1.79%
D.	6 to 9 days	14	0.96%
E.	10 to 19 days	14	0.96%
F.	20 to 29 days	8	0.55%
G.	All 30 days	52	3.57%
<b>TOTALS</b>		<b>1,455</b>	<b>100.00%</b>

**Q -43 During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?**

A.	0 days	1213	83.66%
B.	1 or 2 days	104	7.17%
C.	3 to 5 days	53	3.66%
D.	6 to 9 days	21	1.45%
E.	10 to 19 days	24	1.66%
F.	20 to 29 days	7	0.48%
G.	All 30 days	28	1.93%
<b>TOTALS</b>		<b>1,450</b>	<b>100.00%</b>

**Q -44 During your life, on how many days have you had at least one drink of alcohol?**

A.	0 days	530	36.53%
B.	1 or 2 days	220	15.16%
C.	3 to 9 days	206	14.20%
D.	10 to 19 days	119	8.20%
E.	20 to 39 days	119	8.20%
F.	40 to 99 days	115	7.93%
G.	100 or more days	142	9.79%
<b>TOTALS</b>		<b>1,451</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -45 How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	512	35.48%
B.	8 years old or younger	133	9.22%
C.	9 or 10 years old	98	6.79%
D.	11 or 12 years old	144	9.98%
E.	13 or 14 years old	315	21.83%
F.	15 or 16 years old	209	14.48%
G.	17 years old or older	32	2.22%
<b>TOTALS</b>		<b>1,443</b>	<b>100.00%</b>

## Q -46 During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	912	63.07%
B.	1 or 2 days	243	16.80%
C.	3 to 5 days	121	8.37%
D.	6 to 9 days	79	5.46%
E.	10 to 19 days	54	3.73%
F.	20 to 29 days	13	0.90%
G.	All 30 days	24	1.66%
<b>TOTALS</b>		<b>1,446</b>	<b>100.00%</b>

## Q -47 During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	893	61.63%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	25	1.73%
C.	I bought it at a restaurant, bar, or club	12	0.83%
D.	I bought it at a public event such as a concert or sporting event	3	0.21%
E.	I gave someone else money to buy it for me	126	8.70%
F.	Someone gave it to me	238	16.43%
G.	I took it from a store or family member	46	3.17%
H.	I got it some other way	106	7.32%
<b>TOTALS</b>		<b>1,449</b>	<b>100.00%</b>

## Q -48 During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?

A.	0 days	1067	73.74%
B.	1 day	126	8.71%
C.	2 days	91	6.29%
D.	3 to 5 days	68	4.70%
E.	6 to 9 days	49	3.39%
F.	10 to 19 days	18	1.24%
G.	20 or more days	28	1.94%
<b>TOTALS</b>		<b>1,447</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -49 During the past 30 days, what is the largest number of alcoholic drinks you had in a row?

A.	I did not drink alcohol during the past 30 days	931	64.65%
B.	1 or 2 drinks	150	10.42%
C.	3 drinks	34	2.36%
D.	4 drinks	45	3.13%
E.	5 drinks	59	4.10%
F.	6 or 7 drinks	60	4.17%
G.	8 or 9 drinks	38	2.64%
H.	10 or more drinks	123	8.54%
<b>TOTALS</b>		<b>1,440</b>	<b>100.00%</b>

## Q -50 During your life, how many times have you used marijuana?

A.	0 times	823	56.76%
B.	1 or 2 times	144	9.93%
C.	3 to 9 times	102	7.03%
D.	10 to 19 times	55	3.79%
E.	20 to 39 times	57	3.93%
F.	40 to 99 times	60	4.14%
G.	100 or more times	209	14.41%
<b>TOTALS</b>		<b>1,450</b>	<b>100.00%</b>

## Q -51 How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	825	56.74%
B.	8 years old or younger	47	3.23%
C.	9 or 10 years old	57	3.92%
D.	11 or 12 years old	110	7.57%
E.	13 or 14 years old	223	15.34%
F.	15 or 16 years old	170	11.69%
G.	17 years old or older	22	1.51%
<b>TOTALS</b>		<b>1,454</b>	<b>100.00%</b>

## Q -52 During the past 30 days, how many times did you use marijuana?

A.	0 times	1078	74.34%
B.	1 or 2 times	94	6.48%
C.	3 to 9 times	82	5.66%
D.	10 to 19 times	47	3.24%
E.	20 to 39 times	44	3.03%
F.	40 or more times	105	7.24%
<b>TOTALS</b>		<b>1,450</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -53 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	1346	92.38%
B.	1 or 2 times	51	3.50%
C.	3 to 9 times	24	1.65%
D.	10 to 19 times	8	0.55%
E.	20 to 39 times	9	0.62%
F.	40 or more times	19	1.30%
<b>TOTALS</b>		<b>1,457</b>	<b>100.00%</b>

## Q -54 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	1281	88.22%
B.	1 or 2 times	79	5.44%
C.	3 to 9 times	46	3.17%
D.	10 to 19 times	18	1.24%
E.	20 to 39 times	10	0.69%
F.	40 or more times	18	1.24%
<b>TOTALS</b>		<b>1,452</b>	<b>100.00%</b>

## Q -55 During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	1382	95.57%
B.	1 or 2 times	23	1.59%
C.	3 to 9 times	15	1.04%
D.	10 to 19 times	6	0.41%
E.	20 to 39 times	2	0.14%
F.	40 or more times	18	1.24%
<b>TOTALS</b>		<b>1,446</b>	<b>100.00%</b>

## Q -56 During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	1385	95.12%
B.	1 or 2 times	24	1.65%
C.	3 to 9 times	17	1.17%
D.	10 to 19 times	4	0.27%
E.	20 to 39 times	5	0.34%
F.	40 or more times	21	1.44%
<b>TOTALS</b>		<b>1,456</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -57 During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	1340	92.16%
B.	1 or 2 times	59	4.06%
C.	3 to 9 times	28	1.93%
D.	10 to 19 times	6	0.41%
E.	20 to 39 times	5	0.34%
F.	40 or more times	16	1.10%
<b>TOTALS</b>		<b>1,454</b>	<b>100.00%</b>

## Q -58 During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

A.	0 times	1262	87.09%
B.	1 or 2 times	96	6.63%
C.	3 to 9 times	45	3.11%
D.	10 to 19 times	14	0.97%
E.	20 to 39 times	8	0.55%
F.	40 or more times	24	1.66%
<b>TOTALS</b>		<b>1,449</b>	<b>100.00%</b>

## Q -59 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	1389	95.40%
B.	1 or 2 times	29	1.99%
C.	3 to 9 times	14	0.96%
D.	10 to 19 times	6	0.41%
E.	20 to 39 times	1	0.07%
F.	40 or more times	17	1.17%
<b>TOTALS</b>		<b>1,456</b>	<b>100.00%</b>

## Q -60 During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)

A.	0 times	1193	82.11%
B.	1 or 2 times	105	7.23%
C.	3 to 9 times	81	5.57%
D.	10 to 19 times	24	1.65%
E.	20 to 39 times	15	1.03%
F.	40 or more times	35	2.41%
<b>TOTALS</b>		<b>1,453</b>	<b>100.00%</b>

## Q -61 During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	1378	96.09%
B.	1 time	21	1.46%
C.	2 or more times	35	2.44%
<b>TOTALS</b>		<b>1,434</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -62 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	365	25.33%
B.	No	1076	74.67%
<b>TOTALS</b>		<b>1,441</b>	<b>100.00%</b>

## Q -63 Have you ever had sexual intercourse?

A.	Yes	749	52.30%
B.	No	683	47.70%
<b>TOTALS</b>		<b>1,432</b>	<b>100.00%</b>

## Q -64 How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	706	48.79%
B.	11 years old or younger	70	4.84%
C.	12 years old	39	2.70%
D.	13 years old	99	6.84%
E.	14 years old	152	10.50%
F.	15 years old	197	13.61%
G.	16 years old	134	9.26%
H.	17 years old or older	50	3.46%
<b>TOTALS</b>		<b>1,447</b>	<b>100.00%</b>

## Q -65 During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	728	50.14%
B.	1 person	252	17.36%
C.	2 people	143	9.85%
D.	3 people	79	5.44%
E.	4 people	73	5.03%
F.	5 people	39	2.69%
G.	6 or more people	138	9.50%
<b>TOTALS</b>		<b>1,452</b>	<b>100.00%</b>

## Q -66 During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	740	51.07%
B.	I have had sexual intercourse, but not during the past 3 months	213	14.70%
C.	1 person	337	23.26%
D.	2 people	77	5.31%
E.	3 people	29	2.00%
F.	4 people	20	1.38%
G.	5 people	8	0.55%
H.	6 or more people	25	1.73%
<b>TOTALS</b>		<b>1,449</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -67 Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	704	48.99%
B.	Yes	185	12.87%
C.	No	548	38.14%
<b>TOTALS</b>		<b>1,437</b>	<b>100.00%</b>

## Q -68 The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	732	50.55%
B.	Yes	407	28.11%
C.	No	309	21.34%
<b>TOTALS</b>		<b>1,448</b>	<b>100.00%</b>

## Q -69 The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

A.	I have never had sexual intercourse	719	50.10%
B.	No method was used to prevent pregnancy	110	7.67%
C.	Birth control pills	128	8.92%
D.	Condoms	297	20.70%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	41	2.86%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	47	3.28%
G.	Withdrawal or some other method	59	4.11%
H.	Not sure	34	2.37%
<b>TOTALS</b>		<b>1,435</b>	<b>100.00%</b>

## Q -70 How do you describe your weight?

A.	Very underweight	69	4.79%
B.	Slightly underweight	197	13.67%
C.	About the right weight	685	47.54%
D.	Slightly overweight	408	28.31%
E.	Very overweight	82	5.69%
<b>TOTALS</b>		<b>1,441</b>	<b>100.00%</b>

## Q -71 Which of the following are you trying to do about your weight?

A.	Lose weight	715	49.28%
B.	Gain weight	244	16.82%
C.	Stay the same weight	225	15.51%
D.	I am not trying to do anything about my weight	267	18.40%
<b>TOTALS</b>		<b>1,451</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

**Q -72 During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)**

A.	I did not drink 100% fruit juice during the past 7 days	443	30.49%
B.	1 to 3 times during the past 7 days	555	38.20%
C.	4 to 6 times during the past 7 days	209	14.38%
D.	1 time per day	72	4.96%
E.	2 times per day	78	5.37%
F.	3 times per day	30	2.06%
G.	4 or more times per day	66	4.54%
<b>TOTALS</b>		<b>1,453</b>	<b>100.00%</b>

**Q -73 During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)**

A.	I did not eat fruit during the past 7 days	229	15.88%
B.	1 to 3 times during the past 7 days	501	34.74%
C.	4 to 6 times during the past 7 days	305	21.15%
D.	1 time per day	129	8.95%
E.	2 times per day	124	8.60%
F.	3 times per day	66	4.58%
G.	4 or more times per day	88	6.10%
<b>TOTALS</b>		<b>1,442</b>	<b>100.00%</b>

**Q -74 During the past 7 days, how many times did you eat green salad?**

A.	I did not eat green salad during the past 7 days	563	38.72%
B.	1 to 3 times during the past 7 days	548	37.69%
C.	4 to 6 times during the past 7 days	180	12.38%
D.	1 time per day	86	5.91%
E.	2 times per day	34	2.34%
F.	3 times per day	14	0.96%
G.	4 or more times per day	29	1.99%
<b>TOTALS</b>		<b>1,454</b>	<b>100.00%</b>

**Q -75 During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)**

A.	I did not eat potatoes during the past 7 days	495	34.04%
B.	1 to 3 times during the past 7 days	657	45.19%
C.	4 to 6 times during the past 7 days	189	13.00%
D.	1 time per day	54	3.71%
E.	2 times per day	25	1.72%
F.	3 times per day	10	0.69%
G.	4 or more times per day	24	1.65%
<b>TOTALS</b>		<b>1,454</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -76 During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	693	48.02%
B.	1 to 3 times during the past 7 days	506	35.07%
C.	4 to 6 times during the past 7 days	137	9.49%
D.	1 time per day	49	3.40%
E.	2 times per day	18	1.25%
F.	3 times per day	10	0.69%
G.	4 or more times per day	30	2.08%
<b>TOTALS</b>		<b>1,443</b>	<b>100.00%</b>

## Q -77 During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days	329	22.69%
B.	1 to 3 times during the past 7 days	529	36.48%
C.	4 to 6 times during the past 7 days	325	22.41%
D.	1 time per day	107	7.38%
E.	2 times per day	73	5.03%
F.	3 times per day	35	2.41%
G.	4 or more times per day	52	3.59%
<b>TOTALS</b>		<b>1,450</b>	<b>100.00%</b>

## Q -78 During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	332	22.94%
B.	1 to 3 times during the past 7 days	543	37.53%
C.	4 to 6 times during the past 7 days	237	16.38%
D.	1 time per day	121	8.36%
E.	2 times per day	93	6.43%
F.	3 times per day	47	3.25%
G.	4 or more times per day	74	5.11%
<b>TOTALS</b>		<b>1,447</b>	<b>100.00%</b>

## Q -79 During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	336	23.28%
B.	1 to 3 glasses during the past 7 days	370	25.64%
C.	4 to 6 glasses during the past 7 days	233	16.15%
D.	1 glass per day	183	12.68%
E.	2 glasses per day	150	10.40%
F.	3 glasses per day	82	5.68%
G.	4 or more glasses per day	89	6.17%
<b>TOTALS</b>		<b>1,443</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

**Q -80 During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)**

A.	I did not drink energy drinks during the past 7 days	979	67.61%
B.	1 to 3 times during the past 7 days	287	19.82%
C.	4 to 6 times during the past 7 days	83	5.73%
D.	1 time per day	37	2.56%
E.	2 times per day	26	1.80%
F.	3 times per day	12	0.83%
G.	4 or more times per day	24	1.66%
<b>TOTALS</b>		<b>1,448</b>	<b>100.00%</b>

**Q -81 During the past 7 days, on how many days did you eat breakfast?**

A.	0 days	233	16.21%
B.	1 day	144	10.02%
C.	2 days	144	10.02%
D.	3 days	137	9.53%
E.	4 days	120	8.35%
F.	5 days	127	8.84%
G.	6 days	77	5.36%
H.	7 days	455	31.66%
<b>TOTALS</b>		<b>1,437</b>	<b>100.00%</b>

**Q -82 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)**

A.	0 days	219	15.23%
B.	1 day	118	8.21%
C.	2 days	144	10.01%
D.	3 days	141	9.81%
E.	4 days	145	10.08%
F.	5 days	189	13.14%
G.	6 days	94	6.54%
H.	7 days	388	26.98%
<b>TOTALS</b>		<b>1,438</b>	<b>100.00%</b>

**Q -83 On an average school day, how many hours do you watch TV?**

A.	I do not watch TV on an average school day	336	23.35%
B.	Less than 1 hour per day	302	20.99%
C.	1 hour per day	195	13.55%
D.	2 hours per day	282	19.60%
E.	3 hours per day	141	9.80%
F.	4 hours per day	78	5.42%
G.	5 or more hours per day	105	7.30%
<b>TOTALS</b>		<b>1,439</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

**Q -84 On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)**

A.	I do not play video or computer games or use a computer for something that is not school work	361	24.90%
B.	Less than 1 hour per day	218	15.03%
C.	1 hour per day	168	11.59%
D.	2 hours per day	178	12.28%
E.	3 hours per day	140	9.66%
F.	4 hours per day	129	8.90%
G.	5 or more hours per day	256	17.66%
<b>TOTALS</b>		<b>1,450</b>	<b>100.00%</b>

**Q -85 In an average week when you are in school, on how many days do you go to physical education (PE) classes?**

A.	0 days	591	41.24%
B.	1 day	46	3.21%
C.	2 days	66	4.61%
D.	3 days	171	11.93%
E.	4 days	117	8.16%
F.	5 days	442	30.84%
<b>TOTALS</b>		<b>1,433</b>	<b>100.00%</b>

**Q -86 During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)**

A.	0 teams	659	45.61%
B.	1 team	322	22.28%
C.	2 teams	248	17.16%
D.	3 or more teams	216	14.95%
<b>TOTALS</b>		<b>1,445</b>	<b>100.00%</b>

**Q -87 During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?**

A.	0 times	1134	78.59%
B.	1 time	169	11.71%
C.	2 times	67	4.64%
D.	3 times	26	1.80%
E.	4 or more times	47	3.26%
<b>TOTALS</b>		<b>1,443</b>	<b>100.00%</b>

**Q -88 When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?**

A.	During the past 12 months	986	68.62%
B.	Between 12 and 24 months ago	177	12.32%
C.	More than 24 months ago	70	4.87%
D.	Never	28	1.95%
E.	Not sure	176	12.25%
<b>TOTALS</b>		<b>1,437</b>	<b>100.00%</b>

# 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

## Q -89 Has a doctor or nurse ever told you that you have asthma?

A.	Yes	395	27.64%
B.	No	906	63.40%
C.	Not sure	128	8.96%
<b>TOTALS</b>		<b>1,429</b>	<b>100.00%</b>

## Q -90 On an average school night, how many hours of sleep do you get?

A.	4 or less hours	180	12.48%
B.	5 hours	185	12.83%
C.	6 hours	287	19.90%
D.	7 hours	346	23.99%
E.	8 hours	308	21.36%
F.	9 hours	97	6.73%
G.	10 or more hours	39	2.70%
<b>TOTALS</b>		<b>1,442</b>	<b>100.00%</b>

## Q -91 During the past 30 days, where did you usually sleep?

A.	In my parent's or guardian's home	1308	90.96%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	54	3.76%
C.	In a shelter or emergency housing	18	1.25%
D.	In a motel or hotel	12	0.83%
E.	In a car, park, campground, or other public place	16	1.11%
F.	I do not have a usual place to sleep	13	0.90%
G.	Somewhere else	17	1.18%
<b>TOTALS</b>		<b>1,438</b>	<b>100.00%</b>

## Q -92 During the past 12 months, how would you describe your grades in school?

A.	Mostly A's	426	29.50%
B.	Mostly B's	502	34.76%
C.	Mostly C's	327	22.65%
D.	Mostly D's	66	4.57%
E.	Mostly F's	28	1.94%
F.	None of these grades	10	0.69%
G.	Not sure	85	5.89%
<b>TOTALS</b>		<b>1,444</b>	<b>100.00%</b>

## 2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

**Q -93 During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)**

A.	0 times	1297	89.70%
B.	1 or 2 times	82	5.67%
C.	3 to 9 times	29	2.01%
D.	10 to 19 times	14	0.97%
E.	20 to 39 times	8	0.55%
F.	40 or more times	16	1.11%
<b>TOTALS</b>		<b>1,446</b>	<b>100.00%</b>

**Q -94 During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?**

A.	Yes	1457	100.00%
B.	No	0	0.00%
<b>TOTALS</b>		<b>1,457</b>	<b>100.00%</b>