

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR STUDENTS WITH DISABILITIES

The following frequency distributions are based upon surveys with 1,371 middle school students with disabilities in Montana during February 2017. Frequency distributions may not total 1,371 due to nonresponses and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q -1 How old are you?			
A.	10 years old or younger	3	0.22%
B.	11 years old	4	0.29%
C.	12 years old	243	17.78%
D.	13 years old	615	44.99%
E.	14 years old	455	33.28%
F.	15 years old	46	3.37%
G.	16 years old or older	1	0.07%
TOTALS		1,367	100.00%
Q -2 What is your sex?			
A.	Female	625	45.75%
B.	Male	741	54.25%
TOTALS		1,366	100.00%
Q -3 In what grade are you?			
A.	7th grade	624	46.46%
B.	8th grade	719	53.54%
TOTALS		1,343	100.00%
Q -4 Are you Hispanic or Latino?			
A.	Yes	170	12.80%
B.	No	1158	87.20%
TOTALS		1,328	100.00%
Q -5 What is your race? (Select one or more responses.)			
A.	American Indian or Alaskan Native	289	19.51%
B.	Asian	37	2.50%
C.	Black or African American	40	2.70%
D.	Native Hawaiian or Other Pacific Islander	24	1.62%
E.	White	1091	73.67%
TOTALS		1,481	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -6 How often do you wear a seat belt when riding in a car driven by someone else?

A.	Never	27	2.01%
B.	Rarely	74	5.50%
C.	Sometimes	177	13.15%
D.	Most of the time	462	34.32%
E.	Always	606	45.02%
TOTALS		1,346	100.00%

Q -7 How often do you wear a seat belt when driving a car?

A.	I do not drive a car	900	66.32%
B.	Never	22	1.62%
C.	Rarely	30	2.21%
D.	Sometimes	53	3.91%
E.	Most of the time	97	7.15%
F.	Always	255	18.79%
TOTALS		1,357	100.00%

Q -8 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	1051	78.67%
B.	1 time	92	6.89%
C.	2 or 3 times	90	6.74%
D.	4 or 5 times	16	1.20%
E.	6 or more times	87	6.51%
TOTALS		1,336	100.00%

Q -9 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	998	72.79%
B.	1 day	83	6.05%
C.	2 or 3 days	115	8.39%
D.	4 or 5 days	33	2.41%
E.	6 or more days	142	10.36%
TOTALS		1,371	100.00%

Q -10 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	1284	94.00%
B.	1 day	32	2.34%
C.	2 or 3 days	21	1.54%
D.	4 or 5 days	8	0.59%
E.	6 or more days	21	1.54%
TOTALS		1,366	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -11 During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	1209	89.09%
B.	1 day	43	3.17%
C.	2 or 3 days	37	2.73%
D.	4 or 5 days	17	1.25%
E.	6 or more days	51	3.76%
TOTALS		1,357	100.00%

Q -12 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	1174	85.82%
B.	1 day	91	6.65%
C.	2 or 3 days	61	4.46%
D.	4 or 5 days	13	0.95%
E.	6 or more days	29	2.12%
TOTALS		1,368	100.00%

Q -13 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	1227	89.76%
B.	1 time	69	5.05%
C.	2 or 3 times	40	2.93%
D.	4 or 5 times	9	0.66%
E.	6 or 7 times	3	0.22%
F.	8 or 9 times	4	0.29%
G.	10 or 11 times	0	0.00%
H.	12 or more times	15	1.10%
TOTALS		1,367	100.00%

Q -14 During the past 12 months, how many times were you in a physical fight?

A.	0 times	824	60.86%
B.	1 time	238	17.58%
C.	2 or 3 times	181	13.37%
D.	4 or 5 times	50	3.69%
E.	6 or 7 times	12	0.89%
F.	8 or 9 times	10	0.74%
G.	10 or 11 times	4	0.30%
H.	12 or more times	35	2.58%
TOTALS		1,354	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -15 During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	1112	81.23%
B.	1 time	159	11.61%
C.	2 or 3 times	70	5.11%
D.	4 or 5 times	11	0.80%
E.	6 or 7 times	4	0.29%
F.	8 or 9 times	2	0.15%
G.	10 or 11 times	1	0.07%
H.	12 or more times	10	0.73%
TOTALS		1,369	100.00%

Q -16 Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	128	9.41%
B.	No	1232	90.59%
TOTALS		1,360	100.00%

Q -17 During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	0 times	1201	88.50%
B.	1 time	85	6.26%
C.	2 or 3 times	42	3.10%
D.	4 or 5 times	10	0.74%
E.	6 or more times	19	1.40%
TOTALS		1,357	100.00%

Q -18 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	I did not date or go out with anyone during the past 12 months	620	45.39%
B.	0 times	655	47.95%
C.	1 time	55	4.03%
D.	2 or 3 times	23	1.68%
E.	4 or 5 times	4	0.29%
F.	6 or more times	9	0.66%
TOTALS		1,366	100.00%

Q -19 During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A.	I did not date or go out with anyone during the past 12 months	602	44.01%
B.	0 times	721	52.70%
C.	1 time	25	1.83%
D.	2 or 3 times	15	1.10%
E.	4 or 5 times	1	0.07%
F.	6 or more times	4	0.29%
TOTALS		1,368	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -20 During the past 12 months, have you ever been bullied on school property?

A.	Yes	638	47.19%
B.	No	714	52.81%
TOTALS		1,352	100.00%

Q -21 During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

A.	Yes	392	28.65%
B.	No	976	71.35%
TOTALS		1,368	100.00%

Q -22 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

A.	Yes	342	25.00%
B.	No	1026	75.00%
TOTALS		1,368	100.00%

Q -23 During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A.	Yes	499	37.32%
B.	No	838	62.68%
TOTALS		1,337	100.00%

Q -24 During the past 12 months, did you ever seriously consider attempting suicide?

A.	Yes	352	25.73%
B.	No	1016	74.27%
TOTALS		1,368	100.00%

Q -25 During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	299	21.92%
B.	No	1065	78.08%
TOTALS		1,364	100.00%

Q -26 During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	1087	80.16%
B.	1 time	155	11.43%
C.	2 or 3 times	77	5.68%
D.	4 or 5 times	17	1.25%
E.	6 or more times	20	1.47%
TOTALS		1,356	100.00%

Q -27 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	1013	74.21%
B.	Yes	98	7.18%
C.	No	254	18.61%
TOTALS		1,365	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -28 Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	354	25.90%
B.	No	1013	74.10%
TOTALS		1,367	100.00%

Q -29 How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	1028	75.37%
B.	8 years old or younger	70	5.13%
C.	9 or 10 years old	79	5.79%
D.	11 or 12 years old	108	7.92%
E.	13 or 14 years old	77	5.65%
F.	15 or 16 years old	2	0.15%
G.	17 years old or older	0	0.00%
TOTALS		1,364	100.00%

Q -30 During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	1282	93.58%
B.	1 or 2 days	49	3.58%
C.	3 to 5 days	11	0.80%
D.	6 to 9 days	10	0.73%
E.	10 to 19 days	6	0.44%
F.	20 to 29 days	3	0.22%
G.	All 30 days	9	0.66%
TOTALS		1,370	100.00%

Q -31 During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	1278	93.42%
B.	Less than 1 cigarette per day	41	3.00%
C.	1 cigarette per day	20	1.46%
D.	2 to 5 cigarettes per day	21	1.54%
E.	6 to 10 cigarettes per day	3	0.22%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	5	0.37%
TOTALS		1,368	100.00%

Q -32 During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	1190	87.89%
B.	Yes	111	8.20%
C.	No	53	3.91%
TOTALS		1,354	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -33 Have you ever used an electronic vapor product?

A.	Yes	331	24.20%
B.	No	1037	75.80%
TOTALS		1,368	100.00%

Q -34 During the past 30 days, on how many days did you use an electronic vapor product?

A.	0 days	1221	89.39%
B.	1 or 2 days	76	5.56%
C.	3 to 5 days	24	1.76%
D.	6 to 9 days	16	1.17%
E.	10 to 19 days	18	1.32%
F.	20 to 29 days	3	0.22%
G.	All 30 days	8	0.59%
TOTALS		1,366	100.00%

Q -35 During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

A.	I did not use any electronic vapor products during the past 30 days	1181	88.73%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	7	0.53%
C.	I got them on the Internet	10	0.75%
D.	I gave someone else money to buy them for me	17	1.28%
E.	I borrowed them from someone else	52	3.91%
F.	A person 18 years old or older gave them to me	14	1.05%
G.	I took them from a store or another person	5	0.38%
H.	I got them some other way	45	3.38%
TOTALS		1,331	100.00%

Q -36 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)

A.	0 days	1310	95.69%
B.	1 or 2 days	26	1.90%
C.	3 to 5 days	13	0.95%
D.	6 to 9 days	5	0.37%
E.	10 to 19 days	7	0.51%
F.	20 to 29 days	2	0.15%
G.	All 30 days	6	0.44%
TOTALS		1,369	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -37 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco productions such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs on school property? (Do not count any electronic vapor products.)

A.	0 days	1327	97.07%
B.	1 or 2 days	25	1.83%
C.	3 to 5 days	6	0.44%
D.	6 to 9 days	5	0.37%
E.	10 to 19 days	1	0.07%
F.	20 to 29 days	0	0.00%
G.	All 30 days	3	0.22%
TOTALS		1,367	100.00%

Q -38 During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	1290	95.06%
B.	1 or 2 days	44	3.24%
C.	3 to 5 days	13	0.96%
D.	6 to 9 days	4	0.29%
E.	10 to 19 days	2	0.15%
F.	20 to 29 days	0	0.00%
G.	All 30 days	4	0.29%
TOTALS		1,357	100.00%

Q -39 During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	789	57.68%
B.	1 or 2 days	283	20.69%
C.	3 to 9 days	155	11.33%
D.	10 to 19 days	60	4.39%
E.	20 to 39 days	37	2.70%
F.	40 to 99 days	22	1.61%
G.	100 or more days	22	1.61%
TOTALS		1,368	100.00%

Q -40 How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	816	60.40%
B.	8 years old or younger	154	11.40%
C.	9 or 10 years old	84	6.22%
D.	11 or 12 years old	172	12.73%
E.	13 or 14 years old	118	8.73%
F.	15 or 16 years old	4	0.30%
G.	17 years old or older	3	0.22%
TOTALS		1,351	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -41 During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	1150	84.62%
B.	1 or 2 days	147	10.82%
C.	3 to 5 days	33	2.43%
D.	6 to 9 days	15	1.10%
E.	10 to 19 days	4	0.29%
F.	20 to 29 days	1	0.07%
G.	All 30 days	9	0.66%
TOTALS		1,359	100.00%

Q -42 During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	1121	82.25%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	5	0.37%
C.	I bought it at a restaurant, bar, or club	1	0.07%
D.	I bought it at a public event such as a concert or sporting event	1	0.07%
E.	I gave someone else money to buy it for me	24	1.76%
F.	Someone gave it to me	100	7.34%
G.	I took it from a store or family member	49	3.60%
H.	I got it some other way	62	4.55%
TOTALS		1,363	100.00%

Q -43 During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?

A.	0 days	1244	91.27%
B.	1 day	50	3.67%
C.	2 days	28	2.05%
D.	3 to 5 days	22	1.61%
E.	6 to 9 days	9	0.66%
F.	10 to 19 days	3	0.22%
G.	20 or more days	7	0.51%
TOTALS		1,363	100.00%

Q -44 During your life, how many times have you used marijuana?

A.	0 times	1123	82.76%
B.	1 or 2 times	75	5.53%
C.	3 to 9 times	39	2.87%
D.	10 to 19 times	25	1.84%
E.	20 to 39 times	20	1.47%
F.	40 to 99 times	31	2.28%
G.	100 or more times	44	3.24%
TOTALS		1,357	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -45 How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	1130	82.78%
B.	8 years old or younger	34	2.49%
C.	9 or 10 years old	39	2.86%
D.	11 or 12 years old	87	6.37%
E.	13 or 14 years old	72	5.27%
F.	15 or 16 years old	3	0.22%
G.	17 years old or older	0	0.00%
TOTALS		1,365	100.00%

Q -46 During the past 30 days, how many times did you use marijuana?

A.	0 times	1232	90.46%
B.	1 or 2 times	38	2.79%
C.	3 to 9 times	34	2.50%
D.	10 to 19 times	23	1.69%
E.	20 to 39 times	13	0.95%
F.	40 or more times	22	1.62%
TOTALS		1,362	100.00%

Q -47 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	1330	98.15%
B.	1 or 2 times	10	0.74%
C.	3 to 9 times	8	0.59%
D.	10 to 19 times	1	0.07%
E.	20 to 39 times	0	0.00%
F.	40 or more times	6	0.44%
TOTALS		1,355	100.00%

Q -48 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	1222	89.39%
B.	1 or 2 times	73	5.34%
C.	3 to 9 times	37	2.71%
D.	10 to 19 times	19	1.39%
E.	20 to 39 times	4	0.29%
F.	40 or more times	12	0.88%
TOTALS		1,367	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -49 During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	1348	98.61%
B.	1 or 2 times	11	0.80%
C.	3 to 9 times	4	0.29%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	1	0.07%
F.	40 or more times	3	0.22%
TOTALS		1,367	100.00%

Q -50 During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	1340	98.31%
B.	1 or 2 times	13	0.95%
C.	3 to 9 times	2	0.15%
D.	10 to 19 times	3	0.22%
E.	20 to 39 times	0	0.00%
F.	40 or more times	5	0.37%
TOTALS		1,363	100.00%

Q -51 During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	1342	98.24%
B.	1 or 2 times	11	0.81%
C.	3 to 9 times	5	0.37%
D.	10 to 19 times	4	0.29%
E.	20 to 39 times	0	0.00%
F.	40 or more times	4	0.29%
TOTALS		1,366	100.00%

Q -52 During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

A.	0 times	1290	94.51%
B.	1 or 2 times	43	3.15%
C.	3 to 9 times	12	0.88%
D.	10 to 19 times	10	0.73%
E.	20 to 39 times	6	0.44%
F.	40 or more times	4	0.29%
TOTALS		1,365	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -53 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	1326	97.43%
B.	1 or 2 times	15	1.10%
C.	3 to 9 times	13	0.96%
D.	10 to 19 times	2	0.15%
E.	20 to 39 times	0	0.00%
F.	40 or more times	5	0.37%
TOTALS		1,361	100.00%

Q -54 During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)

A.	0 times	1249	91.37%
B.	1 or 2 times	65	4.75%
C.	3 to 9 times	30	2.19%
D.	10 to 19 times	10	0.73%
E.	20 to 39 times	5	0.37%
F.	40 or more times	8	0.59%
TOTALS		1,367	100.00%

Q -55 During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	1335	97.87%
B.	1 time	17	1.25%
C.	2 or more times	12	0.88%
TOTALS		1,364	100.00%

Q -56 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	239	17.56%
B.	No	1122	82.44%
TOTALS		1,361	100.00%

Q -57 Have you ever had sexual intercourse?

A.	Yes	241	17.75%
B.	No	1117	82.25%
TOTALS		1,358	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -58 How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	1146	84.26%
B.	11 years old or younger	66	4.85%
C.	12 years old	47	3.46%
D.	13 years old	64	4.71%
E.	14 years old	33	2.43%
F.	15 years old	4	0.29%
G.	16 years old	0	0.00%
H.	17 years old or older	0	0.00%
TOTALS		1,360	100.00%

Q -59 During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	1151	85.26%
B.	1 person	106	7.85%
C.	2 people	42	3.11%
D.	3 people	15	1.11%
E.	4 people	14	1.04%
F.	5 people	4	0.30%
G.	6 or more people	18	1.33%
TOTALS		1,350	100.00%

Q -60 During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	1158	85.02%
B.	I have had sexual intercourse, but not during the past 3 months	112	8.22%
C.	1 person	66	4.85%
D.	2 people	13	0.95%
E.	3 people	3	0.22%
F.	4 people	2	0.15%
G.	5 people	3	0.22%
H.	6 or more people	5	0.37%
TOTALS		1,362	100.00%

Q -61 Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	1121	82.67%
B.	Yes	65	4.79%
C.	No	170	12.54%
TOTALS		1,356	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -62 The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	1122	83.30%
B.	Yes	110	8.17%
C.	No	115	8.54%
TOTALS		1,347	100.00%

Q -63 How do you describe your weight?

A.	Very underweight	71	5.21%
B.	Slightly underweight	203	14.90%
C.	About the right weight	689	50.59%
D.	Slightly overweight	345	25.33%
E.	Very overweight	54	3.96%
TOTALS		1,362	100.00%

Q -64 Which of the following are you trying to do about your weight?

A.	Lose weight	620	45.45%
B.	Gain weight	195	14.30%
C.	Stay the same weight	271	19.87%
D.	I am not trying to do anything about my weight	278	20.38%
TOTALS		1,364	100.00%

Q -65 During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A.	I did not drink 100% fruit juice during the past 7 days	388	28.74%
B.	1 to 3 times during the past 7 days	498	36.89%
C.	4 to 6 times during the past 7 days	207	15.33%
D.	1 time per day	84	6.22%
E.	2 times per day	70	5.19%
F.	3 times per day	30	2.22%
G.	4 or more times per day	73	5.41%
TOTALS		1,350	100.00%

Q -66 During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A.	I did not eat fruit during the past 7 days	166	12.19%
B.	1 to 3 times during the past 7 days	417	30.62%
C.	4 to 6 times during the past 7 days	320	23.49%
D.	1 time per day	132	9.69%
E.	2 times per day	138	10.13%
F.	3 times per day	72	5.29%
G.	4 or more times per day	117	8.59%
TOTALS		1,362	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -67 During the past 7 days, how many times did you eat green salad?

A.	I did not eat green salad during the past 7 days	526	38.70%
B.	1 to 3 times during the past 7 days	484	35.61%
C.	4 to 6 times during the past 7 days	163	11.99%
D.	1 time per day	107	7.87%
E.	2 times per day	29	2.13%
F.	3 times per day	8	0.59%
G.	4 or more times per day	42	3.09%
TOTALS		1,359	100.00%

Q -68 During the past 7 days, how many times did you potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A.	I did not eat potatoes during the past 7 days	562	41.38%
B.	1 to 3 times during the past 7 days	577	42.49%
C.	4 to 6 times during the past 7 days	130	9.57%
D.	1 time per day	40	2.95%
E.	2 times per day	19	1.40%
F.	3 times per day	5	0.37%
G.	4 or more times per day	25	1.84%
TOTALS		1,358	100.00%

Q -69 During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	628	46.04%
B.	1 to 3 times during the past 7 days	472	34.60%
C.	4 to 6 times during the past 7 days	132	9.68%
D.	1 time per day	63	4.62%
E.	2 times per day	21	1.54%
F.	3 times per day	11	0.81%
G.	4 or more times per day	37	2.71%
TOTALS		1,364	100.00%

Q -70 During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days.	282	20.80%
B.	1 to 3 times during the past 7 days	492	36.28%
C.	4 to 6 times during the past 7 days	282	20.80%
D.	1 time per day	117	8.63%
E.	2 times per day	80	5.90%
F.	3 times per day	38	2.80%
G.	4 or more times per day	65	4.79%
TOTALS		1,356	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -71 During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	297	21.85%
B.	1 to 3 times during the past 7 days	597	43.93%
C.	4 to 6 times during the past 7 days	228	16.78%
D.	1 time per day	103	7.58%
E.	2 times per day	59	4.34%
F.	3 times per day	24	1.77%
G.	4 or more times per day	51	3.75%
TOTALS		1,359	100.00%

Q -72 During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	203	14.86%
B.	1 to 3 glasses during the past 7 days	365	26.72%
C.	4 to 6 glasses during the past 7 days	228	16.69%
D.	1 glass per day	174	12.74%
E.	2 glasses per day	183	13.40%
F.	3 glasses per day	84	6.15%
G.	4 or more glasses per day	129	9.44%
TOTALS		1,366	100.00%

Q -73 During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	1002	73.73%
B.	1 to 3 times during the past 7 days	243	17.88%
C.	4 to 6 times during the past 7 days	42	3.09%
D.	1 time per day	32	2.35%
E.	2 times per day	15	1.10%
F.	3 times per day	6	0.44%
G.	4 or more times per day	19	1.40%
TOTALS		1,359	100.00%

Q -74 During the past 7 days, on how many days did you eat breakfast?

A.	0 days	148	10.97%
B.	1 day	102	7.56%
C.	2 days	104	7.71%
D.	3 days	96	7.12%
E.	4 days	116	8.60%
F.	5 days	104	7.71%
G.	6 days	77	5.71%
H.	7 days	602	44.63%
TOTALS		1,349	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -75 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	166	12.16%
B.	1 day	102	7.47%
C.	2 days	121	8.86%
D.	3 days	152	11.14%
E.	4 days	151	11.06%
F.	5 days	167	12.23%
G.	6 days	76	5.57%
H.	7 days	430	31.50%
TOTALS		1,365	100.00%

Q -76 On an average school day, how many hours do you watch TV?

A.	I do not watch TV on an average school day	245	18.12%
B.	Less than 1 hour per day	312	23.08%
C.	1 hour per day	220	16.27%
D.	2 hours per day	243	17.97%
E.	3 hours per day	171	12.65%
F.	4 hours per day	63	4.66%
G.	5 or more hours per day	98	7.25%
TOTALS		1,352	100.00%

Q -77 On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)

A.	I do not play video or computer games or use a computer for something that is not school work	235	17.42%
B.	Less than 1 hour per day	226	16.75%
C.	1 hour per day	158	11.71%
D.	2 hours per day	184	13.64%
E.	3 hours per day	174	12.90%
F.	4 hours per day	119	8.82%
G.	5 or more hours per day	253	18.75%
TOTALS		1,349	100.00%

Q -78 In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	196	14.50%
B.	1 day	35	2.59%
C.	2 days	216	15.98%
D.	3 days	343	25.37%
E.	4 days	100	7.40%
F.	5 days	458	33.88%
TOTALS		1,352	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -79 During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	451	33.38%
B.	1 team	342	25.31%
C.	2 teams	266	19.69%
D.	3 or more teams	292	21.61%
TOTALS		1,351	100.00%

Q -80 During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

A.	0 times	1015	75.92%
B.	1 time	161	12.04%
C.	2 times	70	5.24%
D.	3 times	37	2.77%
E.	4 or more time	54	4.04%
TOTALS		1,337	100.00%

Q -81 When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

A.	During the past 12 months	903	66.06%
B.	Between 12 and 24 months ago	135	9.88%
C.	More than 24 months ago	41	3.00%
D.	Never	26	1.90%
E.	Not sure	261	19.09%
TOTALS		1,367	100.00%

Q -82 Has a doctor or nurse ever told you that you have asthma?

A.	Yes	290	21.51%
B.	No	888	65.88%
C.	Not sure	170	12.61%
TOTALS		1,348	100.00%

Q -83 On an average school night, how many hours of sleep do you get?

A.	4 or less hours	140	10.36%
B.	5 hours	121	8.95%
C.	6 hours	171	12.65%
D.	7 hours	269	19.90%
E.	8 hours	325	24.04%
F.	9 hours	204	15.09%
G.	10 or more hours	122	9.02%
TOTALS		1,352	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -84 During the past 30 days, where did you usually sleep?

A.	In my parent's or guardian's home	1272	93.39%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	46	3.38%
C.	In a shelter or emergency housing	5	0.37%
D.	In a motel or hotel	3	0.22%
E.	In a car, park, campground, or other public place	7	0.51%
F.	I do not have a usual place to sleep	7	0.51%
G.	Somewhere else	22	1.62%
TOTALS		1,362	100.00%

Q -85 During the past 12 months, how would you describe your grades in school?

A.	Mostly A's	392	29.08%
B.	Mostly B's	475	35.24%
C.	Mostly C's	244	18.10%
D.	Mostly D's	69	5.12%
E.	Mostly F's	32	2.37%
F.	None of these grades	12	0.89%
G.	Not sure	124	9.20%
TOTALS		1,348	100.00%

Q -86 During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A.	Yes	1371	100.00%
B.	No	0	0.00%
TOTALS		1,371	100.00%