

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR STUDENTS WITH DISABILITIES

The following frequency distributions are based upon surveys with 1,619 high school students with disabilities in Montana during February 2019. Frequency distributions may not total 1,619 due to nonresponses and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q -1 How old are you?			
A.	12 years old or younger	8	0.50%
B.	13 years old	2	0.12%
C.	14 years old	167	10.37%
D.	15 years old	473	29.38%
E.	16 years old	434	26.96%
F.	17 years old	328	20.37%
G.	18 years old or older	198	12.30%
	TOTALS	1,610	100.00%
Q -2 What is your sex?			
A.	Female	754	47.01%
B.	Male	850	52.99%
	TOTALS	1,604	100.00%
Q -3 In what grade are you?			
A.	9th grade	513	32.16%
B.	10th grade	450	28.21%
C.	11th grade	332	20.82%
D.	12th grade	296	18.56%
E.	Ungraded or other grade	4	0.25%
	TOTALS	1,595	100.00%
Q -4 Are you Hispanic or Latino?			
A.	Yes	183	11.58%
B.	No	1397	88.42%
	TOTALS	1,580	100.00%
Q -5 What is your race?			
A.	American Indian or Alaskan Native	341	19.78%
B.	Asian	43	2.49%
C.	Black or African American	64	3.71%
D.	Native Hawaiian or Other Pacific Islander	33	1.91%
E.	White	1243	72.10%
	TOTALS	1,724	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -6 How tall are you without your shoes on?

A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	4	0.25%
C.	4ft, 7in to 5 ft	63	4.01%
D.	5ft, 1in to 5ft, 6in	606	38.60%
E.	Over 5ft, 6in	897	57.13%
TOTALS		1,570	100.00%

Q -7 How much do you weigh without your shoes on?

A.	Less than 90 lbs	5	0.33%
B.	90-99 lbs	24	1.56%
C.	100-109 lbs	52	3.39%
D.	110-119lbs	128	8.34%
E.	120-129 lbs	188	12.25%
F.	130-139 lbs	223	14.53%
G.	140 lbs +	915	59.61%
TOTALS		1,535	100.00%

Q -8 How often do you wear a seat belt when riding in a car driven by someone else?

A.	Never	70	4.40%
B.	Rarely	134	8.42%
C.	Sometimes	220	13.83%
D.	Most of the time	475	29.86%
E.	Always	692	43.49%
TOTALS		1,591	100.00%

Q -9 How often do you wear a seat belt when driving a car?

A.	I do not drive a car	423	26.54%
B.	Never	59	3.70%
C.	Rarely	77	4.83%
D.	Sometimes	102	6.40%
E.	Most of the time	239	14.99%
F.	Always	694	43.54%
TOTALS		1,594	100.00%

Q -10 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	1212	75.99%
B.	1 time	152	9.53%
C.	2 or 3 times	118	7.40%
D.	4 or 5 times	31	1.94%
E.	6 or more times	82	5.14%
TOTALS		1,595	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -11 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

A.	I did not drive a car or other vehicle during the past 30 days	576	35.69%
B.	0 times	906	56.13%
C.	1 time	60	3.72%
D.	2 or 3 times	26	1.61%
E.	4 or 5 times	17	1.05%
F.	6 or more times	29	1.80%
TOTALS		1,614	100.00%

Q -12 During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	547	34.08%
B.	0 days	541	33.71%
C.	1 or 2 days	170	10.59%
D.	3 to 5 days	69	4.30%
E.	6 to 9 days	54	3.36%
F.	10 to 19 days	63	3.93%
G.	20 to 29 days	35	2.18%
H.	All 30 days	126	7.85%
TOTALS		1,605	100.00%

Q -13 During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)

A.	I did not drive a car or other vehicle during the past 30 days	516	32.29%
B.	0 days	583	36.48%
C.	1 or 2 days	134	8.39%
D.	3 to 5 days	63	3.94%
E.	6 to 9 days	50	3.13%
F.	10 to 19 days	59	3.69%
G.	20 to 29 days	42	2.63%
H.	All 30 days	151	9.45%
TOTALS		1,598	100.00%

Q -14 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	1131	70.47%
B.	1 day	102	6.36%
C.	2 or 3 days	99	6.17%
D.	4 or 5 days	38	2.37%
E.	6 or more days	235	14.64%
TOTALS		1,605	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -15 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	1423	88.50%
B.	1 day	53	3.30%
C.	2 or 3 days	37	2.30%
D.	4 or 5 days	13	0.81%
E.	6 or more days	82	5.10%
TOTALS		1,608	100.00%

Q -16 During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	1402	87.57%
B.	1 day	48	3.00%
C.	2 or 3 days	50	3.12%
D.	4 or 5 days	18	1.12%
E.	6 or more days	83	5.18%
TOTALS		1,601	100.00%

Q -17 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	1378	85.54%
B.	1 day	106	6.58%
C.	2 or 3 days	71	4.41%
D.	4 or 5 days	16	0.99%
E.	6 or more days	40	2.48%
TOTALS		1,611	100.00%

Q -18 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	1434	88.96%
B.	1 time	79	4.90%
C.	2 or 3 times	46	2.85%
D.	4 or 5 times	22	1.36%
E.	6 or 7 times	9	0.56%
F.	8 or 9 times	4	0.25%
G.	10 or 11 times	2	0.12%
H.	12 or more times	16	0.99%
TOTALS		1,612	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -19 During the past 12 months, how many times were you in a physical fight?

A.	0 times	1082	68.01%
B.	1 time	227	14.27%
C.	2 or 3 times	160	10.06%
D.	4 or 5 times	45	2.83%
E.	6 or 7 times	21	1.32%
F.	8 or 9 times	6	0.38%
G.	10 or 11 times	5	0.31%
H.	12 or more times	45	2.83%
TOTALS		1,591	100.00%

Q -20 During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	1379	85.44%
B.	1 time	149	9.23%
C.	2 or 3 times	52	3.22%
D.	4 or 5 times	8	0.50%
E.	6 or 7 times	7	0.43%
F.	8 or 9 times	1	0.06%
G.	10 or 11 times	2	0.12%
H.	12 or more times	16	0.99%
TOTALS		1,614	100.00%

Q -21 Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	282	17.66%
B.	No	1315	82.34%
TOTALS		1,597	100.00%

Q -22 During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	0 times	1332	83.20%
B.	1 time	130	8.12%
C.	2 or 3 times	79	4.93%
D.	4 or 5 times	18	1.12%
E.	6 or more times	42	2.62%
TOTALS		1,601	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -23 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	I did not date or go out with anyone during the past 12 months	576	35.69%
B.	0 times	881	54.58%
C.	1 time	67	4.15%
D.	2 or 3 times	46	2.85%
E.	4 or 5 times	13	0.81%
F.	6 or more times	31	1.92%
TOTALS		1,614	100.00%

Q -24 During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A.	I did not date or go out with anyone during the past 12 months	576	35.78%
B.	0 times	901	55.96%
C.	1 time	54	3.35%
D.	2 or 3 times	34	2.11%
E.	4 or 5 times	12	0.75%
F.	6 or more times	33	2.05%
TOTALS		1,610	100.00%

Q -25 During the past 12 months, have you ever been bullied on school property?

A.	Yes	567	36.05%
B.	No	1006	63.95%
TOTALS		1,573	100.00%

Q -26 During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

A.	Yes	454	28.20%
B.	No	1156	71.80%
TOTALS		1,610	100.00%

Q -27 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

A.	Yes	352	21.97%
B.	No	1250	78.03%
TOTALS		1,602	100.00%

Q -28 During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A.	Yes	774	49.43%
B.	No	792	50.57%
TOTALS		1,566	100.00%

Q -29 During the past 12 months, did you ever seriously consider attempting suicide?

A.	Yes	522	32.56%
B.	No	1081	67.44%
TOTALS		1,603	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -30 During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	450	28.09%
B.	No	1152	71.91%
TOTALS		1,602	100.00%

Q -31 During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	1280	79.65%
B.	1 time	193	12.01%
C.	2 or 3 times	100	6.22%
D.	4 or 5 times	13	0.81%
E.	6 or more times	21	1.31%
TOTALS		1,607	100.00%

Q -32 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	1198	74.55%
B.	Yes	132	8.21%
C.	No	277	17.24%
TOTALS		1,607	100.00%

Q -33 Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	718	44.76%
B.	No	886	55.24%
TOTALS		1,604	100.00%

Q -34 How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	913	56.92%
B.	8 years old or younger	104	6.48%
C.	9 or 10 years old	71	4.43%
D.	11 or 12 years old	108	6.73%
E.	13 or 14 years old	213	13.28%
F.	15 or 16 years old	155	9.66%
G.	17 years old or older	40	2.49%
TOTALS		1,604	100.00%

Q -35 During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	1360	84.47%
B.	1 or 2 days	93	5.78%
C.	3 to 5 days	47	2.92%
D.	6 to 9 days	19	1.18%
E.	10 to 19 days	19	1.18%
F.	20 to 29 days	23	1.43%
G.	All 30 days	49	3.04%
TOTALS		1,610	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -36 During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	1357	84.18%
B.	Less than 1 cigarette per day	95	5.89%
C.	1 cigarette per day	40	2.48%
D.	2 to 5 cigarettes per day	80	4.96%
E.	6 to 10 cigarettes per day	15	0.93%
F.	11 to 20 cigarettes per day	6	0.37%
G.	More than 20 cigarettes per day	19	1.18%
TOTALS		1,612	100.00%

Q -37 Have you ever used an electronic vapor product?

A.	Yes	965	60.54%
B.	No	629	39.46%
TOTALS		1,594	100.00%

Q -38 During the past 30 days, on how many days did you use an electronic vapor product?

A.	0 days	960	59.52%
B.	1 or 2 days	204	12.65%
C.	3 to 5 days	93	5.77%
D.	6 to 9 days	72	4.46%
E.	10 to 19 days	88	5.46%
F.	20 to 29 days	63	3.91%
G.	All 30 days	133	8.25%
TOTALS		1,613	100.00%

Q -39 During the past 30 days, on how many days did you use an electronic vapor product on school property?

A.	0 days	1293	80.36%
B.	1 or 2 days	134	8.33%
C.	3 to 5 days	38	2.36%
D.	6 to 9 days	34	2.11%
E.	10 to 19 days	41	2.55%
F.	20 to 29 days	23	1.43%
G.	All 30 days	46	2.86%
TOTALS		1,609	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -40 During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

A.	I did not use any electronic vapor products during the past 30 days	955	59.39%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	99	6.16%
C.	I got them on the Internet	34	2.11%
D.	I gave someone else money to buy them for me	137	8.52%
E.	I borrowed them from someone else	237	14.74%
F.	A person who can legally buy these products gave them to me	48	2.99%
G.	I took them from a store or another person	9	0.56%
H.	I got them some other way	89	5.53%
TOTALS		1,608	100.00%

Q -41 What is the main reason you have used electronic vapor products? (Select only one response.)

A.	I have never used an electronic vapor product	718	44.65%
B.	Friend or family member used them	226	14.05%
C.	To try to quit using other tobacco products	35	2.18%
D.	They cost less than other tobacco products	17	1.06%
E.	They are easier to get than other tobacco products	27	1.68%
F.	They are less harmful than other forms of tobacco	49	3.05%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	131	8.15%
H.	I used them for some other reason	405	25.19%
TOTALS		1,608	100.00%

Q -42 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)

A.	0 days	1401	87.13%
B.	1 or 2 days	69	4.29%
C.	3 to 5 days	25	1.55%
D.	6 to 9 days	29	1.80%
E.	10 to 19 days	17	1.06%
F.	20 to 29 days	15	0.93%
G.	All 30 days	52	3.23%
TOTALS		1,608	100.00%

Q -43 During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	1409	88.17%
B.	1 or 2 days	100	6.26%
C.	3 to 5 days	39	2.44%
D.	6 to 9 days	18	1.13%
E.	10 to 19 days	13	0.81%
F.	20 to 29 days	4	0.25%
G.	All 30 days	15	0.94%
TOTALS		1,598	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -44 During the past 12 months, did you ever try to quit using all tobacco products, including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products?

A.	I did not use any tobacco products during the past 12 months	1004	62.44%
B.	Yes	319	19.84%
C.	No	285	17.72%
TOTALS		1,608	100.00%

Q -45 How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	622	38.78%
B.	8 years old or younger	145	9.04%
C.	9 or 10 years old	100	6.23%
D.	11 or 12 years old	152	9.48%
E.	13 or 14 years old	282	17.58%
F.	15 or 16 years old	265	16.52%
G.	17 years old or older	38	2.37%
TOTALS		1,604	100.00%

Q -46 During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	1036	64.51%
B.	1 or 2 days	285	17.75%
C.	3 to 5 days	110	6.85%
D.	6 to 9 days	76	4.73%
E.	10 to 19 days	56	3.49%
F.	20 to 29 days	20	1.25%
G.	All 30 days	23	1.43%
TOTALS		1,606	100.00%

Q -47 During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?

A.	0 days	1232	76.33%
B.	1 day	136	8.43%
C.	2 days	76	4.71%
D.	3 to 5 days	75	4.65%
E.	6 to 9 days	48	2.97%
F.	10 to 19 days	23	1.43%
G.	20 or more days	24	1.49%
TOTALS		1,614	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -48 During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?

A.	I did not drink alcohol during the past 30 days	1043	64.70%
B.	1 or 2 drinks	190	11.79%
C.	3 drinks	54	3.35%
D.	4 drinks	52	3.23%
E.	5 drinks	68	4.22%
F.	6 or 7 drinks	69	4.28%
G.	8 or 9 drinks	36	2.23%
H.	10 or more drinks	100	6.20%
TOTALS		1,612	100.00%

Q -49 During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	1032	65.07%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	20	1.26%
C.	I bought it at a restaurant, bar, or club	10	0.63%
D.	I bought it at a public event such as a concert or sporting event	4	0.25%
E.	I gave someone else money to buy it for me	116	7.31%
F.	Someone gave it to me	192	12.11%
G.	I took it from a store or family member	62	3.91%
H.	I got it some other way	150	9.46%
TOTALS		1,586	100.00%

Q -50 During your life, how many times have you used marijuana?

A.	0 times	911	56.55%
B.	1 or 2 times	143	8.88%
C.	3 to 9 times	122	7.57%
D.	10 to 19 times	69	4.28%
E.	20 to 39 times	82	5.09%
F.	40 to 99 times	76	4.72%
G.	100 or more times	208	12.91%
TOTALS		1,611	100.00%

Q -51 How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	896	55.51%
B.	8 years old or younger	58	3.59%
C.	9 or 10 years old	49	3.04%
D.	11 or 12 years old	90	5.58%
E.	13 or 14 years old	259	16.05%
F.	15 or 16 years old	224	13.88%
G.	17 years old or older	38	2.35%
TOTALS		1,614	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -52 During the past 30 days, how many times did you use marijuana?

A.	0 times	1187	73.86%
B.	1 or 2 times	134	8.34%
C.	3 to 9 times	96	5.97%
D.	10 to 19 times	47	2.92%
E.	20 to 39 times	45	2.80%
F.	40 or more times	98	6.10%
TOTALS		1,607	100.00%

Q -53 During your life, how many times have you used synthetic marijuana?

A.	0 times	1432	88.94%
B.	1 or 2 times	80	4.97%
C.	3 to 9 times	35	2.17%
D.	10 to 19 times	16	0.99%
E.	20 to 39 times	12	0.75%
F.	40 or more times	35	2.17%
TOTALS		1,610	100.00%

Q -54 During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

A.	0 times	1339	83.01%
B.	1 or 2 times	116	7.19%
C.	3 to 9 times	78	4.84%
D.	10 to 19 times	38	2.36%
E.	20 to 39 times	19	1.18%
F.	40 or more times	23	1.43%
TOTALS		1,613	100.00%

Q -55 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	1503	93.64%
B.	1 or 2 times	55	3.43%
C.	3 to 9 times	20	1.25%
D.	10 to 19 times	7	0.44%
E.	20 to 39 times	5	0.31%
F.	40 or more times	15	0.93%
TOTALS		1,605	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -56 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	1414	87.45%
B.	1 or 2 times	107	6.62%
C.	3 to 9 times	43	2.66%
D.	10 to 19 times	18	1.11%
E.	20 to 39 times	12	0.74%
F.	40 or more times	23	1.42%
TOTALS		1,617	100.00%

Q -57 During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	1569	97.27%
B.	1 or 2 times	16	0.99%
C.	3 to 9 times	9	0.56%
D.	10 to 19 times	3	0.19%
E.	20 to 39 times	3	0.19%
F.	40 or more times	13	0.81%
TOTALS		1,613	100.00%

Q -58 During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

A.	0 times	1546	96.14%
B.	1 or 2 times	28	1.74%
C.	3 to 9 times	5	0.31%
D.	10 to 19 times	5	0.31%
E.	20 to 39 times	7	0.44%
F.	40 or more times	17	1.06%
TOTALS		1,608	100.00%

Q -59 During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	1515	93.92%
B.	1 or 2 times	58	3.60%
C.	3 to 9 times	15	0.93%
D.	10 to 19 times	12	0.74%
E.	20 to 39 times	4	0.25%
F.	40 or more times	9	0.56%
TOTALS		1,613	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -60 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	1561	96.84%
B.	1 or 2 times	21	1.30%
C.	3 to 9 times	9	0.56%
D.	10 to 19 times	3	0.19%
E.	20 to 39 times	2	0.12%
F.	40 or more times	12	0.74%
TOTALS		1,612	100.00%

Q -61 During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	1560	97.81%
B.	1 time	16	1.00%
C.	2 or more times	19	1.19%
TOTALS		1,595	100.00%

Q -62 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	426	26.49%
B.	No	1182	73.51%
TOTALS		1,608	100.00%

Q -63 Have you ever had sexual intercourse?

A.	Yes	812	50.75%
B.	No	788	49.25%
TOTALS		1,600	100.00%

Q -64 How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	845	52.58%
B.	11 years old or younger	92	5.72%
C.	12 years old	41	2.55%
D.	13 years old	88	5.48%
E.	14 years old	174	10.83%
F.	15 years old	194	12.07%
G.	16 years old	119	7.41%
H.	17 years old or older	54	3.36%
TOTALS		1,607	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -65 During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	852	52.89%
B.	1 person	277	17.19%
C.	2 people	131	8.13%
D.	3 people	96	5.96%
E.	4 people	65	4.03%
F.	5 people	46	2.86%
G.	6 or more people	144	8.94%
TOTALS		1,611	100.00%

Q -66 During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	872	54.23%
B.	I have had sexual intercourse, but not during the past 3 months	240	14.93%
C.	1 person	344	21.39%
D.	2 people	67	4.17%
E.	3 people	26	1.62%
F.	4 people	16	1.00%
G.	5 people	11	0.68%
H.	6 or more people	32	1.99%
TOTALS		1,608	100.00%

Q -67 Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	834	52.45%
B.	Yes	190	11.95%
C.	No	566	35.60%
TOTALS		1,590	100.00%

Q -68 The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	864	54.27%
B.	Yes	391	24.56%
C.	No	337	21.17%
TOTALS		1,592	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -69 The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

A.	I have never had sexual intercourse	861	54.29%
B.	No method was used to prevent pregnancy	107	6.75%
C.	Birth control pills	151	9.52%
D.	Condoms	277	17.47%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	59	3.72%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	39	2.46%
G.	Withdrawal or some other method	56	3.53%
H.	Not sure	36	2.27%
TOTALS		1,586	100.00%

Q -70 How do you describe your weight?

A.	Very underweight	109	6.78%
B.	Slightly underweight	222	13.81%
C.	About the right weight	740	46.02%
D.	Slightly overweight	434	26.99%
E.	Very overweight	103	6.41%
TOTALS		1,608	100.00%

Q -71 Which of the following are you trying to do about your weight?

A.	Lose weight	776	48.26%
B.	Gain weight	270	16.79%
C.	Stay the same weight	256	15.92%
D.	I am not trying to do anything about my weight	306	19.03%
TOTALS		1,608	100.00%

Q -72 During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A.	I did not drink 100% fruit juice during the past 7 days	519	32.24%
B.	1 to 3 times during the past 7 days	615	38.20%
C.	4 to 6 times during the past 7 days	220	13.66%
D.	1 time per day	78	4.84%
E.	2 times per day	58	3.60%
F.	3 times per day	32	1.99%
G.	4 or more times per day	88	5.47%
TOTALS		1,610	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -73 During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A.	I did not eat fruit during the past 7 days	266	16.65%
B.	1 to 3 times during the past 7 days	547	34.23%
C.	4 to 6 times during the past 7 days	363	22.72%
D.	1 time per day	145	9.07%
E.	2 times per day	146	9.14%
F.	3 times per day	42	2.63%
G.	4 or more times per day	89	5.57%
TOTALS		1,598	100.00%

Q -74 During the past 7 days, how many times did you eat green salad?

A.	I did not eat green salad during the past 7 days	608	37.67%
B.	1 to 3 times during the past 7 days	610	37.79%
C.	4 to 6 times during the past 7 days	210	13.01%
D.	1 time per day	98	6.07%
E.	2 times per day	35	2.17%
F.	3 times per day	17	1.05%
G.	4 or more times per day	36	2.23%
TOTALS		1,614	100.00%

Q -75 During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A.	I did not eat potatoes during the past 7 days	565	35.05%
B.	1 to 3 times during the past 7 days	712	44.17%
C.	4 to 6 times during the past 7 days	195	12.10%
D.	1 time per day	73	4.53%
E.	2 times per day	16	0.99%
F.	3 times per day	8	0.50%
G.	4 or more times per day	43	2.67%
TOTALS		1,612	100.00%

Q -76 During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	783	49.03%
B.	1 to 3 times during the past 7 days	546	34.19%
C.	4 to 6 times during the past 7 days	140	8.77%
D.	1 time per day	54	3.38%
E.	2 times per day	26	1.63%
F.	3 times per day	10	0.63%
G.	4 or more times per day	38	2.38%
TOTALS		1,597	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -77 During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days	395	24.50%
B.	1 to 3 times during the past 7 days	585	36.29%
C.	4 to 6 times during the past 7 days	333	20.66%
D.	1 time per day	136	8.44%
E.	2 times per day	87	5.40%
F.	3 times per day	24	1.49%
G.	4 or more times per day	52	3.23%
TOTALS		1,612	100.00%

Q -78 During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	416	25.85%
B.	1 to 3 times during the past 7 days	610	37.91%
C.	4 to 6 times during the past 7 days	269	16.72%
D.	1 time per day	130	8.08%
E.	2 times per day	87	5.41%
F.	3 times per day	25	1.55%
G.	4 or more times per day	72	4.47%
TOTALS		1,609	100.00%

Q -79 During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	384	24.00%
B.	1 to 3 glasses during the past 7 days	442	27.63%
C.	4 to 6 glasses during the past 7 days	264	16.50%
D.	1 glass per day	165	10.31%
E.	2 glasses per day	150	9.38%
F.	3 glasses per day	92	5.75%
G.	4 or more glasses per day	103	6.44%
TOTALS		1,600	100.00%

Q -80 During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	1021	63.38%
B.	1 to 3 times during the past 7 days	383	23.77%
C.	4 to 6 times during the past 7 days	88	5.46%
D.	1 time per day	53	3.29%
E.	2 times per day	26	1.61%
F.	3 times per day	10	0.62%
G.	4 or more times per day	30	1.86%
TOTALS		1,611	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -81 During the past 7 days, on how many days did you eat breakfast?

A.	0 days	305	19.10%
B.	1 day	145	9.08%
C.	2 days	179	11.21%
D.	3 days	167	10.46%
E.	4 days	126	7.89%
F.	5 days	121	7.58%
G.	6 days	87	5.45%
H.	7 days	467	29.24%
TOTALS		1,597	100.00%

Q -82 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	286	17.84%
B.	1 day	132	8.23%
C.	2 days	156	9.73%
D.	3 days	151	9.42%
E.	4 days	171	10.67%
F.	5 days	206	12.85%
G.	6 days	99	6.18%
H.	7 days	402	25.08%
TOTALS		1,603	100.00%

Q -83 On an average school day, how many hours do you watch TV?

A.	I do not watch TV on an average school day	413	25.80%
B.	Less than 1 hour per day	304	18.99%
C.	1 hour per day	213	13.30%
D.	2 hours per day	255	15.93%
E.	3 hours per day	203	12.68%
F.	4 hours per day	91	5.68%
G.	5 or more hours per day	122	7.62%
TOTALS		1,601	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -84 On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent playing games, watching videos, texting, or using social media on your smartphone, computer, Xbox, PlayStation, iPad, or other tablet.)

A.	I do not play video or computer games or use a computer for something that is not school work	399	24.97%
B.	Less than 1 hour per day	224	14.02%
C.	1 hour per day	154	9.64%
D.	2 hours per day	203	12.70%
E.	3 hours per day	174	10.89%
F.	4 hours per day	125	7.82%
G.	5 or more hours per day	319	19.96%
TOTALS		1,598	100.00%

Q -85 In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	615	39.10%
B.	1 day	58	3.69%
C.	2 days	71	4.51%
D.	3 days	133	8.46%
E.	4 days	131	8.33%
F.	5 days	565	35.92%
TOTALS		1,573	100.00%

Q -86 During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	699	43.71%
B.	1 team	372	23.26%
C.	2 teams	290	18.14%
D.	3 or more teams	238	14.88%
TOTALS		1,599	100.00%

Q -87 During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

A.	0 times	1237	77.22%
B.	1 time	194	12.11%
C.	2 times	86	5.37%
D.	3 times	23	1.44%
E.	4 or more times	62	3.87%
TOTALS		1,602	100.00%

Q -88 When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

A.	During the past 12 months	1069	66.98%
B.	Between 12 and 24 months ago	168	10.53%
C.	More than 24 months ago	87	5.45%
D.	Never	34	2.13%
E.	Not sure	238	14.91%
TOTALS		1,596	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -89 Has a doctor or nurse ever told you that you have asthma?

A.	Yes	462	28.95%
B.	No	1016	63.66%
C.	Not sure	118	7.39%
TOTALS		1,596	100.00%

Q -90 On an average school night, how many hours of sleep do you get?

A.	4 or less hours	255	15.97%
B.	5 hours	204	12.77%
C.	6 hours	300	18.79%
D.	7 hours	390	24.42%
E.	8 hours	309	19.35%
F.	9 hours	97	6.07%
G.	10 or more hours	42	2.63%
TOTALS		1,597	100.00%

Q -91 During the past 30 days, where did you usually sleep?

A.	In my parent's or guardian's home	1446	90.38%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	86	5.38%
C.	In a shelter or emergency housing	20	1.25%
D.	In a motel or hotel	6	0.38%
E.	In a car, park, campground, or other public place	5	0.31%
F.	I do not have a usual place to sleep	15	0.94%
G.	Somewhere else	22	1.38%
TOTALS		1,600	100.00%

Q -92 During the past 12 months, how would you describe your grades in school?

A.	Mostly A's	532	33.35%
B.	Mostly B's	513	32.16%
C.	Mostly C's	318	19.94%
D.	Mostly D's	80	5.02%
E.	Mostly F's	42	2.63%
F.	None of these grades	14	0.88%
G.	Not sure	96	6.02%
TOTALS		1,595	100.00%

2019 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -93 During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)

A.	0 times	1477	91.80%
B.	1 or 2 times	72	4.47%
C.	3 to 9 times	29	1.80%
D.	10 to 19 times	16	0.99%
E.	20 to 39 times	4	0.25%
F.	40 or more times	11	0.68%
TOTALS		1,609	100.00%

Q -94 During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A.	Yes	1619	100.00%
B.	No	0	0.00%
TOTALS		1,619	100.00%