

# 2017 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 587 high school students in South East Region during February of 2017. Frequency distributions may not total 587 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	1	0.17%
B.	13 years old	0	0.00%
C.	14 years old	40	6.84%
D.	15 years old	152	25.98%
E.	16 years old	146	24.96%
F.	17 years old	155	26.50%
G.	18 years old or older	91	15.56%
	<b>TOTALS</b>	<b>585</b>	<b>100.00%</b>
Q-2. What is your sex?			
A.	Female	305	52.14%
B.	Male	280	47.86%
	<b>TOTALS</b>	<b>585</b>	<b>100.00%</b>
Q-3. In what grade are you?			
A.	9th grade	147	25.13%
B.	10th grade	143	24.44%
C.	11th grade	173	29.57%
D.	12th grade	119	20.34%
E.	Ungraded or other grade	3	0.51%
	<b>TOTALS</b>	<b>585</b>	<b>100.00%</b>
Q-4. Are you Hispanic or Latino?			
A.	Yes	38	6.51%
B.	No	546	93.49%
	<b>TOTALS</b>	<b>584</b>	<b>100.00%</b>
Q-5. What is your race?			
A.	American Indian or Alaskan Native	58	9.48%
B.	Asian	14	2.29%
C.	Black or African American	11	1.80%
D.	Native Hawaiian or Other Pacific Islander	4	0.65%
E.	White	525	85.78%
	<b>TOTALS</b>	<b>612</b>	<b>100.00%</b>

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	0	0.00%
C.	4ft, 7in to 5 ft	6	1.08%
D.	5ft, 1in to 5ft, 6in	228	41.01%
E.	Over 5ft, 6in	322	57.91%
<b>TOTALS</b>		<b>556</b>	<b>100.00%</b>

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	1	0.17%
B.	90-99 lbs	0	0.00%
C.	100-109 lbs	26	4.51%
D.	110-119lbs	47	8.15%
E.	120-129 lbs	65	11.27%
F.	130-139 lbs	90	15.60%
G.	140 lbs +	348	60.31%
<b>TOTALS</b>		<b>577</b>	<b>100.00%</b>

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	24	4.10%
B.	Rarely	57	9.74%
C.	Sometimes	111	18.97%
D.	Most of the time	222	37.95%
E.	Always	171	29.23%
<b>TOTALS</b>		<b>585</b>	<b>100.00%</b>

Q-9. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	63	10.75%
B.	Never	32	5.46%
C.	Rarely	52	8.87%
D.	Sometimes	81	13.82%
E.	Most of the time	115	19.62%
F.	Always	243	41.47%
<b>TOTALS</b>		<b>586</b>	<b>100.00%</b>

Q-10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	453	77.70%
B.	1 time	49	8.40%
C.	2 or 3 times	45	7.72%
D.	4 or 5 times	9	1.54%
E.	6 or more times	27	4.63%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	93	15.90%
B.	0 times	436	74.53%
C.	1 time	31	5.30%
D.	2 or 3 times	12	2.05%
E.	4 or 5 times	3	0.51%
F.	6 or more times	10	1.71%
<b>TOTALS</b>		<b>585</b>	<b>100.00%</b>

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	72	12.29%
B.	0 days	202	34.47%
C.	1 or 2 days	94	16.04%
D.	3 to 5 days	41	7.00%
E.	6 to 9 days	29	4.95%
F.	10 to 19 days	38	6.48%
G.	20 to 29 days	39	6.66%
H.	All 30 days	71	12.12%
<b>TOTALS</b>		<b>586</b>	<b>100.00%</b>

Q-13. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	77	13.18%
B.	0 days	211	36.13%
C.	1 or 2 days	122	20.89%
D.	3 to 5 days	57	9.76%
E.	6 to 9 days	42	7.19%
F.	10 to 19 days	34	5.82%
G.	20 to 29 days	22	3.77%
H.	All 30 days	19	3.25%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
A.	0 days	398	68.03%
B.	1 day	26	4.44%
C.	2 or 3 days	40	6.84%
D.	4 or 5 days	18	3.08%
E.	6 or more days	103	17.61%
<b>TOTALS</b>		<b>585</b>	<b>100.00%</b>

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	506	86.20%
B.	1 day	8	1.36%
C.	2 or 3 days	12	2.04%
D.	4 or 5 days	2	0.34%
E.	6 or more days	59	10.05%
<b>TOTALS</b>		<b>587</b>	<b>100.00%</b>

Q-16. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)			
A.	0 days	515	88.34%
B.	1 day	14	2.40%
C.	2 or 3 days	15	2.57%
D.	4 or 5 days	2	0.34%
E.	6 or more days	37	6.35%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-17. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
A.	0 days	523	89.10%
B.	1 day	47	8.01%
C.	2 or 3 days	11	1.87%
D.	4 or 5 days	2	0.34%
E.	6 or more days	4	0.68%
<b>TOTALS</b>		<b>587</b>	<b>100.00%</b>

Q-18. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
A.	0 times	531	90.92%
B.	1 time	28	4.79%
C.	2 or 3 times	12	2.05%
D.	4 or 5 times	3	0.51%
E.	6 or 7 times	3	0.51%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	7	1.20%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>

Q-19. During the past 12 months, how many times were you in a physical fight?			
A.	0 times	445	76.72%
B.	1 time	57	9.83%
C.	2 or 3 times	43	7.41%
D.	4 or 5 times	13	2.24%
E.	6 or 7 times	10	1.72%
F.	8 or 9 times	3	0.52%
G.	10 or 11 times	1	0.17%
H.	12 or more times	8	1.38%
<b>TOTALS</b>		<b>580</b>	<b>100.00%</b>

Q-20. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	538	91.81%
B.	1 time	32	5.46%
C.	2 or 3 times	10	1.71%
D.	4 or 5 times	4	0.68%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	2	0.34%
<b>TOTALS</b>		<b>586</b>	<b>100.00%</b>

Q-21. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	50	8.58%
B.	No	533	91.42%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-22. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	541	92.48%
B.	1 time	15	2.56%
C.	2 or 3 times	15	2.56%
D.	4 or 5 times	4	0.68%
E.	6 or more times	10	1.71%
<b>TOTALS</b>		<b>585</b>	<b>100.00%</b>

Q-23. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	196	33.50%
B.	0 times	361	61.71%
C.	1 time	10	1.71%
D.	2 or 3 times	11	1.88%
E.	4 or 5 times	0	0.00%
F.	6 or more times	7	1.20%
<b>TOTALS</b>		<b>585</b>	<b>100.00%</b>

Q-24. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	197	33.68%
B.	0 times	363	62.05%
C.	1 time	4	0.68%
D.	2 or 3 times	11	1.88%
E.	4 or 5 times	1	0.17%
F.	6 or more times	9	1.54%
<b>TOTALS</b>		<b>585</b>	<b>100.00%</b>
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	124	21.49%
B.	No	453	78.51%
<b>TOTALS</b>		<b>577</b>	<b>100.00%</b>
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	104	17.81%
B.	No	480	82.19%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	64	11.00%
B.	No	518	89.00%
<b>TOTALS</b>		<b>582</b>	<b>100.00%</b>
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	161	27.90%
B.	No	416	72.10%
<b>TOTALS</b>		<b>577</b>	<b>100.00%</b>
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	100	17.12%
B.	No	484	82.88%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	85	14.55%
B.	No	499	85.45%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	512	88.12%
B.	1 time	49	8.43%
C.	2 or 3 times	13	2.24%
D.	4 or 5 times	2	0.34%
E.	6 or more times	5	0.86%
<b>TOTALS</b>		<b>581</b>	<b>100.00%</b>

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	508	86.99%
B.	Yes	19	3.25%
C.	No	57	9.76%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	247	42.59%
B.	No	333	57.41%
<b>TOTALS</b>		<b>580</b>	<b>100.00%</b>

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs.	345	59.08%
B.	8 years old or younger	19	3.25%
C.	9 or 10 years old	23	3.94%
D.	11 or 12 years old	35	5.99%
E.	13 or 14 years old	62	10.62%
F.	15 or 16 years old	84	14.38%
G.	17 years old or older	16	2.74%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	491	84.22%
B.	1 or 2 days	39	6.69%
C.	3 to 5 days	17	2.92%
D.	6 to 9 days	12	2.06%
E.	10 to 19 days	8	1.37%
F.	20 to 29 days	5	0.86%
G.	All 30 days	11	1.89%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	491	84.22%
B.	Less than 1 cigarette per day	38	6.52%
C.	1 cigarette per day	13	2.23%
D.	2 to 5 cigarettes per day	33	5.66%
E.	6 to 10 cigarettes per day	5	0.86%
F.	11 to 20 cigarettes per day	1	0.17%
G.	More than 20 cigarettes per day	2	0.34%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	463	79.42%
B.	Yes	54	9.26%
C.	No	66	11.32%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-38. Have you ever used an electronic vapor product?			
A.	Yes	257	44.23%
B.	No	324	55.77%
<b>TOTALS</b>		<b>581</b>	<b>100.00%</b>
Q-39. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	482	82.53%
B.	1 or 2 days	45	7.71%
C.	3 to 5 days	17	2.91%
D.	6 to 9 days	12	2.05%
E.	10 to 19 days	14	2.40%
F.	20 to 29 days	4	0.68%
G.	All 30 days	10	1.71%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>
Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	465	80.03%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	13	2.24%
C.	I got them on the Internet	8	1.38%
D.	I gave someone else money to buy them for me	13	2.24%
E.	I borrowed them from someone else	43	7.40%
F.	A person 18 years old or older gave them to me	9	1.55%
G.	I took them from a store or another person	5	0.86%
H.	I got them some other way	25	4.30%
<b>TOTALS</b>		<b>581</b>	<b>100.00%</b>
Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)			
A.	0 days	507	86.67%
B.	1 or 2 days	20	3.42%
C.	3 to 5 days	8	1.37%
D.	6 to 9 days	7	1.20%
E.	10 to 19 days	6	1.03%
F.	20 to 29 days	5	0.85%
G.	All 30 days	32	5.47%
<b>TOTALS</b>		<b>585</b>	<b>100.00%</b>



Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs, on school property? (Do not count any electronic vapor products.)

A.	0 days	539	92.14%
B.	1 or 2 days	14	2.39%
C.	3 to 5 days	6	1.03%
D.	6 to 9 days	4	0.68%
E.	10 to 19 days	6	1.03%
F.	20 to 29 days	1	0.17%
G.	All 30 days	15	2.56%
<b>TOTALS</b>		<b>585</b>	<b>100.00%</b>

Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	510	87.63%
B.	1 or 2 days	36	6.19%
C.	3 to 5 days	15	2.58%
D.	6 to 9 days	10	1.72%
E.	10 to 19 days	5	0.86%
F.	20 to 29 days	1	0.17%
G.	All 30 days	5	0.86%
<b>TOTALS</b>		<b>582</b>	<b>100.00%</b>

Q-44. During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	183	31.39%
B.	1 or 2 days	76	13.04%
C.	3 to 9 days	116	19.90%
D.	10 to 19 days	54	9.26%
E.	20 to 39 days	59	10.12%
F.	40 to 99 days	40	6.86%
G.	100 or more days	55	9.43%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-45. How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	182	31.54%
B.	8 years old or younger	50	8.67%
C.	9 or 10 years old	31	5.37%
D.	11 or 12 years old	60	10.40%
E.	13 or 14 years old	119	20.62%
F.	15 or 16 years old	121	20.97%
G.	17 years old or older	14	2.43%
<b>TOTALS</b>		<b>577</b>	<b>100.00%</b>

Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	383	65.81%
B.	1 or 2 days	97	16.67%
C.	3 to 5 days	40	6.87%
D.	6 to 9 days	36	6.19%
E.	10 to 19 days	17	2.92%
F.	20 to 29 days	3	0.52%
G.	All 30 days	6	1.03%
<b>TOTALS</b>		<b>582</b>	<b>100.00%</b>

Q-47. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	367	62.95%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	5	0.86%
C.	I bought it at a restaurant, bar, or club	5	0.86%
D.	I bought it at a public event such as a concert or sporting event	0	0.00%
E.	I gave someone else money to buy it for me	59	10.12%
F.	Someone gave it to me	87	14.92%
G.	I took it from a store or family member	18	3.09%
H.	I got it some other way	42	7.20%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?			
A.	0 days	444	76.29%
B.	1 day	47	8.08%
C.	2 days	31	5.33%
D.	3 to 5 days	27	4.64%
E.	6 to 9 days	17	2.92%
F.	10 to 19 days	12	2.06%
G.	20 or more days	4	0.69%
<b>TOTALS</b>		<b>582</b>	<b>100.00%</b>

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row?			
A.	I did not drink alcohol during the past 30 days	381	65.58%
B.	1 or 2 drinks	65	11.19%
C.	3 drinks	15	2.58%
D.	4 drinks	18	3.10%
E.	5 drinks	23	3.96%
F.	6 or 7 drinks	24	4.13%
G.	8 or 9 drinks	13	2.24%
H.	10 or more drinks	42	7.23%
<b>TOTALS</b>		<b>581</b>	<b>100.00%</b>

Q-50. During your life, how many times have you used marijuana?			
A.	0 times	389	66.61%
B.	1 or 2 times	57	9.76%
C.	3 to 9 times	44	7.53%
D.	10 to 19 times	18	3.08%
E.	20 to 39 times	17	2.91%
F.	40 to 99 times	18	3.08%
G.	100 or more times	41	7.02%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>

Q-51. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	392	66.89%
B.	8 years old or younger	7	1.19%
C.	9 or 10 years old	11	1.88%
D.	11 or 12 years old	24	4.10%
E.	13 or 14 years old	63	10.75%
F.	15 or 16 years old	72	12.29%
G.	17 years old or older	17	2.90%
<b>TOTALS</b>		<b>586</b>	<b>100.00%</b>

Q-52. During the past 30 days, how many times did you use marijuana?			
A.	0 times	500	85.76%
B.	1 or 2 times	34	5.83%
C.	3 to 9 times	17	2.92%
D.	10 to 19 times	9	1.54%
E.	20 to 39 times	6	1.03%
F.	40 or more times	17	2.92%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-53. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
A.	0 times	561	96.06%
B.	1 or 2 times	8	1.37%
C.	3 to 9 times	8	1.37%
D.	10 to 19 times	3	0.51%
E.	20 to 39 times	1	0.17%
F.	40 or more times	3	0.51%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>

Q-54. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	545	93.48%
B.	1 or 2 times	18	3.09%
C.	3 to 9 times	7	1.20%
D.	10 to 19 times	7	1.20%
E.	20 to 39 times	2	0.34%
F.	40 or more times	4	0.69%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-55. During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	568	98.10%
B.	1 or 2 times	4	0.69%
C.	3 to 9 times	2	0.35%
D.	10 to 19 times	1	0.17%
E.	20 to 39 times	0	0.00%
F.	40 or more times	4	0.69%
<b>TOTALS</b>		<b>579</b>	<b>100.00%</b>

Q-56. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	569	97.43%
B.	1 or 2 times	5	0.86%
C.	3 to 9 times	4	0.68%
D.	10 to 19 times	1	0.17%
E.	20 to 39 times	2	0.34%
F.	40 or more times	3	0.51%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>

Q-57. During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	565	96.75%
B.	1 or 2 times	10	1.71%
C.	3 to 9 times	4	0.68%
D.	10 to 19 times	2	0.34%
E.	20 to 39 times	0	0.00%
F.	40 or more times	3	0.51%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>

Q-58. During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

A.	0 times	539	92.45%
B.	1 or 2 times	26	4.46%
C.	3 to 9 times	12	2.06%
D.	10 to 19 times	3	0.51%
E.	20 to 39 times	0	0.00%
F.	40 or more times	3	0.51%
<b>TOTALS</b>		<b>583</b>	<b>100.00%</b>

Q-59. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
A.	0 times	572	97.95%
B.	1 or 2 times	5	0.86%
C.	3 to 9 times	2	0.34%
D.	10 to 19 times	3	0.51%
E.	20 to 39 times	0	0.00%
F.	40 or more times	2	0.34%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>
Q-60. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)			
A.	0 times	511	87.50%
B.	1 or 2 times	24	4.11%
C.	3 to 9 times	27	4.62%
D.	10 to 19 times	9	1.54%
E.	20 to 39 times	1	0.17%
F.	40 or more times	12	2.05%
<b>TOTALS</b>		<b>584</b>	<b>100.00%</b>
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	570	98.11%
B.	1 time	6	1.03%
C.	2 or more times	5	0.86%
<b>TOTALS</b>		<b>581</b>	<b>100.00%</b>
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	89	15.32%
B.	No	492	84.68%
<b>TOTALS</b>		<b>581</b>	<b>100.00%</b>
Q-63. Have you ever had sexual intercourse?			
A.	Yes	275	47.66%
B.	No	302	52.34%
<b>TOTALS</b>		<b>577</b>	<b>100.00%</b>
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	305	52.68%
B.	11 years old or younger	18	3.11%
C.	12 years old	11	1.90%
D.	13 years old	24	4.15%
E.	14 years old	52	8.98%
F.	15 years old	90	15.54%
G.	16 years old	62	10.71%
H.	17 years old or older	17	2.94%
<b>TOTALS</b>		<b>579</b>	<b>100.00%</b>

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	310	53.45%
B.	1 person	113	19.48%
C.	2 people	51	8.79%
D.	3 people	34	5.86%
E.	4 people	19	3.28%
F.	5 people	13	2.24%
G.	6 or more people	40	6.90%
<b>TOTALS</b>		<b>580</b>	<b>100.00%</b>

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	314	54.04%
B.	I have had sexual intercourse, but not during the past 3 months	78	13.43%
C.	1 person	152	26.16%
D.	2 people	23	3.96%
E.	3 people	6	1.03%
F.	4 people	2	0.34%
G.	5 people	0	0.00%
H.	6 or more people	6	1.03%
<b>TOTALS</b>		<b>581</b>	<b>100.00%</b>

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	297	51.56%
B.	Yes	59	10.24%
C.	No	220	38.19%
<b>TOTALS</b>		<b>576</b>	<b>100.00%</b>

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	307	52.84%
B.	Yes	166	28.57%
C.	No	108	18.59%
<b>TOTALS</b>		<b>581</b>	<b>100.00%</b>

Q-69. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse	309	53.37%
B.	No method was used to prevent pregnancy	26	4.49%
C.	Birth control pills	58	10.02%
D.	Condoms	127	21.93%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	7	1.21%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	17	2.94%
G.	Withdrawal or some other method	23	3.97%
H.	Not sure	12	2.07%
<b>TOTALS</b>		<b>579</b>	<b>100.00%</b>

Q-70. How do you describe your weight?			
A.	Very underweight	11	1.90%
B.	Slightly underweight	53	9.15%
C.	About the right weight	336	58.03%
D.	Slightly overweight	159	27.46%
E.	Very overweight	20	3.45%
<b>TOTALS</b>		<b>579</b>	<b>100.00%</b>

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	224	38.69%
B.	Gain weight	88	15.20%
C.	Stay the same weight	112	19.34%
D.	I am not trying to do anything about my weight	155	26.77%
<b>TOTALS</b>		<b>579</b>	<b>100.00%</b>

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	166	28.62%
B.	1 to 3 times during the past 7 days	258	44.48%
C.	4 to 6 times during the past 7 days	93	16.03%
D.	1 time per day	21	3.62%
E.	2 times per day	22	3.79%
F.	3 times per day	5	0.86%
G.	4 or more times per day	15	2.59%
<b>TOTALS</b>		<b>580</b>	<b>100.00%</b>

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	67	11.63%
B.	1 to 3 times during the past 7 days	223	38.72%
C.	4 to 6 times during the past 7 days	138	23.96%
D.	1 time per day	61	10.59%
E.	2 times per day	46	7.99%
F.	3 times per day	22	3.82%
G.	4 or more times per day	19	3.30%
<b>TOTALS</b>		<b>576</b>	<b>100.00%</b>

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	212	36.55%
B.	1 to 3 times during the past 7 days	263	45.34%
C.	4 to 6 times during the past 7 days	60	10.34%
D.	1 time per day	29	5.00%
E.	2 times per day	10	1.72%
F.	3 times per day	3	0.52%
G.	4 or more times per day	3	0.52%
<b>TOTALS</b>		<b>580</b>	<b>100.00%</b>

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	171	29.64%
B.	1 to 3 times during the past 7 days	284	49.22%
C.	4 to 6 times during the past 7 days	83	14.38%
D.	1 time per day	23	3.99%
E.	2 times per day	11	1.91%
F.	3 times per day	1	0.17%
G.	4 or more times per day	4	0.69%
<b>TOTALS</b>		<b>577</b>	<b>100.00%</b>

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	286	49.91%
B.	1 to 3 times during the past 7 days	211	36.82%
C.	4 to 6 times during the past 7 days	40	6.98%
D.	1 time per day	14	2.44%
E.	2 times per day	11	1.92%
F.	3 times per day	5	0.87%
G.	4 or more times per day	6	1.05%
<b>TOTALS</b>		<b>573</b>	<b>100.00%</b>

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	116	20.14%
B.	1 to 3 times during the past 7 days	247	42.88%
C.	4 to 6 times during the past 7 days	124	21.53%
D.	1 time per day	40	6.94%
E.	2 times per day	30	5.21%
F.	3 times per day	9	1.56%
G.	4 or more times per day	10	1.74%
<b>TOTALS</b>		<b>576</b>	<b>100.00%</b>

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	129	22.40%
B.	1 to 3 times during the past 7 days	256	44.44%
C.	4 to 6 times during the past 7 days	105	18.23%
D.	1 time per day	36	6.25%
E.	2 times per day	22	3.82%
F.	3 times per day	13	2.26%
G.	4 or more times per day	15	2.60%
<b>TOTALS</b>		<b>576</b>	<b>100.00%</b>



Q-79. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	93	16.20%
B.	1 to 3 glasses during the past 7 days	122	21.25%
C.	4 to 6 glasses during the past 7 days	110	19.16%
D.	1 glass per day	91	15.85%
E.	2 glasses per day	93	16.20%
F.	3 glasses per day	34	5.92%
G.	4 or more glasses per day	31	5.40%
<b>TOTALS</b>		<b>574</b>	<b>100.00%</b>

Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	436	75.69%
B.	1 to 3 times during the past 7 days	91	15.80%
C.	4 to 6 times during the past 7 days	23	3.99%
D.	1 time per day	14	2.43%
E.	2 times per day	7	1.22%
F.	3 times per day	2	0.35%
G.	4 or more times per day	3	0.52%
<b>TOTALS</b>		<b>576</b>	<b>100.00%</b>

Q-81. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	77	13.46%
B.	1 day	41	7.17%
C.	2 days	68	11.89%
D.	3 days	52	9.09%
E.	4 days	43	7.52%
F.	5 days	39	6.82%
G.	6 days	35	6.12%
H.	7 days	217	37.94%
<b>TOTALS</b>		<b>572</b>	<b>100.00%</b>

Q-82. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	54	9.52%
B.	1 day	20	3.53%
C.	2 days	50	8.82%
D.	3 days	44	7.76%
E.	4 days	51	8.99%
F.	5 days	85	14.99%
G.	6 days	75	13.23%
H.	7 days	188	33.16%
<b>TOTALS</b>		<b>567</b>	<b>100.00%</b>

Q-83. On an average school day, how many hours do you watch TV?			
A.	I do not watch TV on an average school day	113	19.86%
B.	Less than 1 hour per day	132	23.20%
C.	1 hour per day	112	19.68%
D.	2 hours per day	115	20.21%
E.	3 hours per day	62	10.90%
F.	4 hours per day	19	3.34%
G.	5 or more hours per day	16	2.81%
<b>TOTALS</b>		<b>569</b>	<b>100.00%</b>

Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)			
A.	I do not play video or computer games or use a computer for something that is not school work	104	18.21%
B.	Less than 1 hour per day	95	16.64%
C.	1 hour per day	81	14.19%
D.	2 hours per day	98	17.16%
E.	3 hours per day	71	12.43%
F.	4 hours per day	52	9.11%
G.	5 or more hours per day	70	12.26%
<b>TOTALS</b>		<b>571</b>	<b>100.00%</b>

Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	246	43.39%
B.	1 day	12	2.12%
C.	2 days	29	5.11%
D.	3 days	23	4.06%
E.	4 days	20	3.53%
F.	5 days	237	41.80%
<b>TOTALS</b>		<b>567</b>	<b>100.00%</b>

Q-86. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	171	29.90%
B.	1 team	113	19.76%
C.	2 teams	140	24.48%
D.	3 or more teams	148	25.87%
<b>TOTALS</b>		<b>572</b>	<b>100.00%</b>

Q-87. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	494	86.06%
B.	1 time	49	8.54%
C.	2 times	16	2.79%
D.	3 times	8	1.39%
E.	4 or more times	7	1.22%
<b>TOTALS</b>		<b>574</b>	<b>100.00%</b>

Q-88. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	431	75.48%
B.	Between 12 and 24 months ago	60	10.51%
C.	More than 24 months ago	20	3.50%
D.	Never	7	1.23%
E.	Not sure	53	9.28%
<b>TOTALS</b>		<b>571</b>	<b>100.00%</b>
Q-89. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	134	23.72%
B.	No	399	70.62%
C.	Not sure	32	5.66%
<b>TOTALS</b>		<b>565</b>	<b>100.00%</b>
Q-90. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	32	5.59%
B.	5 hours	33	5.77%
C.	6 hours	86	15.03%
D.	7 hours	202	35.31%
E.	8 hours	170	29.72%
F.	9 hours	42	7.34%
G.	10 or more hours	7	1.22%
<b>TOTALS</b>		<b>572</b>	<b>100.00%</b>
Q-91. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	545	95.28%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	11	1.92%
C.	In a shelter or emergency housing	1	0.17%
D.	In a motel or hotel	5	0.87%
E.	In a car, park, campground, or other public place	0	0.00%
F.	I do not have a usual place to sleep	4	0.70%
G.	Somewhere else	6	1.05%
<b>TOTALS</b>		<b>572</b>	<b>100.00%</b>
Q-92. During the past 12 months, how would you describe your grades in school?			
A.	Mostly A's	253	44.31%
B.	Mostly B's	205	35.90%
C.	Mostly C's	74	12.96%
D.	Mostly D's	18	3.15%
E.	Mostly F's	3	0.53%
F.	None of these grades	3	0.53%
G.	Not sure	15	2.63%
<b>TOTALS</b>		<b>571</b>	<b>100.00%</b>

Q-93. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)			
A.	0 times	531	92.67%
B.	1 or 2 times	17	2.97%
C.	3 to 9 times	11	1.92%
D.	10 to 19 times	7	1.22%
E.	20 to 39 times	4	0.70%
F.	40 or more times	3	0.52%
<b>TOTALS</b>		<b>573</b>	<b>100.00%</b>
Q-94. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?			
A.	Yes	85	15.02%
B.	No	481	84.98%
<b>TOTALS</b>		<b>566</b>	<b>100.00%</b>