

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION

The following frequency distributions are based upon surveys with 655 middle school American Indian students who live on or near a Reservation in Montana during February 2017. Frequency distributions may not total 655 due to nonresponses and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q -1 How old are you?			
A.	10 years old or younger	0	0.00%
B.	11 years old	4	0.61%
C.	12 years old	125	19.08%
D.	13 years old	294	44.89%
E.	14 years old	205	31.30%
F.	15 years old	27	4.12%
G.	16 years old or older	0	0.00%
TOTALS		655	100.00%
Q -2 What is your sex?			
A.	Female	322	49.24%
B.	Male	332	50.76%
TOTALS		654	100.00%
Q -3 In what grade are you?			
A.	7th grade	318	49.23%
B.	8th grade	328	50.77%
TOTALS		646	100.00%
Q -4 Are you Hispanic or Latino?			
A.	Yes	81	12.72%
B.	No	556	87.28%
TOTALS		637	100.00%
Q -5 What is your race? (Select one or more responses.)			
A.	American Indian or Alaskan Native	655	82.39%
B.	Asian	17	2.14%
C.	Black or African American	17	2.14%
D.	Native Hawaiian or Other Pacific Islander	6	0.75%
E.	White	100	12.58%
TOTALS		795	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -6 How often do you wear a seat belt when riding in a car driven by someone else?

A.	Never	29	4.48%
B.	Rarely	62	9.57%
C.	Sometimes	141	21.76%
D.	Most of the time	241	37.19%
E.	Always	175	27.01%
TOTALS		648	100.00%

Q -7 How often do you wear a seat belt when driving a car?

A.	I do not drive a car	315	48.46%
B.	Never	16	2.46%
C.	Rarely	30	4.62%
D.	Sometimes	47	7.23%
E.	Most of the time	82	12.62%
F.	Always	160	24.62%
TOTALS		650	100.00%

Q -8 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	502	78.44%
B.	1 time	48	7.50%
C.	2 or 3 times	42	6.56%
D.	4 or 5 times	9	1.41%
E.	6 or more times	39	6.09%
TOTALS		640	100.00%

Q -9 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	488	74.73%
B.	1 day	61	9.34%
C.	2 or 3 days	55	8.42%
D.	4 or 5 days	14	2.14%
E.	6 or more days	35	5.36%
TOTALS		653	100.00%

Q -10 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	627	95.87%
B.	1 day	10	1.53%
C.	2 or 3 days	6	0.92%
D.	4 or 5 days	1	0.15%
E.	6 or more days	10	1.53%
TOTALS		654	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -11 During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	577	88.23%
B.	1 day	19	2.91%
C.	2 or 3 days	20	3.06%
D.	4 or 5 days	13	1.99%
E.	6 or more days	25	3.82%
TOTALS		654	100.00%

Q -12 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	545	83.46%
B.	1 day	57	8.73%
C.	2 or 3 days	30	4.59%
D.	4 or 5 days	6	0.92%
E.	6 or more days	15	2.30%
TOTALS		653	100.00%

Q -13 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	598	92.14%
B.	1 time	28	4.31%
C.	2 or 3 times	14	2.16%
D.	4 or 5 times	3	0.46%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	1	0.15%
H.	12 or more times	5	0.77%
TOTALS		649	100.00%

Q -14 During the past 12 months, how many times were you in a physical fight?

A.	0 times	382	58.77%
B.	1 time	131	20.15%
C.	2 or 3 times	88	13.54%
D.	4 or 5 times	26	4.00%
E.	6 or 7 times	8	1.23%
F.	8 or 9 times	5	0.77%
G.	10 or 11 times	0	0.00%
H.	12 or more times	10	1.54%
TOTALS		650	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -15 During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	522	79.69%
B.	1 time	94	14.35%
C.	2 or 3 times	27	4.12%
D.	4 or 5 times	6	0.92%
E.	6 or 7 times	3	0.46%
F.	8 or 9 times	1	0.15%
G.	10 or 11 times	0	0.00%
H.	12 or more times	2	0.31%
TOTALS		655	100.00%

Q -16 Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	49	7.54%
B.	No	601	92.46%
TOTALS		650	100.00%

Q -17 During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	0 times	575	88.73%
B.	1 time	44	6.79%
C.	2 or 3 times	17	2.62%
D.	4 or 5 times	3	0.46%
E.	6 or more times	9	1.39%
TOTALS		648	100.00%

Q -18 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	I did not date or go out with anyone during the past 12 months	280	43.08%
B.	0 times	310	47.69%
C.	1 time	37	5.69%
D.	2 or 3 times	16	2.46%
E.	4 or 5 times	1	0.15%
F.	6 or more times	6	0.92%
TOTALS		650	100.00%

Q -19 During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A.	I did not date or go out with anyone during the past 12 months	277	42.62%
B.	0 times	345	53.08%
C.	1 time	18	2.77%
D.	2 or 3 times	6	0.92%
E.	4 or 5 times	1	0.15%
F.	6 or more times	3	0.46%
TOTALS		650	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -20 During the past 12 months, have you ever been bullied on school property?

A.	Yes	266	41.18%
B.	No	380	58.82%
TOTALS		646	100.00%

Q -21 During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

A.	Yes	154	23.73%
B.	No	495	76.27%
TOTALS		649	100.00%

Q -22 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

A.	Yes	125	19.26%
B.	No	524	80.74%
TOTALS		649	100.00%

Q -23 During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A.	Yes	222	35.02%
B.	No	412	64.98%
TOTALS		634	100.00%

Q -24 During the past 12 months, did you ever seriously consider attempting suicide?

A.	Yes	163	25.23%
B.	No	483	74.77%
TOTALS		646	100.00%

Q -25 During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	121	18.73%
B.	No	525	81.27%
TOTALS		646	100.00%

Q -26 During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	500	77.28%
B.	1 time	98	15.15%
C.	2 or 3 times	36	5.56%
D.	4 or 5 times	7	1.08%
E.	6 or more times	6	0.93%
TOTALS		647	100.00%

Q -27 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	472	72.95%
B.	Yes	52	8.04%
C.	No	123	19.01%
TOTALS		647	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -28 Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	252	39.01%
B.	No	394	60.99%
TOTALS		646	100.00%

Q -29 How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	398	61.80%
B.	8 years old or younger	60	9.32%
C.	9 or 10 years old	67	10.40%
D.	11 or 12 years old	88	13.66%
E.	13 or 14 years old	30	4.66%
F.	15 or 16 years old	1	0.16%
G.	17 years old or older	0	0.00%
TOTALS		644	100.00%

Q -30 During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	567	87.64%
B.	1 or 2 days	36	5.56%
C.	3 to 5 days	18	2.78%
D.	6 to 9 days	8	1.24%
E.	10 to 19 days	12	1.85%
F.	20 to 29 days	1	0.15%
G.	All 30 days	5	0.77%
TOTALS		647	100.00%

Q -31 During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	562	87.13%
B.	Less than 1 cigarette per day	30	4.65%
C.	1 cigarette per day	22	3.41%
D.	2 to 5 cigarettes per day	29	4.50%
E.	6 to 10 cigarettes per day	1	0.16%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	1	0.16%
TOTALS		645	100.00%

Q -32 During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	521	81.41%
B.	Yes	84	13.13%
C.	No	35	5.47%
TOTALS		640	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -33 Have you ever used an electronic vapor product?

A.	Yes	180	27.82%
B.	No	467	72.18%
TOTALS		647	100.00%

Q -34 During the past 30 days, on how many days did you use an electronic vapor product?

A.	0 days	571	88.39%
B.	1 or 2 days	52	8.05%
C.	3 to 5 days	10	1.55%
D.	6 to 9 days	6	0.93%
E.	10 to 19 days	4	0.62%
F.	20 to 29 days	1	0.15%
G.	All 30 days	2	0.31%
TOTALS		646	100.00%

Q -35 During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

A.	I did not use any electronic vapor products during the past 30 days	554	87.52%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	5	0.79%
C.	I got them on the Internet	7	1.11%
D.	I gave someone else money to buy them for me	9	1.42%
E.	I borrowed them from someone else	28	4.42%
F.	A person 18 years old or older gave them to me	2	0.32%
G.	I took them from a store or another person	2	0.32%
H.	I got them some other way	26	4.11%
TOTALS		633	100.00%

Q -36 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)

A.	0 days	574	88.99%
B.	1 or 2 days	37	5.74%
C.	3 to 5 days	17	2.64%
D.	6 to 9 days	6	0.93%
E.	10 to 19 days	6	0.93%
F.	20 to 29 days	2	0.31%
G.	All 30 days	3	0.47%
TOTALS		645	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -37 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco productions such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs on school property? (Do not count any electronic vapor products.)

A.	0 days	593	91.94%
B.	1 or 2 days	33	5.12%
C.	3 to 5 days	9	1.40%
D.	6 to 9 days	6	0.93%
E.	10 to 19 days	2	0.31%
F.	20 to 29 days	1	0.16%
G.	All 30 days	1	0.16%
TOTALS		645	100.00%

Q -38 During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	597	93.28%
B.	1 or 2 days	29	4.53%
C.	3 to 5 days	4	0.63%
D.	6 to 9 days	4	0.63%
E.	10 to 19 days	3	0.47%
F.	20 to 29 days	1	0.16%
G.	All 30 days	2	0.31%
TOTALS		640	100.00%

Q -39 During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	387	59.91%
B.	1 or 2 days	132	20.43%
C.	3 to 9 days	60	9.29%
D.	10 to 19 days	31	4.80%
E.	20 to 39 days	16	2.48%
F.	40 to 99 days	11	1.70%
G.	100 or more days	9	1.39%
TOTALS		646	100.00%

Q -40 How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	389	61.07%
B.	8 years old or younger	47	7.38%
C.	9 or 10 years old	44	6.91%
D.	11 or 12 years old	96	15.07%
E.	13 or 14 years old	59	9.26%
F.	15 or 16 years old	2	0.31%
G.	17 years old or older	0	0.00%
TOTALS		637	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -41 During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	533	83.28%
B.	1 or 2 days	68	10.63%
C.	3 to 5 days	22	3.44%
D.	6 to 9 days	10	1.56%
E.	10 to 19 days	2	0.31%
F.	20 to 29 days	3	0.47%
G.	All 30 days	2	0.31%
TOTALS		640	100.00%

Q -42 During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	519	80.84%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	2	0.31%
C.	I bought it at a restaurant, bar, or club	1	0.16%
D.	I bought it at a public event such as a concert or sporting event	1	0.16%
E.	I gave someone else money to buy it for me	30	4.67%
F.	Someone gave it to me	40	6.23%
G.	I took it from a store or family member	21	3.27%
H.	I got it some other way	28	4.36%
TOTALS		642	100.00%

Q -43 During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?

A.	0 days	555	86.18%
B.	1 day	43	6.68%
C.	2 days	24	3.73%
D.	3 to 5 days	15	2.33%
E.	6 to 9 days	3	0.47%
F.	10 to 19 days	2	0.31%
G.	20 or more days	2	0.31%
TOTALS		644	100.00%

Q -44 During your life, how many times have you used marijuana?

A.	0 times	405	63.68%
B.	1 or 2 times	59	9.28%
C.	3 to 9 times	41	6.45%
D.	10 to 19 times	24	3.77%
E.	20 to 39 times	25	3.93%
F.	40 to 99 times	25	3.93%
G.	100 or more times	57	8.96%
TOTALS		636	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -45 How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	410	63.86%
B.	8 years old or younger	44	6.85%
C.	9 or 10 years old	52	8.10%
D.	11 or 12 years old	100	15.58%
E.	13 or 14 years old	33	5.14%
F.	15 or 16 years old	3	0.47%
G.	17 years old or older	0	0.00%
TOTALS		642	100.00%

Q -46 During the past 30 days, how many times did you use marijuana?

A.	0 times	492	77.00%
B.	1 or 2 times	44	6.89%
C.	3 to 9 times	39	6.10%
D.	10 to 19 times	24	3.76%
E.	20 to 39 times	17	2.66%
F.	40 or more times	23	3.60%
TOTALS		639	100.00%

Q -47 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	624	98.89%
B.	1 or 2 times	6	0.95%
C.	3 to 9 times	1	0.16%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	0	0.00%
TOTALS		631	100.00%

Q -48 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	580	90.20%
B.	1 or 2 times	33	5.13%
C.	3 to 9 times	11	1.71%
D.	10 to 19 times	12	1.87%
E.	20 to 39 times	1	0.16%
F.	40 or more times	6	0.93%
TOTALS		643	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -49 During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	638	99.22%
B.	1 or 2 times	3	0.47%
C.	3 to 9 times	1	0.16%
D.	10 to 19 times	1	0.16%
E.	20 to 39 times	0	0.00%
F.	40 or more times	0	0.00%
TOTALS		643	100.00%

Q -50 During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	639	99.53%
B.	1 or 2 times	1	0.16%
C.	3 to 9 times	2	0.31%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	0	0.00%
TOTALS		642	100.00%

Q -51 During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	632	98.44%
B.	1 or 2 times	8	1.25%
C.	3 to 9 times	1	0.16%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	1	0.16%
TOTALS		642	100.00%

Q -52 During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

A.	0 times	570	88.79%
B.	1 or 2 times	47	7.32%
C.	3 to 9 times	12	1.87%
D.	10 to 19 times	6	0.93%
E.	20 to 39 times	3	0.47%
F.	40 or more times	4	0.62%
TOTALS		642	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -53 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	618	96.87%
B.	1 or 2 times	12	1.88%
C.	3 to 9 times	5	0.78%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	1	0.16%
F.	40 or more times	2	0.31%
TOTALS		638	100.00%

Q -54 During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)

A.	0 times	579	90.47%
B.	1 or 2 times	35	5.47%
C.	3 to 9 times	18	2.81%
D.	10 to 19 times	7	1.09%
E.	20 to 39 times	1	0.16%
F.	40 or more times	0	0.00%
TOTALS		640	100.00%

Q -55 During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	630	98.75%
B.	1 time	7	1.10%
C.	2 or more times	1	0.16%
TOTALS		638	100.00%

Q -56 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	126	19.81%
B.	No	510	80.19%
TOTALS		636	100.00%

Q -57 Have you ever had sexual intercourse?

A.	Yes	129	20.31%
B.	No	506	79.69%
TOTALS		635	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -58 How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	517	81.29%
B.	11 years old or younger	29	4.56%
C.	12 years old	28	4.40%
D.	13 years old	37	5.82%
E.	14 years old	22	3.46%
F.	15 years old	3	0.47%
G.	16 years old	0	0.00%
H.	17 years old or older	0	0.00%
TOTALS		636	100.00%

Q -59 During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	521	82.70%
B.	1 person	63	10.00%
C.	2 people	26	4.13%
D.	3 people	7	1.11%
E.	4 people	3	0.48%
F.	5 people	2	0.32%
G.	6 or more people	8	1.27%
TOTALS		630	100.00%

Q -60 During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	527	82.86%
B.	I have had sexual intercourse, but not during the past 3 months	51	8.02%
C.	1 person	40	6.29%
D.	2 people	9	1.42%
E.	3 people	1	0.16%
F.	4 people	1	0.16%
G.	5 people	4	0.63%
H.	6 or more people	3	0.47%
TOTALS		636	100.00%

Q -61 Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	504	79.87%
B.	Yes	35	5.55%
C.	No	92	14.58%
TOTALS		631	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -62 The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	513	81.30%
B.	Yes	71	11.25%
C.	No	47	7.45%
TOTALS		631	100.00%

Q -63 How do you describe your weight?

A.	Very underweight	25	3.99%
B.	Slightly underweight	80	12.78%
C.	About the right weight	310	49.52%
D.	Slightly overweight	183	29.23%
E.	Very overweight	28	4.47%
TOTALS		626	100.00%

Q -64 Which of the following are you trying to do about your weight?

A.	Lose weight	329	52.47%
B.	Gain weight	58	9.25%
C.	Stay the same weight	119	18.98%
D.	I am not trying to do anything about my weight	121	19.30%
TOTALS		627	100.00%

Q -65 During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A.	I did not drink 100% fruit juice during the past 7 days	145	23.46%
B.	1 to 3 times during the past 7 days	215	34.79%
C.	4 to 6 times during the past 7 days	127	20.55%
D.	1 time per day	42	6.80%
E.	2 times per day	29	4.69%
F.	3 times per day	21	3.40%
G.	4 or more times per day	39	6.31%
TOTALS		618	100.00%

Q -66 During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A.	I did not eat fruit during the past 7 days	69	10.99%
B.	1 to 3 times during the past 7 days	210	33.44%
C.	4 to 6 times during the past 7 days	160	25.48%
D.	1 time per day	47	7.48%
E.	2 times per day	59	9.39%
F.	3 times per day	38	6.05%
G.	4 or more times per day	45	7.17%
TOTALS		628	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -67 During the past 7 days, how many times did you eat green salad?

A.	I did not eat green salad during the past 7 days	243	39.07%
B.	1 to 3 times during the past 7 days	217	34.89%
C.	4 to 6 times during the past 7 days	85	13.67%
D.	1 time per day	41	6.59%
E.	2 times per day	14	2.25%
F.	3 times per day	7	1.13%
G.	4 or more times per day	15	2.41%
TOTALS		622	100.00%

Q -68 During the past 7 days, how many times did you potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A.	I did not eat potatoes during the past 7 days	229	37.12%
B.	1 to 3 times during the past 7 days	284	46.03%
C.	4 to 6 times during the past 7 days	55	8.91%
D.	1 time per day	16	2.59%
E.	2 times per day	18	2.92%
F.	3 times per day	7	1.13%
G.	4 or more times per day	8	1.30%
TOTALS		617	100.00%

Q -69 During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	271	43.36%
B.	1 to 3 times during the past 7 days	237	37.92%
C.	4 to 6 times during the past 7 days	52	8.32%
D.	1 time per day	19	3.04%
E.	2 times per day	17	2.72%
F.	3 times per day	8	1.28%
G.	4 or more times per day	21	3.36%
TOTALS		625	100.00%

Q -70 During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days.	160	25.81%
B.	1 to 3 times during the past 7 days	235	37.90%
C.	4 to 6 times during the past 7 days	106	17.10%
D.	1 time per day	40	6.45%
E.	2 times per day	33	5.32%
F.	3 times per day	16	2.58%
G.	4 or more times per day	30	4.84%
TOTALS		620	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -71 During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	121	19.52%
B.	1 to 3 times during the past 7 days	264	42.58%
C.	4 to 6 times during the past 7 days	119	19.19%
D.	1 time per day	40	6.45%
E.	2 times per day	28	4.52%
F.	3 times per day	21	3.39%
G.	4 or more times per day	27	4.35%
TOTALS		620	100.00%

Q -72 During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	93	15.20%
B.	1 to 3 glasses during the past 7 days	199	32.52%
C.	4 to 6 glasses during the past 7 days	120	19.61%
D.	1 glass per day	63	10.29%
E.	2 glasses per day	69	11.27%
F.	3 glasses per day	32	5.23%
G.	4 or more glasses per day	36	5.88%
TOTALS		612	100.00%

Q -73 During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	423	69.23%
B.	1 to 3 times during the past 7 days	123	20.13%
C.	4 to 6 times during the past 7 days	26	4.26%
D.	1 time per day	18	2.95%
E.	2 times per day	8	1.31%
F.	3 times per day	3	0.49%
G.	4 or more times per day	10	1.64%
TOTALS		611	100.00%

Q -74 During the past 7 days, on how many days did you eat breakfast?

A.	0 days	45	7.41%
B.	1 day	45	7.41%
C.	2 days	53	8.73%
D.	3 days	65	10.71%
E.	4 days	52	8.57%
F.	5 days	57	9.39%
G.	6 days	45	7.41%
H.	7 days	245	40.36%
TOTALS		607	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -75 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	79	12.87%
B.	1 day	47	7.65%
C.	2 days	61	9.93%
D.	3 days	84	13.68%
E.	4 days	65	10.59%
F.	5 days	65	10.59%
G.	6 days	38	6.19%
H.	7 days	175	28.50%
TOTALS		614	100.00%

Q -76 On an average school day, how many hours do you watch TV?

A.	I do not watch TV on an average school day	96	15.87%
B.	Less than 1 hour per day	143	23.64%
C.	1 hour per day	98	16.20%
D.	2 hours per day	115	19.01%
E.	3 hours per day	80	13.22%
F.	4 hours per day	38	6.28%
G.	5 or more hours per day	35	5.79%
TOTALS		605	100.00%

Q -77 On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)

A.	I do not play video or computer games or use a computer for something that is not school work	96	15.71%
B.	Less than 1 hour per day	87	14.24%
C.	1 hour per day	75	12.27%
D.	2 hours per day	91	14.89%
E.	3 hours per day	77	12.60%
F.	4 hours per day	63	10.31%
G.	5 or more hours per day	122	19.97%
TOTALS		611	100.00%

Q -78 In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	104	17.08%
B.	1 day	21	3.45%
C.	2 days	130	21.35%
D.	3 days	59	9.69%
E.	4 days	34	5.58%
F.	5 days	261	42.86%
TOTALS		609	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -79 During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	182	30.28%
B.	1 team	144	23.96%
C.	2 teams	137	22.80%
D.	3 or more teams	138	22.96%
TOTALS		601	100.00%

Q -80 During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

A.	0 times	461	77.09%
B.	1 time	69	11.54%
C.	2 times	25	4.18%
D.	3 times	18	3.01%
E.	4 or more time	25	4.18%
TOTALS		598	100.00%

Q -81 When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

A.	During the past 12 months	361	59.28%
B.	Between 12 and 24 months ago	68	11.17%
C.	More than 24 months ago	22	3.61%
D.	Never	10	1.64%
E.	Not sure	148	24.30%
TOTALS		609	100.00%

Q -82 Has a doctor or nurse ever told you that you have asthma?

A.	Yes	104	17.36%
B.	No	423	70.62%
C.	Not sure	72	12.02%
TOTALS		599	100.00%

Q -83 On an average school night, how many hours of sleep do you get?

A.	4 or less hours	47	7.89%
B.	5 hours	56	9.40%
C.	6 hours	82	13.76%
D.	7 hours	118	19.80%
E.	8 hours	154	25.84%
F.	9 hours	97	16.28%
G.	10 or more hours	42	7.05%
TOTALS		596	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -84 During the past 30 days, where did you usually sleep?

A.	In my parent's or guardian's home	567	94.03%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	14	2.32%
C.	In a shelter or emergency housing	5	0.83%
D.	In a motel or hotel	3	0.50%
E.	In a car, park, campground, or other public place	4	0.66%
F.	I do not have a usual place to sleep	6	1.00%
G.	Somewhere else	4	0.66%
TOTALS		603	100.00%

Q -85 During the past 12 months, how would you describe your grades in school?

A.	Mostly A's	181	30.32%
B.	Mostly B's	187	31.32%
C.	Mostly C's	106	17.76%
D.	Mostly D's	35	5.86%
E.	Mostly F's	27	4.52%
F.	None of these grades	7	1.17%
G.	Not sure	54	9.05%
TOTALS		597	100.00%

Q -86 During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A.	Yes	167	28.26%
B.	No	424	71.74%
TOTALS		591	100.00%