

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOL

The following frequency distributions are based upon surveys with 635 high school American Indian students in urban schools in Montana during February 2017. Frequency distributions may not total 635 due to nonresponses and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q -1 How old are you?			
A.	12 years old or younger	10	1.58%
B.	13 years old	3	0.47%
C.	14 years old	77	12.15%
D.	15 years old	173	27.29%
E.	16 years old	158	24.92%
F.	17 years old	146	23.03%
G.	18 years old or older	67	10.57%
	TOTALS	634	100.00%
Q -2 What is your sex?			
A.	Female	331	52.54%
B.	Male	299	47.46%
	TOTALS	630	100.00%
Q -3 In what grade are you?			
A.	9th grade	207	33.01%
B.	10th grade	150	23.92%
C.	11th grade	151	24.08%
D.	12th grade	115	18.34%
E.	Ungraded or other grade	4	0.64%
	TOTALS	627	100.00%
Q -4 Are you Hispanic or Latino?			
A.	Yes	111	17.76%
B.	No	514	82.24%
	TOTALS	625	100.00%
Q -5 What is your race?			
A.	American Indian or Alaskan Native	635	62.62%
B.	Asian	27	2.66%
C.	Black or African American	34	3.35%
D.	Native Hawaiian or Other Pacific Islander	26	2.56%
E.	White	292	28.80%
	TOTALS	1,014	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -6 How tall are you without your shoes on?

A.	Less than 4 ft	1	0.17%
B.	4ft to 4 ft, 6 in	0	0.00%
C.	4ft, 7in to 5 ft	12	1.99%
D.	5ft, 1in to 5ft, 6in	263	43.62%
E.	Over 5ft, 6in	327	54.23%
TOTALS		603	100.00%

Q -7 How much do you weigh without your shoes on?

A.	Less than 90 lbs	1	0.16%
B.	90-99 lbs	6	0.96%
C.	100-109 lbs	18	2.89%
D.	110-119lbs	43	6.91%
E.	120-129 lbs	74	11.90%
F.	130-139 lbs	74	11.90%
G.	140 lbs +	406	65.27%
TOTALS		622	100.00%

Q -8 How often do you wear a seat belt when riding in a car driven by someone else?

A.	Never	34	5.42%
B.	Rarely	38	6.06%
C.	Sometimes	102	16.27%
D.	Most of the time	207	33.01%
E.	Always	246	39.23%
TOTALS		627	100.00%

Q -9 How often do you wear a seat belt when driving a car?

A.	I do not drive a car	140	22.40%
B.	Never	17	2.72%
C.	Rarely	27	4.32%
D.	Sometimes	50	8.00%
E.	Most of the time	90	14.40%
F.	Always	301	48.16%
TOTALS		625	100.00%

Q -10 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	477	76.57%
B.	1 time	58	9.31%
C.	2 or 3 times	47	7.54%
D.	4 or 5 times	11	1.77%
E.	6 or more times	30	4.82%
TOTALS		623	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -11 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

A.	I did not drive a car or other vehicle during the past 30 days	191	30.17%
B.	0 times	391	61.77%
C.	1 time	21	3.32%
D.	2 or 3 times	10	1.58%
E.	4 or 5 times	7	1.11%
F.	6 or more times	13	2.05%
TOTALS		633	100.00%

Q -12 During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	180	28.35%
B.	0 days	229	36.06%
C.	1 or 2 days	78	12.28%
D.	3 to 5 days	33	5.20%
E.	6 to 9 days	33	5.20%
F.	10 to 19 days	22	3.46%
G.	20 to 29 days	19	2.99%
H.	All 30 days	41	6.46%
TOTALS		635	100.00%

Q -13 During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	186	29.43%
B.	0 days	248	39.24%
C.	1 or 2 days	83	13.13%
D.	3 to 5 days	27	4.27%
E.	6 to 9 days	40	6.33%
F.	10 to 19 days	27	4.27%
G.	20 to 29 days	9	1.42%
H.	All 30 days	12	1.90%
TOTALS		632	100.00%

Q -14 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	432	68.14%
B.	1 day	39	6.15%
C.	2 or 3 days	47	7.41%
D.	4 or 5 days	20	3.15%
E.	6 or more days	96	15.14%
TOTALS		634	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -15 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	546	85.98%
B.	1 day	10	1.57%
C.	2 or 3 days	20	3.15%
D.	4 or 5 days	7	1.10%
E.	6 or more days	52	8.19%
TOTALS		635	100.00%

Q -16 During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	556	88.11%
B.	1 day	20	3.17%
C.	2 or 3 days	15	2.38%
D.	4 or 5 days	9	1.43%
E.	6 or more days	31	4.91%
TOTALS		631	100.00%

Q -17 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	581	91.79%
B.	1 day	23	3.63%
C.	2 or 3 days	19	3.00%
D.	4 or 5 days	7	1.11%
E.	6 or more days	3	0.47%
TOTALS		633	100.00%

Q -18 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	568	89.73%
B.	1 time	28	4.42%
C.	2 or 3 times	17	2.69%
D.	4 or 5 times	8	1.26%
E.	6 or 7 times	3	0.47%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	1	0.16%
H.	12 or more times	8	1.26%
TOTALS		633	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -19 During the past 12 months, how many times were you in a physical fight?

A.	0 times	427	67.78%
B.	1 time	80	12.70%
C.	2 or 3 times	62	9.84%
D.	4 or 5 times	28	4.44%
E.	6 or 7 times	9	1.43%
F.	8 or 9 times	6	0.95%
G.	10 or 11 times	4	0.63%
H.	12 or more times	14	2.22%
TOTALS		630	100.00%

Q -20 During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	554	87.52%
B.	1 time	38	6.00%
C.	2 or 3 times	21	3.32%
D.	4 or 5 times	9	1.42%
E.	6 or 7 times	3	0.47%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	2	0.32%
H.	12 or more times	6	0.95%
TOTALS		633	100.00%

Q -21 Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	92	14.63%
B.	No	537	85.37%
TOTALS		629	100.00%

Q -22 During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	0 times	540	86.26%
B.	1 time	37	5.91%
C.	2 or 3 times	31	4.95%
D.	4 or 5 times	6	0.96%
E.	6 or more times	12	1.92%
TOTALS		626	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -23 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	I did not date or go out with anyone during the past 12 months	214	33.81%
B.	0 times	368	58.14%
C.	1 time	16	2.53%
D.	2 or 3 times	17	2.69%
E.	4 or 5 times	5	0.79%
F.	6 or more times	13	2.05%
TOTALS		633	100.00%

Q -24 During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A.	I did not date or go out with anyone during the past 12 months	201	31.80%
B.	0 times	379	59.97%
C.	1 time	20	3.16%
D.	2 or 3 times	15	2.37%
E.	4 or 5 times	5	0.79%
F.	6 or more times	12	1.90%
TOTALS		632	100.00%

Q -25 During the past 12 months, have you ever been bullied on school property?

A.	Yes	181	29.43%
B.	No	434	70.57%
TOTALS		615	100.00%

Q -26 During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

A.	Yes	151	24.01%
B.	No	478	75.99%
TOTALS		629	100.00%

Q -27 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

A.	Yes	114	18.12%
B.	No	515	81.88%
TOTALS		629	100.00%

Q -28 During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A.	Yes	242	39.35%
B.	No	373	60.65%
TOTALS		615	100.00%

Q -29 During the past 12 months, did you ever seriously consider attempting suicide?

A.	Yes	192	30.57%
B.	No	436	69.43%
TOTALS		628	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -30 During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	174	27.71%
B.	No	454	72.29%
TOTALS		628	100.00%

Q -31 During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	487	77.18%
B.	1 time	93	14.74%
C.	2 or 3 times	36	5.71%
D.	4 or 5 times	8	1.27%
E.	6 or more times	7	1.11%
TOTALS		631	100.00%

Q -32 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	484	76.83%
B.	Yes	44	6.98%
C.	No	102	16.19%
TOTALS		630	100.00%

Q -33 Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	305	48.57%
B.	No	323	51.43%
TOTALS		628	100.00%

Q -34 How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs.	328	51.82%
B.	8 years old or younger	45	7.11%
C.	9 or 10 years old	34	5.37%
D.	11 or 12 years old	49	7.74%
E.	13 or 14 years old	87	13.74%
F.	15 or 16 years old	73	11.53%
G.	17 years old or older	17	2.69%
TOTALS		633	100.00%

Q -35 During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	518	81.57%
B.	1 or 2 days	41	6.46%
C.	3 to 5 days	19	2.99%
D.	6 to 9 days	11	1.73%
E.	10 to 19 days	10	1.57%
F.	20 to 29 days	10	1.57%
G.	All 30 days	26	4.09%
TOTALS		635	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -36 During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	510	80.31%
B.	Less than 1 cigarette per day	36	5.67%
C.	1 cigarette per day	24	3.78%
D.	2 to 5 cigarettes per day	45	7.09%
E.	6 to 10 cigarettes per day	9	1.42%
F.	11 to 20 cigarettes per day	4	0.63%
G.	More than 20 cigarettes per day	7	1.10%
TOTALS		635	100.00%

Q -37 During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	473	75.32%
B.	Yes	95	15.13%
C.	No	60	9.55%
TOTALS		628	100.00%

Q -38 Have you ever used an electronic vapor product?

A.	Yes	342	54.63%
B.	No	284	45.37%
TOTALS		626	100.00%

Q -39 During the past 30 days, on how many days did you use an electronic vapor product?

A.	0 days	455	71.88%
B.	1 or 2 days	67	10.58%
C.	3 to 5 days	35	5.53%
D.	6 to 9 days	26	4.11%
E.	10 to 19 days	18	2.84%
F.	20 to 29 days	11	1.74%
G.	All 30 days	21	3.32%
TOTALS		633	100.00%

Q -40 During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

A.	I did not use any electronic vapor products during the past 30 days	439	69.90%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	28	4.46%
C.	I got them on the Internet	11	1.75%
D.	I gave someone else money to buy them for me	19	3.03%
E.	I borrowed them from someone else	77	12.26%
F.	A person 18 years old or older gave them to me	18	2.87%
G.	I took them from a store or another person	5	0.80%
H.	I got them some other way	31	4.94%
TOTALS		628	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -41 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs? (Do not count any electronic vapor products.)

A.	0 days	551	87.32%
B.	1 or 2 days	25	3.96%
C.	3 to 5 days	9	1.43%
D.	6 to 9 days	8	1.27%
E.	10 to 19 days	8	1.27%
F.	20 to 29 days	2	0.32%
G.	All 30 days	28	4.44%
TOTALS		631	100.00%

Q -42 During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs, on school property? (Do not count any electronic vapor products.)

A.	0 days	574	90.82%
B.	1 or 2 days	16	2.53%
C.	3 to 5 days	11	1.74%
D.	6 to 9 days	3	0.47%
E.	10 to 19 days	6	0.95%
F.	20 to 29 days	1	0.16%
G.	All 30 days	21	3.32%
TOTALS		632	100.00%

Q -43 During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	543	86.19%
B.	1 or 2 days	41	6.51%
C.	3 to 5 days	19	3.02%
D.	6 to 9 days	11	1.75%
E.	10 to 19 days	7	1.11%
F.	20 to 29 days	4	0.63%
G.	All 30 days	5	0.79%
TOTALS		630	100.00%

Q -44 During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	212	33.54%
B.	1 or 2 days	95	15.03%
C.	3 to 9 days	114	18.04%
D.	10 to 19 days	48	7.59%
E.	20 to 39 days	49	7.75%
F.	40 to 99 days	51	8.07%
G.	100 or more days	63	9.97%
TOTALS		632	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -45 How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	197	31.57%
B.	8 years old or younger	61	9.78%
C.	9 or 10 years old	41	6.57%
D.	11 or 12 years old	60	9.62%
E.	13 or 14 years old	137	21.96%
F.	15 or 16 years old	108	17.31%
G.	17 years old or older	20	3.21%
TOTALS		624	100.00%

Q -46 During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	424	67.09%
B.	1 or 2 days	83	13.13%
C.	3 to 5 days	42	6.65%
D.	6 to 9 days	38	6.01%
E.	10 to 19 days	27	4.27%
F.	20 to 29 days	7	1.11%
G.	All 30 days	11	1.74%
TOTALS		632	100.00%

Q -47 During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	413	65.24%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	13	2.05%
C.	I bought it at a restaurant, bar, or club	3	0.47%
D.	I bought it at a public event such as a concert or sporting event	4	0.63%
E.	I gave someone else money to buy it for me	50	7.90%
F.	Someone gave it to me	95	15.01%
G.	I took it from a store or family member	17	2.69%
H.	I got it some other way	38	6.00%
TOTALS		633	100.00%

Q -48 During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?

A.	0 days	480	76.43%
B.	1 day	35	5.57%
C.	2 days	31	4.94%
D.	3 to 5 days	39	6.21%
E.	6 to 9 days	25	3.98%
F.	10 to 19 days	7	1.11%
G.	20 or more days	11	1.75%
TOTALS		628	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -49 During the past 30 days, what is the largest number of alcoholic drinks you had in a row?

A.	I did not drink alcohol during the past 30 days	420	66.99%
B.	1 or 2 drinks	58	9.25%
C.	3 drinks	14	2.23%
D.	4 drinks	25	3.99%
E.	5 drinks	19	3.03%
F.	6 or 7 drinks	33	5.26%
G.	8 or 9 drinks	13	2.07%
H.	10 or more drinks	45	7.18%
TOTALS		627	100.00%

Q -50 During your life, how many times have you used marijuana?

A.	0 times	343	54.62%
B.	1 or 2 times	61	9.71%
C.	3 to 9 times	52	8.28%
D.	10 to 19 times	27	4.30%
E.	20 to 39 times	26	4.14%
F.	40 to 99 times	37	5.89%
G.	100 or more times	82	13.06%
TOTALS		628	100.00%

Q -51 How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	342	54.37%
B.	8 years old or younger	20	3.18%
C.	9 or 10 years old	18	2.86%
D.	11 or 12 years old	55	8.74%
E.	13 or 14 years old	97	15.42%
F.	15 or 16 years old	84	13.35%
G.	17 years old or older	13	2.07%
TOTALS		629	100.00%

Q -52 During the past 30 days, how many times did you use marijuana?

A.	0 times	460	73.25%
B.	1 or 2 times	48	7.64%
C.	3 to 9 times	41	6.53%
D.	10 to 19 times	28	4.46%
E.	20 to 39 times	13	2.07%
F.	40 or more times	38	6.05%
TOTALS		628	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -53 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	579	91.61%
B.	1 or 2 times	25	3.96%
C.	3 to 9 times	8	1.27%
D.	10 to 19 times	3	0.47%
E.	20 to 39 times	5	0.79%
F.	40 or more times	12	1.90%
TOTALS		632	100.00%

Q -54 During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	555	88.24%
B.	1 or 2 times	36	5.72%
C.	3 to 9 times	18	2.86%
D.	10 to 19 times	9	1.43%
E.	20 to 39 times	4	0.64%
F.	40 or more times	7	1.11%
TOTALS		629	100.00%

Q -55 During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	605	96.65%
B.	1 or 2 times	8	1.28%
C.	3 to 9 times	3	0.48%
D.	10 to 19 times	1	0.16%
E.	20 to 39 times	2	0.32%
F.	40 or more times	7	1.12%
TOTALS		626	100.00%

Q -56 During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	601	95.25%
B.	1 or 2 times	12	1.90%
C.	3 to 9 times	8	1.27%
D.	10 to 19 times	3	0.48%
E.	20 to 39 times	0	0.00%
F.	40 or more times	7	1.11%
TOTALS		631	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -57 During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	584	92.55%
B.	1 or 2 times	30	4.75%
C.	3 to 9 times	6	0.95%
D.	10 to 19 times	2	0.32%
E.	20 to 39 times	3	0.48%
F.	40 or more times	6	0.95%
TOTALS		631	100.00%

Q -58 During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

A.	0 times	551	87.46%
B.	1 or 2 times	42	6.67%
C.	3 to 9 times	19	3.02%
D.	10 to 19 times	7	1.11%
E.	20 to 39 times	4	0.63%
F.	40 or more times	7	1.11%
TOTALS		630	100.00%

Q -59 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	602	95.25%
B.	1 or 2 times	13	2.06%
C.	3 to 9 times	7	1.11%
D.	10 to 19 times	2	0.32%
E.	20 to 39 times	2	0.32%
F.	40 or more times	6	0.95%
TOTALS		632	100.00%

Q -60 During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it? (Count drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet.)

A.	0 times	512	81.53%
B.	1 or 2 times	46	7.32%
C.	3 to 9 times	33	5.25%
D.	10 to 19 times	16	2.55%
E.	20 to 39 times	5	0.80%
F.	40 or more times	16	2.55%
TOTALS		628	100.00%

Q -61 During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	603	97.10%
B.	1 time	8	1.29%
C.	2 or more times	10	1.61%
TOTALS		621	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -62 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	153	24.56%
B.	No	470	75.44%
TOTALS		623	100.00%

Q -63 Have you ever had sexual intercourse?

A.	Yes	329	52.56%
B.	No	297	47.44%
TOTALS		626	100.00%

Q -64 How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	304	48.18%
B.	11 years old or younger	30	4.75%
C.	12 years old	16	2.54%
D.	13 years old	38	6.02%
E.	14 years old	61	9.67%
F.	15 years old	104	16.48%
G.	16 years old	61	9.67%
H.	17 years old or older	17	2.69%
TOTALS		631	100.00%

Q -65 During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	311	49.37%
B.	1 person	111	17.62%
C.	2 people	64	10.16%
D.	3 people	36	5.71%
E.	4 people	29	4.60%
F.	5 people	21	3.33%
G.	6 or more people	58	9.21%
TOTALS		630	100.00%

Q -66 During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	311	49.29%
B.	I have had sexual intercourse, but not during the past 3 months	87	13.79%
C.	1 person	164	25.99%
D.	2 people	36	5.71%
E.	3 people	11	1.74%
F.	4 people	8	1.27%
G.	5 people	5	0.79%
H.	6 or more people	9	1.43%
TOTALS		631	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -67 Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	302	48.17%
B.	Yes	77	12.28%
C.	No	248	39.55%
TOTALS		627	100.00%

Q -68 The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	316	50.48%
B.	Yes	174	27.80%
C.	No	136	21.73%
TOTALS		626	100.00%

Q -69 The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

A.	I have never had sexual intercourse	309	49.92%
B.	No method was used to prevent pregnancy	33	5.33%
C.	Birth control pills	56	9.05%
D.	Condoms	122	19.71%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	27	4.36%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	21	3.39%
G.	Withdrawal or some other method	36	5.82%
H.	Not sure	15	2.42%
TOTALS		619	100.00%

Q -70 How do you describe your weight?

A.	Very underweight	24	3.85%
B.	Slightly underweight	61	9.79%
C.	About the right weight	296	47.51%
D.	Slightly overweight	205	32.91%
E.	Very overweight	37	5.94%
TOTALS		623	100.00%

Q -71 Which of the following are you trying to do about your weight?

A.	Lose weight	301	48.08%
B.	Gain weight	90	14.38%
C.	Stay the same weight	97	15.50%
D.	I am not trying to do anything about my weight	138	22.04%
TOTALS		626	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -72 During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A.	I did not drink 100% fruit juice during the past 7 days	184	29.58%
B.	1 to 3 times during the past 7 days	254	40.84%
C.	4 to 6 times during the past 7 days	98	15.76%
D.	1 time per day	23	3.70%
E.	2 times per day	22	3.54%
F.	3 times per day	15	2.41%
G.	4 or more times per day	26	4.18%
TOTALS		622	100.00%

Q -73 During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A.	I did not eat fruit during the past 7 days	64	10.27%
B.	1 to 3 times during the past 7 days	221	35.47%
C.	4 to 6 times during the past 7 days	160	25.68%
D.	1 time per day	61	9.79%
E.	2 times per day	56	8.99%
F.	3 times per day	25	4.01%
G.	4 or more times per day	36	5.78%
TOTALS		623	100.00%

Q -74 During the past 7 days, how many times did you eat green salad?

A.	I did not eat green salad during the past 7 days	228	36.42%
B.	1 to 3 times during the past 7 days	258	41.21%
C.	4 to 6 times during the past 7 days	74	11.82%
D.	1 time per day	43	6.87%
E.	2 times per day	11	1.76%
F.	3 times per day	4	0.64%
G.	4 or more times per day	8	1.28%
TOTALS		626	100.00%

Q -75 During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A.	I did not eat potatoes during the past 7 days	203	32.64%
B.	1 to 3 times during the past 7 days	298	47.91%
C.	4 to 6 times during the past 7 days	73	11.74%
D.	1 time per day	23	3.70%
E.	2 times per day	12	1.93%
F.	3 times per day	4	0.64%
G.	4 or more times per day	9	1.45%
TOTALS		622	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -76 During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	303	48.95%
B.	1 to 3 times during the past 7 days	216	34.89%
C.	4 to 6 times during the past 7 days	59	9.53%
D.	1 time per day	14	2.26%
E.	2 times per day	12	1.94%
F.	3 times per day	1	0.16%
G.	4 or more times per day	14	2.26%
TOTALS		619	100.00%

Q -77 During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days	125	20.00%
B.	1 to 3 times during the past 7 days	242	38.72%
C.	4 to 6 times during the past 7 days	146	23.36%
D.	1 time per day	54	8.64%
E.	2 times per day	29	4.64%
F.	3 times per day	12	1.92%
G.	4 or more times per day	17	2.72%
TOTALS		625	100.00%

Q -78 During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	136	21.94%
B.	1 to 3 times during the past 7 days	241	38.87%
C.	4 to 6 times during the past 7 days	122	19.68%
D.	1 time per day	60	9.68%
E.	2 times per day	27	4.35%
F.	3 times per day	12	1.94%
G.	4 or more times per day	22	3.55%
TOTALS		620	100.00%

Q -79 During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	151	24.43%
B.	1 to 3 glasses during the past 7 days	138	22.33%
C.	4 to 6 glasses during the past 7 days	113	18.28%
D.	1 glass per day	76	12.30%
E.	2 glasses per day	69	11.17%
F.	3 glasses per day	25	4.05%
G.	4 or more glasses per day	46	7.44%
TOTALS		618	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -80 During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	439	70.58%
B.	1 to 3 times during the past 7 days	115	18.49%
C.	4 to 6 times during the past 7 days	33	5.31%
D.	1 time per day	13	2.09%
E.	2 times per day	7	1.13%
F.	3 times per day	5	0.80%
G.	4 or more times per day	10	1.61%
TOTALS		622	100.00%

Q -81 During the past 7 days, on how many days did you eat breakfast?

A.	0 days	81	13.04%
B.	1 day	61	9.82%
C.	2 days	69	11.11%
D.	3 days	60	9.66%
E.	4 days	73	11.76%
F.	5 days	46	7.41%
G.	6 days	29	4.67%
H.	7 days	202	32.53%
TOTALS		621	100.00%

Q -82 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	88	14.36%
B.	1 day	52	8.48%
C.	2 days	48	7.83%
D.	3 days	73	11.91%
E.	4 days	54	8.81%
F.	5 days	88	14.36%
G.	6 days	56	9.14%
H.	7 days	154	25.12%
TOTALS		613	100.00%

Q -83 On an average school day, how many hours do you watch TV?

A.	I do not watch TV on an average school day	122	19.81%
B.	Less than 1 hour per day	136	22.08%
C.	1 hour per day	75	12.18%
D.	2 hours per day	126	20.45%
E.	3 hours per day	78	12.66%
F.	4 hours per day	38	6.17%
G.	5 or more hours per day	41	6.66%
TOTALS		616	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -84 On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)

A.	I do not play video or computer games or use a computer for something that is not school work	128	20.71%
B.	Less than 1 hour per day	103	16.67%
C.	1 hour per day	73	11.81%
D.	2 hours per day	84	13.59%
E.	3 hours per day	72	11.65%
F.	4 hours per day	45	7.28%
G.	5 or more hours per day	113	18.28%
TOTALS		618	100.00%

Q -85 In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	250	40.72%
B.	1 day	19	3.09%
C.	2 days	26	4.23%
D.	3 days	90	14.66%
E.	4 days	29	4.72%
F.	5 days	200	32.57%
TOTALS		614	100.00%

Q -86 During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	256	41.83%
B.	1 team	144	23.53%
C.	2 teams	107	17.48%
D.	3 or more teams	105	17.16%
TOTALS		612	100.00%

Q -87 During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

A.	0 times	487	78.80%
B.	1 time	77	12.46%
C.	2 times	32	5.18%
D.	3 times	11	1.78%
E.	4 or more times	11	1.78%
TOTALS		618	100.00%

Q -88 When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

A.	During the past 12 months	445	72.36%
B.	Between 12 and 24 months ago	69	11.22%
C.	More than 24 months ago	34	5.53%
D.	Never	15	2.44%
E.	Not sure	52	8.46%
TOTALS		615	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -89 Has a doctor or nurse ever told you that you have asthma?

A.	Yes	176	28.85%
B.	No	390	63.93%
C.	Not sure	44	7.21%
TOTALS		610	100.00%

Q -90 On an average school night, how many hours of sleep do you get?

A.	4 or less hours	65	10.66%
B.	5 hours	91	14.92%
C.	6 hours	129	21.15%
D.	7 hours	151	24.75%
E.	8 hours	114	18.69%
F.	9 hours	44	7.21%
G.	10 or more hours	16	2.62%
TOTALS		610	100.00%

Q -91 During the past 30 days, where did you usually sleep?

A.	In my parent's or guardian's home	572	92.86%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	15	2.44%
C.	In a shelter or emergency housing	3	0.49%
D.	In a motel or hotel	5	0.81%
E.	In a car, park, campground, or other public place	8	1.30%
F.	I do not have a usual place to sleep	5	0.81%
G.	Somewhere else	8	1.30%
TOTALS		616	100.00%

Q -92 During the past 12 months, how would you describe your grades in school?

A.	Mostly A's	188	30.77%
B.	Mostly B's	202	33.06%
C.	Mostly C's	142	23.24%
D.	Mostly D's	31	5.07%
E.	Mostly F's	15	2.45%
F.	None of these grades	3	0.49%
G.	Not sure	30	4.91%
TOTALS		611	100.00%

2017 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q -93 During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)

A.	0 times	559	90.89%
B.	1 or 2 times	28	4.55%
C.	3 to 9 times	14	2.28%
D.	10 to 19 times	6	0.98%
E.	20 to 39 times	3	0.49%
F.	40 or more times	5	0.81%
TOTALS		615	100.00%

Q -94 During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A.	Yes	153	25.33%
B.	No	451	74.67%
TOTALS		604	100.00%