


# Percentage of High School Students Who Had Their First Drink of Alcohol Before Age 13 Years,\* by Sex, Grade,<sup>†</sup> and Race/Ethnicity,<sup>†</sup> 2023




\*Other than a few sips

<sup>†</sup>9th > 11th, 9th > 12th, 10th > 11th, 10th > 12th; B > A, H > A, H > W, N > A, W > A (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Had Their First Drink of Alcohol Before Age 13 Years,\* 2003-2023†




\*Other than a few sips

†Decreased 2003-2023, decreased 2003-2019, increased 2019-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]


This graph contains weighted results.

# Percentage of High School Students Who Currently Drank Alcohol,\* by Sex, Grade,† and Race/Ethnicity,† 2023



\*At least one drink of alcohol, on at least 1 day during the 30 days before the survey  
 †11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th, 12th > 11th; B > A, H > A, H > N, W > A, W > N (Based on t-test analysis, p < 0.05.)  
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.  
 This graph contains weighted results.

# Percentage of High School Students Who Currently Drank Alcohol,\* 2003-2023†



\*At least one drink of alcohol, on at least 1 day during the 30 days before the survey

†Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Currently Were Binge Drinking,\* by Sex, Grade,† and Race/Ethnicity,† 2023



\*Had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey

†10th > 9th, 11th > 9th, 12th > 9th, 12th > 10th, 12th > 11th; H > A, H > N, W > A (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Currently Were Binge Drinking,\* 2017-2023†




\*Had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey

†Decreased 2017-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]

This graph contains weighted results.

# Percentage of High School Students Who Reported That the Largest Number of Drinks They Had in a Row Was 10 or More,\* by Sex, Grade,† and Race/Ethnicity,† 2023




\*Within a couple of hours, during the 30 days before the survey

†10th > 9th, 11th > 9th, 12th > 9th; H > A, N > A, W > A (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

## Percentage of High School Students Who Reported That the Largest Number of Drinks They Had in a Row Was 10 or More,\* 2019-2023†




\*Within a couple of hours, during the 30 days before the survey

†No change 2019-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]

This graph contains weighted results.



# Percentage of High School Students Who Usually Got the Alcohol They Drank by Someone Giving It to Them,\* by Sex,† Grade, and Race/Ethnicity,† 2023



\*During the 30 days before the survey, among students who currently drank alcohol


†F > M; W > H, W > N (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

# Percentage of High School Students Who Usually Got the Alcohol They Drank by Someone Giving It to Them,\* 2007-2023†




\*During the 30 days before the survey, among students who currently drank alcohol

†No change 2007-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Marijuana,\* by Sex,† Grade,† and Race/Ethnicity,† 2023




\*One or more times during their life

†F > M; 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th, 12th > 11th; H > A, H > W, N > A, N > H, N > W, W > A (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Marijuana,\* 2003-2023<sup>†</sup>




\*One or more times during their life

<sup>†</sup>Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]


This graph contains weighted results.

# Percentage of High School Students Who Tried Marijuana for the First Time Before Age 13 Years, by Sex, Grade, and Race/Ethnicity,\* 2023




\*B > A, B > W, H > A, H > W, N > A, N > W (Based on t-test analysis, p < 0.05.)  
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.  
 This graph contains weighted results.

# Percentage of High School Students Who Tried Marijuana for the First Time Before Age 13 Years, 2003-2023\*



\*Decreased 2003-2023, decreased 2003-2019, no change 2019-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]  
This graph contains weighted results.

# Percentage of High School Students Who Currently Used Marijuana,\* by Sex, Grade,† and Race/Ethnicity,† 2023




\*One or more times during the 30 days before the survey

†12th > 9th, 12th > 10th, 12th > 11th; B > A, B > W, H > A, H > W, N > A, N > H, N > W (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Currently Used Marijuana,\* 2003-2023†




\*One or more times during the 30 days before the survey

†Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.



# Percentage of High School Students Who Ever Took Prescription Pain Medicine Without a Doctor's Prescription or Differently Than How a Doctor Told Them to Use It,\* by Sex, Grade, and Race/Ethnicity,† 2023




\*Counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life

†B > A, B > W, H > A, H > N, H > W, N > A, W > A (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Ever Took Prescription Pain Medicine Without a Doctor's Prescription or Differently Than How a Doctor Told Them to Use It,\* 2017-2023<sup>†</sup>




\*Counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life

<sup>†</sup>No change 2017-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Cocaine,\* by Sex,† Grade, and Race/Ethnicity,† 2023




\*Any form of cocaine, including powder, crack, or freebase, one or more times during their life

†M > F; H > N, H > W, N > W (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Cocaine,\* 2003-2023†




\*Any form of cocaine, including powder, crack, or freebase, one or more times during their life

†Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Inhalants,\* by Sex, Grade, and Race/Ethnicity,† 2023




\*Sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life

†B > N, B > W, H > A, H > N, H > W (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Inhalants,\* 2003-2023†




\*Sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life

†Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Heroin,\* by Sex,† Grade, and Race/Ethnicity,† 2023




\*Also called "smack," "junk," or "China White," one or more times during their life

†M > F; B > A, B > H, B > N, B > W, H > A, H > N, H > W, N > W (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Heroin,\* 2003-2023†




\*Also called "smack," "junk," or "China White," one or more times during their life

†Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.




# Percentage of High School Students Who Ever Used Methamphetamines,\* by Sex,† Grade, and Race/Ethnicity,† 2023



\*Also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life  
 †M > F; H > N, H > W, N > W (Based on t-test analysis, p < 0.05.)  
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.  
 This graph contains weighted results.

# Percentage of High School Students Who Ever Used Methamphetamines,\* 2003-2023†




\*Also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life

†Decreased 2003-2023, decreased 2003-2009, decreased 2009-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Ecstasy,\* by Sex, Grade,† and Race/Ethnicity,† 2023




\*Also called "MDMA" or "Molly," one or more times during their life

†11th > 9th, 12th > 9th, 12th > 10th; B > A, B > N, B > W, H > N, H > W, N > W (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Ever Used Ecstasy,\* 2003-2023†




\*Also called "MDMA" or "Molly," one or more times during their life

†Decreased 2003-2023, increased 2003-2011, decreased 2011-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Ever Injected Any Illegal Drug,\* by Sex,† Grade,† and Race/Ethnicity,† 2023




\*Used a needle to inject any illegal drug into their body, one or more times during their life

†M > F; 9th > 10th; B > W, H > W, N > W (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Ever Injected Any Illegal Drug,\* 2003-2023†




\*Used a needle to inject any illegal drug into their body, one or more times during their life

†Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Reported Vodka or Some Other Liquor As the Type of Alcohol They Drink Most Often,\* by Sex, Grade,† and Race/Ethnicity,† 2023



\*Such as rum, scotch, bourbon, whiskey, or tequila, during the 30 days before the survey, among students who drank alcohol during the 30 days before the survey


†9th > 12th; N > W (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

## Percentage of High School Students Who Reported Vodka or Some Other Liquor As the Type of Alcohol They Drink Most Often,\* 2021-2023†




\*Such as rum, scotch, bourbon, whiskey, or tequila, during the 30 days before the survey, among students who drank alcohol during the 30 days before the survey

†No change 2021-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]

This graph contains weighted results.



# Percentage of High School Students Who Ever Been Offered, Sold, or Given an Illegal Drug on School Property,\* by Sex, Grade,† and Race/Ethnicity,† 2023




\*During the 12 months before the survey

†9th > 12th; H > N, H > W (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

# Percentage of High School Students Who Ever Been Offered, Sold, or Given an Illegal Drug on School Property,\* 2003-2023<sup>†</sup>



\*During the 12 months before the survey

<sup>†</sup>Decreased 2003-2023, decreased 2003-2017, increased 2017-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.