

2019 SOUTH CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,626 high school students in South Central Region during February of 2019. Frequency distributions may not total 1,626 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	6	0.37%
B.	13 years old	3	0.18%
C.	14 years old	146	9.00%
D.	15 years old	436	26.86%
E.	16 years old	380	23.41%
F.	17 years old	401	24.71%
G.	18 years old or older	251	15.47%
	TOTALS	1,623	100.00%
Q-2. What is your sex?			
A.	Female	810	50.22%
B.	Male	803	49.78%
	TOTALS	1,613	100.00%
Q-3. In what grade are you?			
A.	9th grade	424	26.32%
B.	10th grade	422	26.19%
C.	11th grade	382	23.71%
D.	12th grade	380	23.59%
E.	Ungraded or other grade	3	0.19%
	TOTALS	1,611	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	160	10.05%
B.	No	1432	89.95%
	TOTALS	1,592	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	230	13.55%
B.	Asian	39	2.30%
C.	Black or African American	55	3.24%
D.	Native Hawaiian or Other Pacific Islander	24	1.41%
E.	White	1350	79.51%
	TOTALS	1,698	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	2	0.12%
C.	4ft, 7in to 5 ft	48	2.99%
D.	5ft, 1in to 5ft, 6in	630	39.20%
E.	Over 5ft, 6in	927	57.69%
TOTALS		1,607	100.00%

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	3	0.19%
B.	90-99 lbs	18	1.14%
C.	100-109 lbs	54	3.41%
D.	110-119lbs	157	9.91%
E.	120-129 lbs	211	13.32%
F.	130-139 lbs	236	14.90%
G.	140 lbs +	905	57.13%
TOTALS		1,584	100.00%

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	35	2.16%
B.	Rarely	111	6.86%
C.	Sometimes	155	9.59%
D.	Most of the time	513	31.73%
E.	Always	803	49.66%
TOTALS		1,617	100.00%

Q-9. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	237	14.63%
B.	Never	46	2.84%
C.	Rarely	69	4.26%
D.	Sometimes	91	5.62%
E.	Most of the time	241	14.88%
F.	Always	936	57.78%
TOTALS		1,620	100.00%

Q-10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	1269	78.82%
B.	1 time	149	9.25%
C.	2 or 3 times	108	6.71%
D.	4 or 5 times	27	1.68%
E.	6 or more times	57	3.54%
TOTALS		1,610	100.00%

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	363	22.37%
B.	0 times	1147	70.67%
C.	1 time	53	3.27%
D.	2 or 3 times	32	1.97%
E.	4 or 5 times	9	0.55%
F.	6 or more times	19	1.17%
TOTALS		1,623	100.00%
Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	318	19.64%
B.	0 days	572	35.33%
C.	1 or 2 days	236	14.58%
D.	3 to 5 days	90	5.56%
E.	6 to 9 days	94	5.81%
F.	10 to 19 days	76	4.69%
G.	20 to 29 days	79	4.88%
H.	All 30 days	154	9.51%
TOTALS		1,619	100.00%
Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)			
A.	I did not drive a car or other vehicle during the past 30 days	305	18.96%
B.	0 days	652	40.52%
C.	1 or 2 days	176	10.94%
D.	3 to 5 days	98	6.09%
E.	6 to 9 days	72	4.47%
F.	10 to 19 days	72	4.47%
G.	20 to 29 days	82	5.10%
H.	All 30 days	152	9.45%
TOTALS		1,609	100.00%
Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
A.	0 days	1217	75.03%
B.	1 day	70	4.32%
C.	2 or 3 days	80	4.93%
D.	4 or 5 days	35	2.16%
E.	6 or more days	220	13.56%
TOTALS		1,622	100.00%

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	1490	92.03%
B.	1 day	24	1.48%
C.	2 or 3 days	21	1.30%
D.	4 or 5 days	12	0.74%
E.	6 or more days	72	4.45%
TOTALS		1,619	100.00%

Q-16. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)			
A.	0 days	1494	92.51%
B.	1 day	26	1.61%
C.	2 or 3 days	37	2.29%
D.	4 or 5 days	16	0.99%
E.	6 or more days	42	2.60%
TOTALS		1,615	100.00%

Q-17. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
A.	0 days	1492	91.93%
B.	1 day	57	3.51%
C.	2 or 3 days	46	2.83%
D.	4 or 5 days	7	0.43%
E.	6 or more days	21	1.29%
TOTALS		1,623	100.00%

Q-18. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
A.	0 times	1514	93.28%
B.	1 time	46	2.83%
C.	2 or 3 times	31	1.91%
D.	4 or 5 times	12	0.74%
E.	6 or 7 times	8	0.49%
F.	8 or 9 times	1	0.06%
G.	10 or 11 times	2	0.12%
H.	12 or more times	9	0.55%
TOTALS		1,623	100.00%

Q-19. During the past 12 months, how many times were you in a physical fight?			
A.	0 times	1248	77.56%
B.	1 time	150	9.32%
C.	2 or 3 times	130	8.08%
D.	4 or 5 times	32	1.99%
E.	6 or 7 times	19	1.18%
F.	8 or 9 times	3	0.19%
G.	10 or 11 times	6	0.37%
H.	12 or more times	21	1.31%
TOTALS		1,609	100.00%

Q-20. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	1502	92.66%
B.	1 time	73	4.50%
C.	2 or 3 times	31	1.91%
D.	4 or 5 times	6	0.37%
E.	6 or 7 times	3	0.19%
F.	8 or 9 times	1	0.06%
G.	10 or 11 times	0	0.00%
H.	12 or more times	5	0.31%
TOTALS		1,621	100.00%

Q-21. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	162	10.06%
B.	No	1448	89.94%
TOTALS		1,610	100.00%

Q-22. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	1433	88.84%
B.	1 time	88	5.46%
C.	2 or 3 times	58	3.60%
D.	4 or 5 times	14	0.87%
E.	6 or more times	20	1.24%
TOTALS		1,613	100.00%

Q-23. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	546	33.75%
B.	0 times	962	59.46%
C.	1 time	47	2.90%
D.	2 or 3 times	36	2.22%
E.	4 or 5 times	9	0.56%
F.	6 or more times	18	1.11%
TOTALS		1,618	100.00%

Q-24. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	538	33.27%
B.	0 times	1010	62.46%
C.	1 time	25	1.55%
D.	2 or 3 times	19	1.18%
E.	4 or 5 times	10	0.62%
F.	6 or more times	15	0.93%
TOTALS		1,617	100.00%
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	328	20.59%
B.	No	1265	79.41%
TOTALS		1,593	100.00%
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	264	16.34%
B.	No	1352	83.66%
TOTALS		1,616	100.00%
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	204	12.67%
B.	No	1406	87.33%
TOTALS		1,610	100.00%
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	570	35.98%
B.	No	1014	64.02%
TOTALS		1,584	100.00%
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	363	22.52%
B.	No	1249	77.48%
TOTALS		1,612	100.00%
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	284	17.62%
B.	No	1328	82.38%
TOTALS		1,612	100.00%
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	1386	86.25%
B.	1 time	158	9.83%
C.	2 or 3 times	41	2.55%
D.	4 or 5 times	12	0.75%
E.	6 or more times	10	0.62%
TOTALS		1,607	100.00%

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	1384	86.02%
B.	Yes	61	3.79%
C.	No	164	10.19%
TOTALS		1,609	100.00%

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	566	35.33%
B.	No	1036	64.67%
TOTALS		1,602	100.00%

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	1045	65.03%
B.	8 years old or younger	55	3.42%
C.	9 or 10 years old	45	2.80%
D.	11 or 12 years old	88	5.48%
E.	13 or 14 years old	163	10.14%
F.	15 or 16 years old	169	10.52%
G.	17 years old or older	42	2.61%
TOTALS		1,607	100.00%

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	1448	89.60%
B.	1 or 2 days	70	4.33%
C.	3 to 5 days	24	1.49%
D.	6 to 9 days	16	0.99%
E.	10 to 19 days	17	1.05%
F.	20 to 29 days	9	0.56%
G.	All 30 days	32	1.98%
TOTALS		1,616	100.00%

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	1444	89.58%
B.	Less than 1 cigarette per day	79	4.90%
C.	1 cigarette per day	28	1.74%
D.	2 to 5 cigarettes per day	42	2.61%
E.	6 to 10 cigarettes per day	8	0.50%
F.	11 to 20 cigarettes per day	5	0.31%
G.	More than 20 cigarettes per day	6	0.37%
TOTALS		1,612	100.00%

Q-37. Have you ever used an electronic vapor product?

A.	Yes	934	58.59%
B.	No	660	41.41%
TOTALS		1,594	100.00%

Q-38. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	981	60.78%
B.	1 or 2 days	182	11.28%
C.	3 to 5 days	94	5.82%
D.	6 to 9 days	61	3.78%
E.	10 to 19 days	89	5.51%
F.	20 to 29 days	79	4.89%
G.	All 30 days	128	7.93%
	TOTALS	1,614	100.00%
Q-39. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	1326	82.21%
B.	1 or 2 days	83	5.15%
C.	3 to 5 days	42	2.60%
D.	6 to 9 days	34	2.11%
E.	10 to 19 days	54	3.35%
F.	20 to 29 days	26	1.61%
G.	All 30 days	48	2.98%
	TOTALS	1,613	100.00%
Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	986	61.43%
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	90	5.61%
C.	I got them on the Internet	20	1.25%
D.	I gave someone else money to buy them for me	111	6.92%
E.	I borrowed them from someone else	249	15.51%
F.	A person who can legally buy these products gave them to me	65	4.05%
G.	I took them from a store or another person	5	0.31%
H.	I got them some other way	79	4.92%
	TOTALS	1,605	100.00%
Q-41. What is the main reason you have used electronic vapor products? (Select only one response.)			
A.	I have never used an electronic vapor product	715	44.44%
B.	Friend or family member used them	234	14.54%
C.	To try to quit using other tobacco products	23	1.43%
D.	They cost less than other tobacco products	13	0.81%
E.	They are easier to get than other tobacco products	12	0.75%
F.	They are less harmful than other forms of tobacco	65	4.04%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	109	6.77%
H.	I used them for some other reason	438	27.22%
	TOTALS	1,609	100.00%

Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)		
A.	0 days	1470 91.42%
B.	1 or 2 days	53 3.30%
C.	3 to 5 days	22 1.37%
D.	6 to 9 days	12 0.75%
E.	10 to 19 days	12 0.75%
F.	20 to 29 days	7 0.44%
G.	All 30 days	32 1.99%
TOTALS		1,608 100.00%
Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
A.	0 days	1470 91.42%
B.	1 or 2 days	86 5.35%
C.	3 to 5 days	29 1.80%
D.	6 to 9 days	9 0.56%
E.	10 to 19 days	3 0.19%
F.	20 to 29 days	5 0.31%
G.	All 30 days	6 0.37%
TOTALS		1,608 100.00%
Q-44. During the past 12 months, did you ever try to quit using all tobacco products, including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products?		
A.	I did not use any tobacco products during the past 12 months	1075 66.85%
B.	Yes	276 17.16%
C.	No	257 15.98%
TOTALS		1,608 100.00%
Q-45. How old were you when you had your first drink of alcohol other than a few sips?		
A.	I have never had a drink of alcohol other than a few sips	602 37.51%
B.	8 years old or younger	95 5.92%
C.	9 or 10 years old	76 4.74%
D.	11 or 12 years old	141 8.79%
E.	13 or 14 years old	297 18.50%
F.	15 or 16 years old	334 20.81%
G.	17 years old or older	60 3.74%
TOTALS		1,605 100.00%

Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	1018	63.51%
B.	1 or 2 days	305	19.03%
C.	3 to 5 days	125	7.80%
D.	6 to 9 days	83	5.18%
E.	10 to 19 days	39	2.43%
F.	20 to 29 days	19	1.19%
G.	All 30 days	14	0.87%
TOTALS		1,603	100.00%

Q-47. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
A.	0 days	1270	78.74%
B.	1 day	129	8.00%
C.	2 days	70	4.34%
D.	3 to 5 days	73	4.53%
E.	6 to 9 days	40	2.48%
F.	10 to 19 days	22	1.36%
G.	20 or more days	9	0.56%
TOTALS		1,613	100.00%

Q-48. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	1035	64.25%
B.	1 or 2 drinks	232	14.40%
C.	3 drinks	50	3.10%
D.	4 drinks	51	3.17%
E.	5 drinks	49	3.04%
F.	6 or 7 drinks	75	4.66%
G.	8 or 9 drinks	37	2.30%
H.	10 or more drinks	82	5.09%
TOTALS		1,611	100.00%

Q-49. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	1029	64.31%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	17	1.06%
C.	I bought it at a restaurant, bar, or club	6	0.38%
D.	I bought it at a public event such as a concert or sporting event	3	0.19%
E.	I gave someone else money to buy it for me	110	6.88%
F.	Someone gave it to me	249	15.56%
G.	I took it from a store or family member	61	3.81%
H.	I got it some other way	125	7.81%
TOTALS		1,600	100.00%

Q-50. During your life, how many times have you used marijuana?			
A.	0 times	1024	63.60%
B.	1 or 2 times	159	9.88%
C.	3 to 9 times	118	7.33%
D.	10 to 19 times	58	3.60%
E.	20 to 39 times	60	3.73%
F.	40 to 99 times	64	3.98%
G.	100 or more times	127	7.89%
TOTALS		1,610	100.00%

Q-51. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	1013	63.23%
B.	8 years old or younger	27	1.69%
C.	9 or 10 years old	17	1.06%
D.	11 or 12 years old	63	3.93%
E.	13 or 14 years old	198	12.36%
F.	15 or 16 years old	237	14.79%
G.	17 years old or older	47	2.93%
TOTALS		1,602	100.00%

Q-52. During the past 30 days, how many times did you use marijuana?			
A.	0 times	1305	81.56%
B.	1 or 2 times	111	6.94%
C.	3 to 9 times	61	3.81%
D.	10 to 19 times	38	2.38%
E.	20 to 39 times	28	1.75%
F.	40 or more times	57	3.56%
TOTALS		1,600	100.00%

Q-53. During your life, how many times have you used synthetic marijuana?			
A.	0 times	1525	94.60%
B.	1 or 2 times	44	2.73%
C.	3 to 9 times	17	1.05%
D.	10 to 19 times	8	0.50%
E.	20 to 39 times	6	0.37%
F.	40 or more times	12	0.74%
TOTALS		1,612	100.00%

Q-54. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

A.	0 times	1411	87.53%
B.	1 or 2 times	90	5.58%
C.	3 to 9 times	54	3.35%
D.	10 to 19 times	29	1.80%
E.	20 to 39 times	14	0.87%
F.	40 or more times	14	0.87%
TOTALS		1,612	100.00%

Q-55. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	1536	95.70%
B.	1 or 2 times	38	2.37%
C.	3 to 9 times	16	1.00%
D.	10 to 19 times	7	0.44%
E.	20 to 39 times	2	0.12%
F.	40 or more times	6	0.37%
TOTALS		1,605	100.00%

Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	1468	91.12%
B.	1 or 2 times	70	4.35%
C.	3 to 9 times	39	2.42%
D.	10 to 19 times	14	0.87%
E.	20 to 39 times	7	0.43%
F.	40 or more times	13	0.81%
TOTALS		1,611	100.00%

Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	1582	98.20%
B.	1 or 2 times	12	0.74%
C.	3 to 9 times	3	0.19%
D.	10 to 19 times	3	0.19%
E.	20 to 39 times	3	0.19%
F.	40 or more times	8	0.50%
TOTALS		1,611	100.00%

Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

A.	0 times	1578	98.20%
B.	1 or 2 times	17	1.06%
C.	3 to 9 times	1	0.06%
D.	10 to 19 times	1	0.06%
E.	20 to 39 times	2	0.12%
F.	40 or more times	8	0.50%
TOTALS		1,607	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-59. During your life, how many times have you used ecstasy (also called MDMA)?			
A.	0 times	1539	95.53%
B.	1 or 2 times	44	2.73%
C.	3 to 9 times	13	0.81%
D.	10 to 19 times	6	0.37%
E.	20 to 39 times	1	0.06%
F.	40 or more times	8	0.50%
TOTALS		1,611	100.00%
Q-60. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
A.	0 times	1574	98.01%
B.	1 or 2 times	14	0.87%
C.	3 to 9 times	6	0.37%
D.	10 to 19 times	1	0.06%
E.	20 to 39 times	2	0.12%
F.	40 or more times	8	0.50%
TOTALS		1,606	100.00%
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	1578	98.69%
B.	1 time	13	0.81%
C.	2 or more times	8	0.50%
TOTALS		1,599	100.00%
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	287	17.93%
B.	No	1314	82.07%
TOTALS		1,601	100.00%
Q-63. Have you ever had sexual intercourse?			
A.	Yes	801	50.28%
B.	No	792	49.72%
TOTALS		1,593	100.00%
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	808	50.72%
B.	11 years old or younger	43	2.70%
C.	12 years old	21	1.32%
D.	13 years old	75	4.71%
E.	14 years old	182	11.42%
F.	15 years old	217	13.62%
G.	16 years old	167	10.48%
H.	17 years old or older	80	5.02%
TOTALS		1,593	100.00%

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	829	51.78%
B.	1 person	290	18.11%
C.	2 people	145	9.06%
D.	3 people	105	6.56%
E.	4 people	70	4.37%
F.	5 people	32	2.00%
G.	6 or more people	130	8.12%
TOTALS		1,601	100.00%
Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	826	51.53%
B.	I have had sexual intercourse, but not during the past 3 months	209	13.04%
C.	1 person	429	26.76%
D.	2 people	75	4.68%
E.	3 people	39	2.43%
F.	4 people	7	0.44%
G.	5 people	5	0.31%
H.	6 or more people	13	0.81%
TOTALS		1,603	100.00%
Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	813	50.97%
B.	Yes	143	8.97%
C.	No	639	40.06%
TOTALS		1,595	100.00%
Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	829	52.01%
B.	Yes	463	29.05%
C.	No	302	18.95%
TOTALS		1,594	100.00%
Q-69. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse	820	51.74%
B.	No method was used to prevent pregnancy	67	4.23%
C.	Birth control pills	172	10.85%
D.	Condoms	318	20.06%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	77	4.86%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	45	2.84%
G.	Withdrawal or some other method	55	3.47%
H.	Not sure	31	1.96%
TOTALS		1,585	100.00%

Q-70. How do you describe your weight?			
A.	Very underweight	42	2.62%
B.	Slightly underweight	233	14.54%
C.	About the right weight	821	51.22%
D.	Slightly overweight	439	27.39%
E.	Very overweight	68	4.24%
TOTALS		1,603	100.00%
Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	677	42.23%
B.	Gain weight	301	18.78%
C.	Stay the same weight	276	17.22%
D.	I am not trying to do anything about my weight	349	21.77%
TOTALS		1,603	100.00%
Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	491	30.63%
B.	1 to 3 times during the past 7 days	706	44.04%
C.	4 to 6 times during the past 7 days	222	13.85%
D.	1 time per day	75	4.68%
E.	2 times per day	55	3.43%
F.	3 times per day	16	1.00%
G.	4 or more times per day	38	2.37%
TOTALS		1,603	100.00%
Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	187	11.75%
B.	1 to 3 times during the past 7 days	571	35.87%
C.	4 to 6 times during the past 7 days	389	24.43%
D.	1 time per day	169	10.62%
E.	2 times per day	167	10.49%
F.	3 times per day	54	3.39%
G.	4 or more times per day	55	3.45%
TOTALS		1,592	100.00%
Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	550	34.29%
B.	1 to 3 times during the past 7 days	654	40.77%
C.	4 to 6 times during the past 7 days	235	14.65%
D.	1 time per day	113	7.04%
E.	2 times per day	26	1.62%
F.	3 times per day	6	0.37%
G.	4 or more times per day	20	1.25%
TOTALS		1,604	100.00%

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	517	32.25%
B.	1 to 3 times during the past 7 days	807	50.34%
C.	4 to 6 times during the past 7 days	187	11.67%
D.	1 time per day	49	3.06%
E.	2 times per day	17	1.06%
F.	3 times per day	5	0.31%
G.	4 or more times per day	21	1.31%
TOTALS		1,603	100.00%
Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	773	48.43%
B.	1 to 3 times during the past 7 days	587	36.78%
C.	4 to 6 times during the past 7 days	130	8.15%
D.	1 time per day	65	4.07%
E.	2 times per day	22	1.38%
F.	3 times per day	2	0.13%
G.	4 or more times per day	17	1.07%
TOTALS		1,596	100.00%
Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	287	17.92%
B.	1 to 3 times during the past 7 days	632	39.45%
C.	4 to 6 times during the past 7 days	397	24.78%
D.	1 time per day	148	9.24%
E.	2 times per day	86	5.37%
F.	3 times per day	23	1.44%
G.	4 or more times per day	29	1.81%
TOTALS		1,602	100.00%
Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	367	22.89%
B.	1 to 3 times during the past 7 days	689	42.98%
C.	4 to 6 times during the past 7 days	289	18.03%
D.	1 time per day	137	8.55%
E.	2 times per day	65	4.05%
F.	3 times per day	23	1.43%
G.	4 or more times per day	33	2.06%
TOTALS		1,603	100.00%

Q-79. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	327	20.51%
B.	1 to 3 glasses during the past 7 days	416	26.10%
C.	4 to 6 glasses during the past 7 days	288	18.07%
D.	1 glass per day	193	12.11%
E.	2 glasses per day	200	12.55%
F.	3 glasses per day	79	4.96%
G.	4 or more glasses per day	91	5.71%
TOTALS		1,594	100.00%

Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet or sports drinks such as Gatorade or PowerAde.)

A.	I did not drink energy drinks during the past 7 days	1154	72.08%
B.	1 to 3 times during the past 7 days	299	18.68%
C.	4 to 6 times during the past 7 days	73	4.56%
D.	1 time per day	37	2.31%
E.	2 times per day	15	0.94%
F.	3 times per day	4	0.25%
G.	4 or more times per day	19	1.19%
TOTALS		1,601	100.00%

Q-81. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	229	14.33%
B.	1 day	133	8.32%
C.	2 days	170	10.64%
D.	3 days	163	10.20%
E.	4 days	137	8.57%
F.	5 days	150	9.39%
G.	6 days	116	7.26%
H.	7 days	500	31.29%
TOTALS		1,598	100.00%

Q-82. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	201	12.62%
B.	1 day	95	5.96%
C.	2 days	118	7.41%
D.	3 days	133	8.35%
E.	4 days	187	11.74%
F.	5 days	262	16.45%
G.	6 days	158	9.92%
H.	7 days	439	27.56%
TOTALS		1,593	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-83. On an average school day, how many hours do you watch TV?			
A.	I do not watch TV on an average school day	383	24.03%
B.	Less than 1 hour per day	349	21.89%
C.	1 hour per day	259	16.25%
D.	2 hours per day	271	17.00%
E.	3 hours per day	179	11.23%
F.	4 hours per day	95	5.96%
G.	5 or more hours per day	58	3.64%
TOTALS		1,594	100.00%

Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent playing games, watching videos, texting, or using social media on your smartphone, computer, Xbox, PlayStation, iPad, or other tablet.)			
A.	I do not play video or computer games or use a computer for something that is not school work	346	21.73%
B.	Less than 1 hour per day	231	14.51%
C.	1 hour per day	156	9.80%
D.	2 hours per day	259	16.27%
E.	3 hours per day	229	14.38%
F.	4 hours per day	134	8.42%
G.	5 or more hours per day	237	14.89%
TOTALS		1,592	100.00%

Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	669	42.23%
B.	1 day	22	1.39%
C.	2 days	26	1.64%
D.	3 days	133	8.40%
E.	4 days	70	4.42%
F.	5 days	664	41.92%
TOTALS		1,584	100.00%

Q-86. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	580	36.50%
B.	1 team	386	24.29%
C.	2 teams	324	20.39%
D.	3 or more teams	299	18.82%
TOTALS		1,589	100.00%

Q-87. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	1350	84.80%
B.	1 time	149	9.36%
C.	2 times	52	3.27%
D.	3 times	15	0.94%
E.	4 or more times	26	1.63%
TOTALS		1,592	100.00%

Q-88. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	1202	75.93%
B.	Between 12 and 24 months ago	158	9.98%
C.	More than 24 months ago	61	3.85%
D.	Never	23	1.45%
E.	Not sure	139	8.78%
TOTALS		1,583	100.00%
Q-89. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	349	22.13%
B.	No	1139	72.23%
C.	Not sure	89	5.64%
TOTALS		1,577	100.00%
Q-90. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	119	7.49%
B.	5 hours	173	10.89%
C.	6 hours	335	21.10%
D.	7 hours	481	30.29%
E.	8 hours	375	23.61%
F.	9 hours	89	5.60%
G.	10 or more hours	16	1.01%
TOTALS		1,588	100.00%
Q-91. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	1515	95.46%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	26	1.64%
C.	In a shelter or emergency housing	9	0.57%
D.	In a motel or hotel	8	0.50%
E.	In a car, park, campground, or other public place	4	0.25%
F.	I do not have a usual place to sleep	8	0.50%
G.	Somewhere else	17	1.07%
TOTALS		1,587	100.00%
Q-92. During the past 12 months, how would you describe your grades in school?			
A.	Mostly A's	659	41.58%
B.	Mostly B's	557	35.14%
C.	Mostly C's	237	14.95%
D.	Mostly D's	66	4.16%
E.	Mostly F's	22	1.39%
F.	None of these grades	7	0.44%
G.	Not sure	37	2.33%
TOTALS		1,585	100.00%

Q-93. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	1492 94.01%
B.	1 or 2 times	46 2.90%
C.	3 to 9 times	28 1.76%
D.	10 to 19 times	10 0.63%
E.	20 to 39 times	6 0.38%
F.	40 or more times	5 0.32%
TOTALS		1,587 100.00%

Q-94. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	217 13.90%
B.	No	1344 86.10%
TOTALS		1,561 100.00%