2021 NORTH EAST REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,044 high school students in North East Region during February of 2021. Frequency distributions may not total 1,044 due to nonresponse and percents may not total 100 percent due to rounding.

| Question | Responses | Count | Percent |
|------------------|---|-------|---------|
| Q-1. How old are | e you? | | |
| | 12 years old or younger | 4 | 0.38% |
| | 3. 13 years old | 0 | 0.00% |
| | 14 years old | 102 | 9.77% |
| | 15 years old | 284 | 27.20% |
| | 16 years old | 276 | 26.44% |
| | F. 17 years old | 250 | 23.95% |
| | 3. 18 years old or older | 128 | 12.26% |
| | TOTALS | 1,044 | 100.00% |
| Q-2. What is you | r sex? | | |
| | 1. Female | 503 | 48.41% |
| | Male | 536 | 51.59% |
| | TOTALS | 1,039 | 100.00% |
| Q-3. In what gra | de are you? | | |
| | 1. 9th grade | 297 | 28.75% |
| | 3. 10th grade | 275 | 26.62% |
| | 11th grade | 265 | 25.65% |
| | 12th grade | 192 | 18.59% |
| | Ungraded or other grade | 4 | 0.39% |
| | TOTALS | 1,033 | 100.00% |
| Q-4. Are you His | panic or Latino? | | |
| | 1. Yes | 85 | 8.28% |
| | 3. No | 942 | 91.72% |
| | TOTALS | 1,027 | 100.00% |
| Q-5. What is you | r race? | | |
| | A. American Indian or Alaskan Native | 291 | 26.22% |
| | 3. Asian | 21 | 1.89% |
| | Black or African American | 33 | 2.97% |
| I | Native Hawaiian or Other Pacific Islander | 14 | 1.26% |
| | White | 751 | 67.66% |
| | TOTALS | 1,110 | 100.00% |

| Ų-ь. How tall are y | ou without your shoes on? | | |
|---------------------|---|--------------------------------|---------|
| A. | Less than 4 ft | 0 | 0.00% |
| В. | 4ft to 4 ft, 6 in | 0 | 0.00% |
| C. | 4ft, 7in to 5 ft | 19 | 1.86% |
| D. | 5ft, 1in to 5ft, 6in | 389 | 38.06% |
| E. | Over 5ft, 6in | 614 | 60.08% |
| | TOTALS | 1,022 | 100.00% |
| Q-7. How much do | you weigh without your shoes on? | | |
| A. | Less than 90 lbs | 2 | 0.20% |
| B. | 90-99 lbs | 10 | 1.00% |
| C. | 100-109 lbs | 21 | 2.09% |
| D. | 110-119lbs | 66 | 6.57% |
| E. | 120-129 lbs | 124 | 12.34% |
| F. | 130-139 lbs | 117 | 11.64% |
| G. | 140 lbs + | 665 | 66.17% |
| | TOTALS | 1,005 | 100.00% |
| Q-8. How often do | you wear a seat belt when riding in a car driven by someone else? | | |
| A. | Never | 53 | 5.09% |
| B. | Rarely | 98 | 9.40% |
| C. | Sometimes | 189 | 18.14% |
| D. | Most of the time | 413 | 39.64% |
| E. | Always | 289 | 27.74% |
| | TOTALS | 1,042 | 100.00% |
| Q-9. During the pa | st 30 days, how many times did you ride in a car or other vehicle driven by someone | who had been drinking alcohol? | |
| A. | 0 times | 802 | 77.19% |
| B. | 1 time | 79 | 7.60% |
| C. | 2 or 3 times | 83 | 7.99% |
| D. | 4 or 5 times | 22 | 2.12% |
| E. | 6 or more times | 53 | 5.10% |
| | TOTALS | 1,039 | 100.00% |
| Q-10. How often do | o you wear a seat belt when driving a car? | | |
| A. | I do not drive a car | 149 | 14.34% |
| B. | Never | 54 | 5.20% |
| C. | Rarely | 83 | 7.99% |
| D. | Sometimes | 124 | 11.93% |
| E. | Most of the time | 209 | 20.12% |
| F. | Always | 420 | 40.42% |
| | TOTALS | 1,039 | 100.00% |

| D. | 4 or 5 days | 7 | 0.67% |
|--------------------|---|---|-----------|
| C. | 2 or 3 days | 15 | 1.44% |
| В. | 1 day | 27 | 2.60% |
| A. | 0 days | 951 | 91.53% |
| Q-14. During the p | ast 30 days, on how many days did you carry a weapon such as a gun, knife, or club o | n school property? | |
| | TOTALS | 1,034 | 100.00% |
| H. | All 30 days | 158 | 15.28% |
| G. | 20 to 29 days | 50 | 4.84% |
| F. | 10 to 19 days | 70 | 6.77% |
| E. | 6 to 9 days | 50 | 4.84% |
| D. | 3 to 5 days | 52 | 5.03% |
| C. | 1 or 2 days | 135 | 13.06% |
| В. | 0 days | 344 | 33.27% |
| | I did not drive a car or other vehicle during the past 30 days | 175 | 16.92% |
| Q-13. During the p | ast 30 days, on how many days did you use the Internet or apps on your cell phone (s or other vehicle? (Do not count using your cell phone to get driving directions or to det | uch as YouTube, Instagram, or ermine your location.) | Facebook) |
| | TOTALS | 1,038 | 100.00% |
| H. | All 30 days | 151 | 14.55% |
| G. | 20 to 29 days | 66 | 6.36% |
| F. | 10 to 19 days | 77 | 7.42% |
| E. | 6 to 9 days | 46 | 4.43% |
| D. | 3 to 5 days | 63 | 6.07% |
| C. | 1 or 2 days | 136 | 13.10% |
| | 0 days | 314 | 30.25% |
| Δ | I did not drive a car or other vehicle during the past 30 days | 185 | 17.82% |
| Q-12. During the p | ast 30 days, on how many days did you text or e-mail while driving a car or other vehic | | 200.007 |
| г. | TOTALS | 1,043 | 100.00% |
| E. | 6 or more times | 18 | 1.739 |
| D. | 2 or 3 times 4 or 5 times | 15 | 1.44% |
| C. | 1 time | 38 | 3.36% |
| | 0 times | 736 | 70.57% |
| Α. | I did not drive a car or other vehicle during the past 30 days | 201 | 19.27% |

| A. | 0 days | 941 | 90.66% |
|------------------------------------|--|-----------------------------------|---|
| В. | 1 day | 18 | 1.73% |
| C. | 2 or 3 days | 21 | 2.02% |
| D. | 4 or 5 days | 13 | 1.25% |
| E. | 6 or more days | 45 | 4.34% |
| | TOTALS | 1,038 | 100.00% |
| Q-16. During the p from school? | ast 30 days, on how many days did you not go to school because you felt you would be | e unsafe at school or on your w | ay to or |
| A. | 0 days | 967 | 93.07% |
| В. | 1 day | 37 | 3.56% |
| C. | 2 or 3 days | 13 | 1.25% |
| D. | 4 or 5 days | 1 | 0.10% |
| E. | 6 or more days | 21 | 2.02% |
| | TOTALS | 1,039 | 100.00% |
| Q-17. During the poroperty? | ast 12 months, how many times has someone threatened or injured you with a weapor | n such as a gun, knife, or club o | on school |
| A. | 0 times | 961 | 92.05% |
| В. | 1 time | 33 | 3.16% |
| C. | 2 or 3 times | 23 | 2.20% |
| D. | 4 or 5 times | 5 | 0.48% |
| E. | 6 or 7 times | 6 | 0.57% |
| F. | 8 or 9 times | 0 | 0.00% |
| G. | 10 or 11 times | 1 | 0.10% |
| H. | 12 or more times | 15 | 1.44% |
| | TOTALS | 1,044 | 100.00% |
| 10 Duning Hann | ast 12 months, how many times were you in a physical fight? | | |
| 2-18. During the p | | | |
| 2-18. During the p | 0 times | 805 | 77.11% |
| · . | | 805 90 | |
| A. | | | 8.62% |
| A. B. | 1 time | 90 | 8.62% 9.29% |
| A. B. C. | 1 time 2 or 3 times 4 or 5 times | 90 97 | 8.62% 9.29% 1.82% |
| A. B. C. D. | 1 time 2 or 3 times 4 or 5 times 6 or 7 times | 90 97 19 | 8.62% 9.29% 1.82% 1.05% |
| A. B. C. D. | 1 time 2 or 3 times 4 or 5 times 6 or 7 times 8 or 9 times | 90 97 19 11 | 8.62% 9.29% 1.82% 1.05% 0.10% |
| A. B. C. D. E. | 1 time 2 or 3 times 4 or 5 times 6 or 7 times 8 or 9 times 10 or 11 times | 90 97 19 11 1 | 77.11% 8.62% 9.29% 1.82% 1.05% 0.10% 0.00% 2.01% |

| | TOTALS | 1,041 | 100.00% |
|----------------------|--|---------------|----------------|
| F. | 6 or more times | 18 | 1.73% |
| E. | 4 or 5 times | 6 | 0.58% |
| D. | 2 or 3 times | 21 | 2.02% |
| C. | 1 time | 22 | 2.11% |
| B. | 0 times | 590 | 56.68% |
| | I did not date or go out with anyone during the past 12 months | 384 | 36.89% |
| | ast 12 months, how many times did someone you were dating or going out with physically hurt you on p slammed into something, or injured with an object or weapon.) | urpose? (Co | unt such |
| | TOTALS | 1,037 | 100.00% |
| | 6 or more times | 22 | 2.12% |
| E. | 4 or 5 times | 6 | 0.58% |
| | 2 or 3 times | 29 | 2.80% |
| C. | 1 time | 23 | 2.22% |
| В. | 0 times | 562 | 54.19% |
| A. | I did not date or go out with anyone during the past 12 months | 395 | 38.09% |
| want to do? (Coun | t such things as kissing, touching, or being physically forced to have sexual intercourse.) | .9- 3.00 /0 | |
| 0-22. Durina the na | ast 12 months, how many times did someone you were dating or going out with force you to do sexual t | - | |
| E. | 6 or more times TOTALS | 1, 042 | 1.92% |
| ٥. | 4 or 5 times | 20 | 0.38% 1.92% |
| _ | 2 or 3 times | 39 | 3.74% |
| 5. | 1 time | 69 | 6.62% |
| | 0 times | 910 | 87.33% |
| kissing, touching, o | ast 12 months, how many times did anyone force you to do sexual things that you did not want to do? (r being physically forced to have sexual intercourse.) | | |
| | TOTALS | 1,044 | 100.00% |
| B. | No | 912 | 87.36% |
| A. | Yes | 132 | 12.64% |
| Q-20. Have you eve | er been physically forced to have sexual intercourse when you did not want to? | | |
| | TOTALS | 1,035 | 100.00% |
| H. | 12 or more times | 12 | 1.16% |
| G. | 10 or 11 times | 0 | 0.00% |
| F. | 8 or 9 times | 2 | 0.199 |
| E. | 6 or 7 times | 1 | 0.10% |
| D. | 4 or 5 times | 5 | 0.48% |
| C. | 2 or 3 times | 11 | 1.06% |
| B. | 1 time | 40 | 3.86% |
| A. | 0 times | 964 | 93.14% |

| A. | Yes | 275 | 26.34% |
|---|--|--|-----------|
| В. | No | 769 | 73.66% |
| | TOTALS | 1,044 | 100.00% |
| Q-25. During the passocial media.) | ast 12 months, have you ever been electronically bullied? (Count being bull | | or other |
| A. | Yes | 214 | 20.52% |
| B. | No | 829 | 79.48% |
| | TOTALS | 1,043 | 100.00% |
| Q-26. During the passessual? | ast 12 months, have you ever been the victim of teasing or name calling be | ecause someone thought you were gay, les | bian, or |
| A. | Yes | 159 | 15.24% |
| B. | No | 884 | 84.76% |
| | TOTALS | 1,043 | 100.00% |
| Q-27. During the passome usual activities | ast 12 months, did you ever feel so sad or hopeless almost every day for twes? | vo weeks or more in a row that you stoppe | ed doing |
| A. | Yes | 441 | 42.32% |
| B. | No | 601 | 57.68% |
| | TOTALS | 1,042 | 100.00% |
| Q-28. During the p | ast 12 months, did you ever seriously consider attempting suicide? | | |
| A. | Yes | 255 | 24.61% |
| В. | No | 781 | 75.39% |
| | TOTALS | 1,036 | 100.00% |
| Q-29. During the p | ast 12 months, did you make a plan about how you would attempt suicide? | | |
| A. | Yes | 227 | 21.76% |
| В. | No | 816 | 78.24% |
| | TOTALS | 1,043 | 100.00% |
| Q-30. During the p | ast 12 months, how many times did you actually attempt suicide? | | |
| A. | 0 times | 865 | 83.33% |
| B. | 1 time | 117 | 11.27% |
| C. | 2 or 3 times | 41 | 3.95% |
| D. | 4 or 5 times | 4 | 0.39% |
| E. | 6 or more times | 11 | 1.06% |
| | TOTALS | 1,038 | 100.00% |
| Q-31. If you attempledoctor or nurse? | oted suicide during the past 12 months, did any attempt result in an injury, | poisoning, or overdose that had to be trea | ated by a |
| A. | I did not attempt suicide during the past 12 months | 845 | 82.20% |
| В. | Yes | 39 | 3.79% |
| C. | No | 144 | 14.01% |
| | TOTALS | 1,028 | 100.00% |
| Q-32. Have you eve | er tried cigarette smoking, even one or two puffs? | | |
| A. | Yes | 403 | 38.79% |
| B. | No | 636 | 61.219 |
| | TOTALS | 1,039 | 100.00% |

| Q-33. How old were | e you when you first tried cigarette smoking, even one or two puffs? | | |
|---------------------|---|-------|---------|
| A. | I have never tried cigarette smoking, not even one or two puffs | 639 | 61.38% |
| B. | 8 years old or younger | 49 | 4.71% |
| C. | 9 or 10 years old | 35 | 3.36% |
| D. | 11 or 12 years old | 51 | 4.90% |
| E. | 13 or 14 years old | 127 | 12.20% |
| F. | 15 or 16 years old | 113 | 10.85% |
| G. | 17 years old or older | 27 | 2.59% |
| | TOTALS | 1,041 | 100.00% |
| Q-34. During the pa | ast 30 days, on how many days did you smoke cigarettes? | | |
| A. | 0 days | 897 | 86.75% |
| B. | 1 or 2 days | 53 | 5.13% |
| C. | 3 to 5 days | 27 | 2.61% |
| D. | 6 to 9 days | 15 | 1.45% |
| E. | 10 to 19 days | 12 | 1.16% |
| F. | 20 to 29 days | 6 | 0.58% |
| G. | All 30 days | 24 | 2.32% |
| | TOTALS | 1,034 | 100.00% |
| Q-35. During the pa | ast 30 days, on the days you smoked, how many cigarettes did you smoke per day? | | |
| A. | I did not smoke cigarettes during the past 30 days | 895 | 85.98% |
| B. | Less than 1 cigarette per day | 58 | 5.57% |
| C. | 1 cigarette per day | 36 | 3.46% |
| D. | 2 to 5 cigarettes per day | 36 | 3.46% |
| E. | 6 to 10 cigarettes per day | 4 | 0.38% |
| F. | 11 to 20 cigarettes per day | 1 | 0.10% |
| G. | More than 20 cigarettes per day | 11 | 1.06% |
| | TOTALS | 1,041 | 100.00% |
| Q-36. Have you eve | er used an electronic vapor product? | | |
| A. | Yes | 555 | 53.37% |
| B. | No | 485 | 46.63% |
| | TOTALS | 1,040 | 100.00% |
| Q-37. During the p | ast 30 days, on how many days did you use an electronic vapor product? | | |
| A. | 0 days | 672 | 64.93% |
| B. | 1 or 2 days | 102 | 9.86% |
| C. | 3 to 5 days | 47 | 4.54% |
| D. | 6 to 9 days | 34 | 3.29% |
| E. | 10 to 19 days | 40 | 3.86% |
| F. | 20 to 29 days | 47 | 4.54% |
| G. | All 30 days | 93 | 8.99% |
| | TOTALS | 1,035 | 100.00% |

| Δ | 0 days | 851 | 81.67% |
|---|---|----------------|---------|
| | 1 or 2 days | 63 | 6.05% |
| C. | 3 to 5 days | 23 | 2.21% |
| D. | 6 to 9 days | 22 | 2.11% |
| E. | 10 to 19 days | 28 | 2.69% |
| F. | 20 to 29 days | 16 | 1.54% |
| G. | All 30 days | 39 | 3.74% |
| | TOTALS | 1,042 | 100.00% |
| 2-39. During the p | ast 30 days, how did you usually get your own electronic vapor products? (Select only one response.) | | |
| A. | I did not use any electronic vapor products during the past 30 days | 704 | 67.76% |
| B. | I got or bought them from a friend, family member, or someone else | 211 | 20.31% |
| C. | I bought them myself in a vape shop or tobacco shop | 8 | 0.77% |
| D. | I bought them myself in a convenience store, supermarket, discount store, or gas station | 11 | 1.06% |
| E. | I bought them myself at a mall or shopping center kiosk or stand | 3 | 0.29% |
| F. | I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist | 5 | 0.48% |
| G. | I took them from a store or another person | 12 | 1.15% |
| H. | I got them in some other way | 85 | 8.189 |
| | TOTALS | 1,039 | 100.00% |
| Q-40. During the p | ast 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.) | 1 | |
| A. | I did not use an electronic vapor product during the past 30 days | 680 | 65.76% |
| B. | Alcoholic drinks (such as wine, margarita, or other cocktails) | 9 | 0.879 |
| C. | Chocolate, candy, desserts, or other sweets | 20 | 1.93% |
| D. | Fruit | 110 | 10.649 |
| E. | Menthol | 119 | 11.519 |
| F. | Mint | 18 | 1.749 |
| G. | Tobacco | 29 | 2.80% |
| H. | Some other flavor | 49 | 4.749 |
| | TOTALS | 1,034 | 100.00% |
| Q-41. During the p Copenhagen, Grizz | last 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco proly, Skoal, or Camel Snus? (Do not count any electronic vapor products.) | oducts, such a | as |
| A. | 0 days | 965 | 92.619 |
| В. | 1 or 2 days | 24 | 2.309 |
| C. | 3 to 5 days | 17 | 1.639 |
| D. | 6 to 9 days | 3 | 0.299 |
| E. | 10 to 19 days | 7 | 0.679 |
| | 20 to 29 days | 5 | 0.489 |
| F. | 20 to 25 days | J | 01.107 |
| F. G. | · | 21 | 2.02% |

| A. | 0 days | 977 | 93.85% |
|--------------------|---|-------|---------|
| В. | 1 or 2 days | 27 | 2.59% |
| | 3 to 5 days | 13 | 1.25% |
| C. | 6 to 9 days | 6 | 0.58% |
| D. | • | 4 | 0.38% |
| E. | 10 to 19 days | | |
| F. | 20 to 29 days | 2 | 0.19% |
| G. | All 30 days | 12 | 1.15% |
| 2.42.5 | TOTALS | 1,041 | 100.00% |
| Q-43. During the p | ast 12 months, did you ever try to quit using all tobacco products? | | |
| A. | I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months | 642 | 62.15% |
| В. | Yes | 235 | 22.75% |
| C. | No | 156 | 15.10% |
| | TOTALS | 1,033 | 100.00% |
| Q-44. How old wer | e you when you had your first drink of alcohol other than a few sips? | | |
| A. | I have never had a drink of alcohol other than a few sips | 400 | 38.46% |
| B. | 8 years old or younger | 65 | 6.25% |
| C. | 9 or 10 years old | 46 | 4.42% |
| D. | 11 or 12 years old | 61 | 5.87% |
| E. | 13 or 14 years old | 220 | 21.15% |
| F. | 15 or 16 years old | 216 | 20.77% |
| G. | 17 years old or older | 32 | 3.08% |
| | TOTALS | 1,040 | 100.00% |
| Q-45. During the p | ast 30 days, on how many days did you have at least one drink of alcohol? | | |
| A. | 0 days | 685 | 66.06% |
| В. | 1 or 2 days | 152 | 14.66% |
| C. | 3 to 5 days | 89 | 8.58% |
| D. | 6 to 9 days | 48 | 4.63% |
| E. | 10 to 19 days | 36 | 3.47% |
| F. | 20 to 29 days | 8 | 0.77% |
| G. | All 30 days | 19 | 1.83% |
| <u> </u> | TOTALS | 1,037 | 100.00% |

| Α. | 0 days | 781 | 75.53% |
|--------------------|--|-------|---------|
| В. | 1 day | 81 | 7.83% |
| C. | 2 days | 52 | 5.03% |
| D. | 3 to 5 days | 60 | 5.80% |
| E. | 6 to 9 days | 21 | 2.03% |
| F. | 10 to 19 days | 18 | 1.74% |
| G. | 20 or more days | 21 | 2.03% |
| | TOTALS | 1,034 | 100.00% |
| 2-47. During the p | ast 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of ho | urs? | |
| A. | I did not drink alcohol during the past 30 days | 694 | 66.67% |
| В. | 1 or 2 drinks | 94 | 9.03% |
| C. | 3 drinks | 36 | 3.46% |
| D. | 4 drinks | 24 | 2.31% |
| E. | 5 drinks | 41 | 3.94% |
| F. | 6 or 7 drinks | 49 | 4.71% |
| G. | 8 or 9 drinks | 29 | 2.79% |
| Н. | 10 or more drinks | 74 | 7.11% |
| | TOTALS | 1,041 | 100.00% |
|)-48. During the p | ast 30 days, how did you usually get the alcohol you drank? | , | |
| A. | I did not drink alcohol during the past 30 days | 689 | 66.31% |
| B. | I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station | 20 | 1.92% |
| C. | I bought it at a restaurant, bar, or club | 4 | 0.38% |
| D. | I bought it at a public event such as a concert or sporting event | 2 | 0.19% |
| E. | I gave someone else money to buy it for me | 93 | 8.95% |
| F. | Someone gave it to me | 117 | 11.26% |
| G. | I took it from a store or family member | 24 | 2.31% |
| H. | I got it some other way | 90 | 8.66% |
| | TOTALS | 1,039 | 100.00% |
| 2-49. During the p | ast 30 days, what type of alcohol did you drink most often? (Select only one response.) | | |
| A. | I did not drink alcohol during the past 30 days | 677 | 65.98% |
| В. | Beer | 132 | 12.87% |
| C. | Wine | 11 | 1.07% |
| D. | Vodka | 40 | 3.90% |
| E. | Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila | 63 | 6.14% |
| F. | Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider | 89 | 8.67% |
| G. | Some other type of alcohol | 14 | 1.36% |
| | TOTALS | 1,026 | 100.00% |

| A. | 0 times | 631 | 60.79% |
|--------------------|---|-------|---------|
| B. | 1 or 2 times | 94 | 9.06% |
| C. | 3 to 9 times | 88 | 8.48% |
| D. | 10 to 19 times | 45 | 4.34% |
| E. | 20 to 39 times | 43 | 4.14% |
| F. | 40 to 99 times | 26 | 2.50% |
| G. | 100 or more times | 111 | 10.69% |
| | TOTALS | 1,038 | 100.00% |
|)-51. How old wer | e you when you tried marijuana for the first time? | | |
| A. | I have never tried marijuana | 628 | 60.449 |
| В. | 8 years old or younger | 28 | 2.69% |
| C. | 9 or 10 years old | 27 | 2.60% |
| D. | 11 or 12 years old | 52 | 5.00% |
| E. | 13 or 14 years old | 122 | 11.749 |
| F. | 15 or 16 years old | 157 | 15.119 |
| G. | 17 years old or older | 25 | 2.41% |
| | TOTALS | 1,039 | 100.00% |
| Q-52. During the p | ast 30 days, how many times did you use marijuana? | | |
| A. | 0 times | 828 | 79.85% |
| В. | 1 or 2 times | 68 | 6.56% |
| C. | 3 to 9 times | 40 | 3.86% |
| D. | 10 to 19 times | 22 | 2.12% |
| E. | 20 to 39 times | 24 | 2.319 |
| F. | 40 or more times | 55 | 5.30% |
| | TOTALS | 1,037 | 100.00% |
|)-53. During your | life, how many times have you used synthetic marijuana? | | |
| A. | 0 times | 956 | 92.019 |
| | 1 or 2 times | 32 | 3.089 |
| C. | 3 to 9 times | 9 | 0.879 |
| | 10 to 19 times | 12 | 1.15% |
| E. | 20 to 39 times | 5 | 0.489 |
| F. | 40 or more times | 25 | 2.419 |
| | TOTALS | 1,039 | 100.00% |

| A. | 0 times | 898 | 86.51% |
|-------------------|--|--|------------|
| В. | 1 or 2 times | 67 | 6.45% |
| C. | 3 to 9 times | 34 | 3.28% |
| D. | 10 to 19 times | 8 | 0.77% |
| E. | 20 to 39 times | 10 | 0.96% |
| F. | 40 or more times | 21 | 2.02% |
| | TOTALS | 1,038 | 100.00% |
| Q-55. During your | life, how many times have you used any form of cocaine, including powder, cra | ick, or freebase? | |
| A. | 0 times | 982 | 95.25% |
| B. | 1 or 2 times | 21 | 2.04% |
| C. | 3 to 9 times | 8 | 0.78% |
| D. | 10 to 19 times | 3 | 0.29% |
| E. | 20 to 39 times | 0 | 0.00% |
| F. | 40 or more times | 17 | 1.65% |
| | TOTALS | 1,031 | 100.00% |
| | life, how many times have you sniffed glue, breathed the contents of aerosol s | oray cans, or inhaled any paints or spra | ays to get |
| high? | 0 times | 930 | 89.42% |
| A. | 1 or 2 times | 49 | 4.71% |
| В. | 3 to 9 times | 29 | 2.79% |
| C. | 10 to 19 times | 14 | 1.35% |
| D. | 20 to 39 times | 2 | 0.19% |
| E. | | 16 | 1.54% |
| F. | 40 or more times TOTALS | | 100.00% |
| O-57 During your | life, how many times have you used heroin (also called smack, junk, or China V | 1,040 Vhite\? | 100.00% |
| | | | 07.000/ |
| Α. | | 1016 | 97.88% |
| B. | | 4 | 0.39% |
| C. | 3 to 9 times | 2 | 0.19% |
| D. | 10 to 19 times | 2 | 0.19% |
| E. | 20 to 39 times | 0 | 0.00% |
| F. | | 14 | 1.35% |
| 0.50 D | TOTALS | 1,038 | 100.00% |
| | life, how many times have you used methamphetamines (also called speed, cry | | |
| A. | | 1008 | 97.30% |
| В. | | 8 | 0.77% |
| C. | 3 to 9 times | 2 | 0.19% |
| D. | 10 to 19 times | 1 | 0.10% |
| E. | 20 to 39 times | 2 | 0.19% |
| F. | | 15 | 1.45% |
| | TOTALS | 1,036 | 100.00% |

| A. | 0 times | 986 | 95.08% |
|---|---|-------|---------|
| B. | 1 or 2 times | 24 | 2.31% |
| <u>Б.</u> | 3 to 9 times | 8 | 0.77% |
| D. | 10 to 19 times | 4 | 0.39% |
| E. | 20 to 39 times | 3 | 0.29% |
| | 40 or more times | 12 | 1.16% |
| | TOTALS | 1,037 | 100.00% |
| Q-60. During your | life, how many times have you used a needle to inject any illegal drug into your body? | , | |
| A. | 0 times | 1012 | 97.78% |
| В. | 1 time | 7 | 0.68% |
| C. | 2 or more times | 16 | 1.55% |
| C. | TOTALS | 1,035 | 100.00% |
| Q-61. During the p | ast 12 months, has anyone offered, sold, or given you an illegal drug on school property? | , | |
| A. | Yes | 233 | 22.58% |
| В. | No | 799 | 77.42% |
| Б. | TOTALS | 1,032 | 100.00% |
| Q-62. During the p | ast 30 days, how many times did you use hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mesca | • | |
| Α. | 0 times | 987 | 95.27% |
| В. | 1 or 2 times | 26 | 2.51% |
| | 3 to 9 times | 7 | 0.68% |
| D. | 10 to 19 times | 2 | 0.19% |
| | 20 to 30 times | 0 | 0.00% |
| | 40 or more times | 14 | 1.35% |
| | TOTALS | 1,036 | 100.00% |
| Q-63. Have you ev | er had sexual intercourse? | | |
| A. | Yes | 465 | 45.32% |
| | No | 561 | 54.68% |
| | TOTALS | 1,026 | 100.00% |
| Q-64. How old wer | e you when you had sexual intercourse for the first time? | | |
| A. | I have never had sexual intercourse | 575 | 55.83% |
| B. | 11 years old or younger | 25 | 2.43% |
| C. | 12 years old | 12 | 1.17% |
| D. | 13 years old | 44 | 4.27% |
| E. | 14 years old | 92 | 8.93% |
| F. | 15 years old | 159 | 15.44% |
| G. | 16 years old | 87 | 8.45% |
| Н. | 17 years old or older | 36 | 3.50% |
| • | TOTALS | 1,030 | 100.00% |

| Q-65. During your | life, with how many people have you had sexual intercourse? | | |
|---|---|---------------|-----------|
| A. | I have never had sexual intercourse | 580 | 56.15% |
| B. | 1 person | 177 | 17.13% |
| C. | 2 people | 81 | 7.84% |
| D. | 3 people | 68 | 6.58% |
| E. | 4 people | 30 | 2.90% |
| F. | 5 people | 27 | 2.61% |
| G. | 6 or more people | 70 | 6.78% |
| | TOTALS | 1,033 | 100.00% |
| Q-66. During the p | ast 3 months, with how many people did you have sexual intercourse? | | |
| A. | I have never had sexual intercourse | 579 | 56.10% |
| B. | I have had sexual intercourse, but not during the past 3 months | 141 | 13.66% |
| C. | 1 person | 241 | 23.35% |
| D. | 2 people | 35 | 3.39% |
| E. | 3 people | 13 | 1.26% |
| F. | 4 people | 8 | 0.78% |
| G. | 5 people | 0 | 0.00% |
| H. | 6 or more people | 15 | 1.45% |
| | TOTALS | 1,032 | 100.00% |
| Q-67. Did you drink | c alcohol or use drugs before you had sexual intercourse the last time? | | |
| A. | I have never had sexual intercourse | 551 | 53.55% |
| B. | Yes | 112 | 10.88% |
| C. | No | 366 | 35.57% |
| | TOTALS | 1,029 | 100.00% |
| Q-68. The last time | you had sexual intercourse, did you or your partner use a condom? | | |
| A. | I have never had sexual intercourse | 573 | 55.63% |
| B. | Yes | 252 | 24.47% |
| C. | No | 205 | 19.90% |
| | TOTALS | 1,030 | 100.00% |
| Q-69. The last time (Select only one re | e you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use sponse.) | to prevent pi | regnancy? |
| A. | I have never had sexual intercourse with an opposite-sex partner | 586 | 57.17% |
| B. | No method was used to prevent pregnancy | 60 | 5.85% |
| C. | Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.) | 112 | 10.93% |
| D. | Condoms | 163 | 15.90% |
| E. | An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) | 37 | 3.61% |
| F. | A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) | 15 | 1.46% |
| G. | Withdrawal or some other method | 29 | 2.83% |
| H. | Not sure | 23 | 2.24% |
| | TOTALS | 1,025 | 100.00% |

| Q-70. How do you | describe your weight? | | |
|---------------------|--|---------------------|---------|
| A. | Very underweight | 29 | 2.82% |
| B. | Slightly underweight | 145 | 14.09% |
| C. | About the right weight | 510 | 49.56% |
| D. | Slightly overweight | 277 | 26.92% |
| E. | Very overweight | 68 | 6.61% |
| | TOTALS | 1,029 | 100.00% |
| Q-71. Which of the | following are you trying to do about your weight? | | |
| A. | Lose weight | 475 | 45.98% |
| B. | Gain weight | 170 | 16.46% |
| C. | Stay the same weight | 190 | 18.39% |
| D. | I am not trying to do anything about my weight | 198 | 19.17% |
| | TOTALS | 1,033 | 100.00% |
| | ast 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or gorts drinks, or other fruit-flavored drinks.) | rape juice? (Do not | count |
| A. | I did not drink 100% fruit juice during the past 7 days | 302 | 29.38% |
| B. | 1 to 3 times during the past 7 days | 427 | 41.54% |
| C. | 4 to 6 times during the past 7 days | 139 | 13.52% |
| D. | 1 time per day | 52 | 5.06% |
| E. | 2 times per day | 54 | 5.25% |
| F. | 3 times per day | 23 | 2.24% |
| G. | 4 or more times per day | 31 | 3.02% |
| | TOTALS | 1,028 | 100.00% |
| Q-73. During the pa | ast 7 days, how many times did you eat fruit? (Do not count fruit juice.) | | |
| A. | I did not eat fruit during the past 7 days | 139 | 13.57% |
| B. | 1 to 3 times during the past 7 days | 398 | 38.87% |
| C. | 4 to 6 times during the past 7 days | 216 | 21.09% |
| D. | 1 time per day | 97 | 9.47% |
| E. | 2 times per day | 86 | 8.40% |
| F. | 3 times per day | 34 | 3.32% |
| G. | 4 or more times per day | 54 | 5.27% |
| | TOTALS | 1,024 | 100.00% |
| Q-74. During the pa | ast 7 days, how many times did you eat green salad? | | |
| A. | I did not eat green salad during the past 7 days | 429 | 41.53% |
| B. | 1 to 3 times during the past 7 days | 396 | 38.33% |
| C. | 4 to 6 times during the past 7 days | 123 | 11.91% |
| D. | 1 time per day | 44 | 4.26% |
| E. | 2 times per day | 17 | 1.65% |
| F. | 3 times per day | 5 | 0.48% |
| G. | 4 or more times per day | 19 | 1.84% |
| | TOTALS | 1,033 | 100.00% |

| A. | I did not eat potatoes during the past 7 days | 343 | 33.24% |
|--------------------|---|------------------------------------|----------|
| В. | 1 to 3 times during the past 7 days | 518 | 50.19% |
| C. | 4 to 6 times during the past 7 days | 110 | 10.66% |
| D. | 1 time per day | 35 | 3.39% |
| E. | 2 times per day | 8 | 0.78% |
| F. | 3 times per day | 2 | 0.19% |
| G. | 4 or more times per day | 16 | 1.55% |
| | TOTALS | 1,032 | 100.00% |
| Q-76. During the p | ast 7 days, how many times did you eat carrots? | | |
| A. | I did not eat carrots during the past 7 days | 554 | 54.00% |
| B. | 1 to 3 times during the past 7 days | 371 | 36.16% |
| C. | 4 to 6 times during the past 7 days | 56 | 5.46% |
| D. | 1 time per day | 22 | 2.14% |
| E. | 2 times per day | 11 | 1.07% |
| F. | 3 times per day | 0 | 0.00% |
| G. | 4 or more times per day | 12 | 1.17% |
| | TOTALS | 1,026 | 100.00% |
| Q-77. During the p | ast 7 days, how many times did you eat other vegetables? (Do not count green salac | d, potatoes, or carrots.) | |
| A. | I did not eat other vegetables during the past 7 days | 237 | 22.97% |
| B. | 1 to 3 times during the past 7 days | 413 | 40.02% |
| C. | 4 to 6 times during the past 7 days | 213 | 20.64% |
| D. | 1 time per day | 79 | 7.66% |
| E. | 2 times per day | 53 | 5.14% |
| F. | 3 times per day | 17 | 1.65% |
| G. | 4 or more times per day | 20 | 1.94% |
| | TOTALS | 1,032 | 100.00% |
| Q-78. During the p | ast 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such | n as Coke, Pepsi, or Sprite? (Do n | ot count |
| A. | | 274 | 26.55% |
| В. | 1 to 3 times during the past 7 days | 411 | 39.83% |
| C. | 4 to 6 times during the past 7 days | 174 | 16.86% |
| D. | 1 time per day | 75 | 7.27% |
| E. | 2 times per day | 53 | 5.14% |
| F. | 3 times per day | 14 | 1.36% |
| G. | 4 or more times per day | 31 | 3.00% |
| <u> </u> | TOTALS | 1,032 | 100.00% |

| | ast 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade drinks such as Propel or G2.) | e or PowerAde? (Do | not count |
|--------------------|--|-----------------------|-----------|
| Α. | I did not drink sports drinks during the past 7 days | 358 | 34.82% |
| B. | 1 to 3 times during the past 7 days | 381 | 37.06% |
| C. | 4 to 6 times during the past 7 days | 159 | 15.47% |
| D. | 1 time per day | 60 | 5.84% |
| E. | 2 times per day | 34 | 3.31% |
| F. | 3 times per day | 16 | 1.56% |
| G. | 4 or more times per day | 20 | 1.95% |
| | TOTALS | 1,028 | 100.00% |
| | ast 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, for of milk served at school as equal to one glass.) | rom a carton, or wit | h cereal. |
| A. | I did not drink milk during the past 7 days | 244 | 23.67% |
| B. | 1 to 3 glasses during the past 7 days | 268 | 25.99% |
| C. | 4 to 6 glasses during the past 7 days | 171 | 16.59% |
| D. | 1 glass per day | 129 | 12.51% |
| E. | 2 glasses per day | 102 | 9.89% |
| F. | 3 glasses per day | 57 | 5.53% |
| G. | 4 or more glasses per day | 60 | 5.82% |
| | TOTALS | 1,031 | 100.00% |
| Q-81. During the p | ast 7 days, on how many days did you eat breakfast? | | |
| A. | 0 days | 183 | 17.82% |
| В. | 1 day | 84 | 8.18% |
| C. | 2 days | 107 | 10.42% |
| D. | 3 days | 88 | 8.57% |
| E. | 4 days | 101 | 9.83% |
| F. | 5 days | 108 | 10.52% |
| G. | 6 days | 67 | 6.52% |
| H. | 7 days | 289 | 28.14% |
| | TOTALS | 1,027 | 100.00% |
| | ast 7 days, on how many days were you physically active for a total of at least 60 minutes per day f physical activity that increased your heart rate and made you breathe hard some of the time.) | ? (Add up all the tin | ne you |
| A. | 0 days | 117 | 11.45% |
| B. | 1 day | 67 | 6.56% |
| C. | 2 days | 83 | 8.12% |
| D. | 3 days | 105 | 10.27% |
| E. | 4 days | 116 | 11.35% |
| F. | 5 days | 148 | 14.48% |
| G. | 6 days | 117 | 11.45% |
| H. | 7 days | 269 | 26.32% |
| | TOTALS | 1,022 | 100.00% |

| Α. | Less than 1 hour per day | 60 | 5.84% |
|--|--|-----------------------------------|-------------------------------------|
| В. | 1 hour per day | 59 | 5.74% |
| C. | 2 hours per day | 151 | 14.69% |
| D. | 3 hours per day | 217 | 21.11% |
| E. | 4 hours per day | 186 | 18.09% |
| F. | 5 or more hours per day | 355 | 34.53% |
| | TOTALS | 1,028 | 100.00% |
| Q-84. In an avera | ge week when you are in school, on how many days do you go to physical educatio | n (PE) classes? | |
| A. | 0 days | 406 | 39.80% |
| B. | 1 day | 24 | 2.35% |
| C. | 2 days | 137 | 13.43% |
| D. | 3 days | 83 | 8.14% |
| E. | 4 days | 226 | 22.16% |
| F. | 5 days | 144 | 14.12% |
| | TOTALS | 1,020 | 100.00% |
| Q-85. During the p | past 12 months, on how many sports teams did you play? (Count any teams run by | your school or community groups.) | |
| A. | 0 teams | 340 | 33.50% |
| В. | | 242 | 23.84% |
| C. | 2 teams | 202 | 19.90% |
| D. | 3 or more teams | 231 | 22.76% |
| | TOTALS | 1,015 | 100.00% |
| Q-86. During the p | past 12 months, how many times did you have a concussion from playing a sport or | being physically active? | |
| Α. | 0 times | 850 | 82.60% |
| | 1 time | 114 | 11.08% |
| C. | | 29 | 2.82% |
| | 3 times | 13 | 1.26% |
| | 4 or more times | 23 | 2.24% |
| | TOTALS | 1,029 | 100.00% |
| Q-87. Has a docto | r or nurse ever told you that you have asthma? | | |
| Δ | Yes | 231 | 22.65% |
| | No | 728 | 71.37% |
| | Not sure | 61 | 5.98% |
| | | 1,020 | 100.00% |
| | TOTALS | | |
| | have asthma? | _, | |
| C. Q-88. Do you still | have asthma? | | 59.32% |
| C. Q-88. Do you still A. | have asthma? I have never had asthma | 608 | |
| C. Q-88. Do you still A. B. | I have never had asthma Yes | 608 | 15.32% |
| C. Q-88. Do you still A. B. C. | I have never had asthma Yes | 608 | 59.32% 15.32% 15.80% 9.56% |

| | ast 30 days, how many days of school did you miss because of your asthma? | 756 | 73.47% |
|---------------------|---|----------------|---------|
| | I do not have asthma | | |
| | 0 days | 253 | 24.59% |
| <u> </u> | 1 day | 5 | 0.49% |
| | 2 days | 3 | 0.29% |
| | 3 days | 1 | 0.10% |
| | 4 days | 1 | 0.10% |
| G. | 5 or more days | 10 | 0.97% |
| | TOTALS | 1,029 | 100.00% |
| Q-90. When was th | e last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work? | | |
| A. | During the past 12 months | 704 | 68.75% |
| B. | Between 12 and 24 months ago | 141 | 13.77% |
| C. | More than 24 months ago | 64 | 6.25% |
| D. | Never | 22 | 2.15% |
| E. | Not sure | 93 | 9.08% |
| | TOTALS | 1,024 | 100.00% |
| Q-91. During the pa | ast 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, | and depression | า.) |
| A. | Never | 197 | 19.35% |
| B. | Rarely | 213 | 20.92% |
| C. | Sometimes | 295 | 28.98% |
| D. | Most of the time | 221 | 21.71% |
| E. | Always | 92 | 9.04% |
| | TOTALS | 1,018 | 100.00% |
| Q-92. On an averag | ge school night, how many hours of sleep do you get? | | |
| A. | 4 or less hours | 109 | 10.63% |
| | 5 hours | 129 | 12.59% |
| | 6 hours | 209 | 20.39% |
| | 7 hours | 287 | 28.00% |
| | 8 hours | 219 | 21.37% |
| | 9 hours | 58 | 5.66% |
| | 10 or more hours | 14 | 1.37% |
| G. | TOTALS | 1,025 | 100.00% |
| Q-93. During the pa | ast 30 days, where did you usually sleep? | _/*=3 | |
| | In my parent's or guardian's home | 976 | 95.22% |
| | In the home of a friend, family member, or other person because I had to leave my home or my | 20 | 1.95% |
| Б. | parent or guardian cannot afford housing | 20 | 1.55 / |
| C. | In a shelter or emergency housing | 12 | 1.17% |
| D. | In a motel or hotel | 2 | 0.20% |
| E. | In a car, park, campground, or other public place | 7 | 0.68% |
| F. | I do not have a usual place to sleep | 4 | 0.39% |
| G. | Somewhere else | 4 | 0.39% |
| | TOTALS | 1,025 | 100.00% |

| A. | Yes | 59 | 5.80% |
|---|--|-----------|---------|
| В. | No | 958 | 94.20% |
| | TOTALS | 1,017 | 100.00% |
| Q-95. During the p | ast 30 days, how often did you go hungry because there was not enough food in your home? | | |
| A. | Never | 825 | 80.80% |
| B. | Rarely | 129 | 12.63% |
| C. | Sometimes | 44 | 4.31% |
| D. | Most of the time | 13 | 1.27% |
| E. | Always | 10 | 0.98% |
| | TOTALS | 1,021 | 100.00% |
| Q-96. During the p | ast 12 months, how would you describe your grades in school? | | |
| A. | Mostly A's | 442 | 43.42% |
| B. | Mostly B's | 317 | 31.149 |
| C. | Mostly C's | 137 | 13.46% |
| D. | Mostly D's | 31 | 3.05% |
| E. | Mostly F's | 19 | 1.87% |
| F. | None of these grades | 6 | 0.59% |
| G. | Not sure | 66 | 6.48% |
| | TOTALS | 1,018 | 100.00% |
| Q-97. During the p count getting a spr | ast 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning | booth? | (Do not |
| | 0 times | 945 | 92.83% |
| | 1 or 2 times | 22 | 2.16% |
| C. | 3 to 9 times | 23 | 2.26% |
| D. | 10 to 19 times | 11 | 1.08% |
| E. | 20 to 39 times | 8 | 0.79% |
| F. | 40 or more times | 9 | 0.889 |
| | TOTALS | 1,018 | 100.00% |
| Q-98. During the p | last 12 months, did you receive help from a resource teacher, speech therapist or other special education teac | her at so | chool? |
| A. | Yes | 178 | 17.61% |
| B. | No | 833 | 82.39% |
| D. | | | |