





School Health Education



Percentage of secondary schools that required students to take 2 or more health education courses



Among secondary schools that required a health education course, percentage that required students who fail the course to repeat it




Percentage of secondary schools in which the lead health education teacher had professional preparation in health education





Percentage of secondary schools in which the lead health education teacher had professional preparation in health and physical education combined



- 75% - 100%
- 50% - 74%
- 25% - 49%
- 0% - 24%
- No Data





Percentage of secondary schools that tried to increase student knowledge on alcohol- or other drug-use prevention in a required course



Percentage of secondary schools that tried to increase student knowledge on asthma in a required course





Percentage of secondary schools that tried to increase student knowledge on chronic disease prevention in a required course*





*For example, diabetes or obesity prevention.



Percentage of secondary schools that tried to increase student knowledge on emotional and mental health in a required course





Percentage of secondary schools that tried to increase student knowledge on epilepsy or seizure disorder in a required course





Percentage of secondary schools that tried to increase student knowledge on food allergies in a required course





Percentage of secondary schools that tried to increase student knowledge on suicide prevention in a required course



Percentage of secondary schools that tried to increase student knowledge on violence prevention in a required course




Percentage of secondary schools in which the lead health education teacher had professional preparation in health education or in health and physical education combined





Percentage of secondary schools in which the lead health education teacher received professional development on alcohol- or other drug-use prevention



- 75% - 100%
- 50% - 74%
- 25% - 49%
- 0% - 24%
- No Data



Percentage of secondary schools in which the lead health education teacher received professional development on emotional and mental health



Percentage of secondary schools in which the lead health education teacher received professional development on suicide prevention



Percentage of secondary schools in which the lead health education teacher received professional development on violence prevention

- 75% - 100%
- 50% - 74%
- 25% - 49%
- 0% - 24%
- No Data

