2021 NORTH WEST REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,246 high school students in North West Region during February of 2021. Frequency distributions may not total 1,246 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are	you?		
A	12 years old or younger	2	0.16%
В	13 years old	0	0.00%
C	14 years old	138	11.08%
D	15 years old	323	25.94%
E	16 years old	316	25.38%
F	17 years old	302	24.26%
G	18 years old or older	164	13.17%
	TOTALS	1,245	100.00%
Q-2. What is your	sex?		
A	Female	571	46.05%
В	Male	669	53.95%
	TOTALS	1,240	100.00%
Q-3. In what grad	e are you?		
A	9th grade	330	26.74%
В	10th grade	331	26.82%
C	11th grade	291	23.58%
D	12th grade	278	22.53%
E	Ungraded or other grade	4	0.32%
	TOTALS	1,234	100.00%
Q-4. Are you Hisp	anic or Latino?		
A	Yes	103	8.35%
В	No	1130	91.65%
	TOTALS	1,233	100.00%
Q-5. What is your	race?		
A	American Indian or Alaskan Native	93	7.03%
В	Asian	42	3.17%
С	Black or African American	31	2.34%
D	Native Hawaiian or Other Pacific Islander	14	1.06%
E	. White	1143	86.39%
	TOTALS	1,323	100.00%

6/2/2021 9:11:42 AM PRD rptBasicDistributionFrequencyReportMassRegion

Q-6. How tall are y	ou without your shoes on?		
A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	1	0.08%
C.	4ft, 7in to 5 ft	27	2.22%
D.	5ft, 1in to 5ft, 6in	462	38.02%
E.	Over 5ft, 6in	725	59.67%
	TOTALS	1,215	100.00%
Q-7. How much do	you weigh without your shoes on?		
А.	Less than 90 lbs	4	0.33%
B.	90-99 lbs	23	1.89%
C.	100-109 lbs	43	3.53%
D.	110-119lbs	105	8.62%
E.	120-129 lbs	159	13.05%
F.	130-139 lbs	176	14.45%
G.	140 lbs +	708	58.13%
	TOTALS	1,218	100.00%
Q-8. How often do	you wear a seat belt when riding in a car driven by someone else?		
A.	Never	26	2.09%
B.	Rarely	57	4.58%
C.	Sometimes	118	9.48%
D.	Most of the time	366	29.40%
E.	Always	678	54.46%
	TOTALS	1,245	100.00%
Q-9. During the pa	st 30 days, how many times did you ride in a car or other vehicle driven by someone who had b	een drinking alcohol?	
A.	0 times	964	77.80%
B.	1 time	105	8.47%
C.	2 or 3 times	88	7.10%
D.	4 or 5 times	34	2.74%
E.	6 or more times	48	3.87%
	TOTALS	1,239	100.00%
Q-10. How often de	o you wear a seat belt when driving a car?		
A.	I do not drive a car	289	23.34%
B.	Never	30	2.42%
C.	Rarely	33	2.67%
D.	Sometimes	46	3.72%
E.	Most of the time	118	9.53%
F.	Always	722	58.32%
	TOTALS	1,238	100.00%

	TOTALS	1,245	100.00%
E.	6 or more days	83	6.67%
D.	4 or 5 days	11	0.88%
C.	2 or 3 days	19	1.53%
В.	1 day	28	2.25%
A.	0 days	1104	88.67%
)-14. During the p	ast 30 days, on how many days did you carry a weapon such as a gun, knife, or club on sc		
	TOTALS	1,241	100.00%
-	All 30 days	123	9.919
G.	20 to 29 days	46	3.719
F.	10 to 19 days	54	4.359
E.	6 to 9 days	39	3.149
	3 to 5 days	50	4.039
C.	1 or 2 days	107	8.629
	0 days	477	38.449
-	I did not drive a car or other vehicle during the past 30 days	345	27.80
	ast 30 days, on how many days did you use the Internet or apps on your cell phone (such or other vehicle? (Do not count using your cell phone to get driving directions or to determ		Facebook
	TOTALS	1,243	100.00
H.	All 30 days	127	10.220
G.	20 to 29 days	52	4.180
F.	10 to 19 days	55	4.42
E.	6 to 9 days	48	3.86
-	3 to 5 days	74	5.95
C.	1 or 2 days	133	10.70
	0 days	397	31.940
Δ	I did not drive a car or other vehicle during the past 30 days	357	28.72
-12. During the p	ast 30 days, on how many days did you text or e-mail while driving a car or other vehicle?	_,	
1.	TOTALS	1,245	100.00%
	6 or more times	14	1.120
E.	4 or 5 times	7	0.56
	2 or 3 times	22	1.77
	1 time	24	1.93
	0 times	810	65.06
А.	I did not drive a car or other vehicle during the past 30 days	368	29.569

A.	0 days	1089	87.68%
B.		38	3.06%
C.	2 or 3 days	33	2.66%
D.	4 or 5 days	18	1.45%
E.		64	5.15%
	TOTALS	1,242	100.00%
2-16. During the p rom school?	ast 30 days, on how many days did you not go to school because you felt you would be unsafe at school	or on your w	ay to or
A.	0 days	1129	90.83%
B.	1 day	58	4.67%
C.	2 or 3 days	36	2.90%
D.	4 or 5 days	4	0.32%
E.	6 or more days	16	1.29%
	TOTALS	1,243	100.00%
2-17. During the p property?	ast 12 months, how many times has someone threatened or injured you with a weapon such as a gun, kr	nife, or club o	on school
A.	0 times	1147	92.13%
В.	1 time	47	3.78%
C.	2 or 3 times	26	2.09%
D.	4 or 5 times	6	0.48%
E.	6 or 7 times	8	0.64%
F.	8 or 9 times	4	0.32%
G.	10 or 11 times	1	0.08%
H.	12 or more times	6	0.48%
			100.00%
	TOTALS	1,245	
	TOTALS last 12 months, how many times were you in a physical fight?	1,245	
	ast 12 months, how many times were you in a physical fight?	1,245 957	77.12%
2-18. During the p	ast 12 months, how many times were you in a physical fight?	-	
2-18. During the p	ast 12 months, how many times were you in a physical fight? 0 times 1 time	957	10.72%
2-18. During the p A. B.	ast 12 months, how many times were you in a physical fight? 0 times 1 time 2 or 3 times	957 133	10.72% 6.77%
2-18. During the p A. B. C.	ast 12 months, how many times were you in a physical fight? 0 times 1 time 2 or 3 times 4 or 5 times	957 133 84	10.72% 6.77% 2.01%
2-18. During the p A. B. C. D.	ast 12 months, how many times were you in a physical fight? 0 times 1 time 2 or 3 times 4 or 5 times 6 or 7 times	957 133 84 25	10.72% 6.77% 2.01% 1.13%
2-18. During the p A. B. C. D. E.	ast 12 months, how many times were you in a physical fight? 0 times 1 time 2 or 3 times 4 or 5 times 6 or 7 times 8 or 9 times	957 133 84 25 14	10.72% 6.77% 2.01% 1.13% 0.32%
2-18. During the p A. B. C. D. E. F.	ast 12 months, how many times were you in a physical fight? 0 times 1 time 2 or 3 times 4 or 5 times 6 or 7 times 8 or 9 times 10 or 11 times	957 133 84 25 14 4	77.12% 10.72% 6.77% 2.01% 1.13% 0.32% 1.61%

п.			
G. H.	10 or 11 times 12 or more times	7	0.00%
	TOTALS	1,235	100.00%
Q-20. Have you ev	er been physically forced to have sexual intercourse when you did not want to?		
A.	Yes	150	12.08%
B.	No	1092	87.929
	TOTALS	1,242	100.00%
	ast 12 months, how many times did anyone force you to do sexual things that you did not want to do? or being physically forced to have sexual intercourse.)	(Count such t	hings as
	0 times	1053	84.719
	1 time	103	8.29
C.	2 or 3 times	50	4.02
D.	4 or 5 times	15	1.21
E.	6 or more times	22	1.77
	TOTALS	1,243	100.00%
	ast 12 months, how many times did someone you were dating or going out with force you to do sexual t It such things as kissing, touching, or being physically forced to have sexual intercourse.)	things that yo	u did not
	I did not date or go out with anyone during the past 12 months	488	39.420
B.	0 times	649	52.420
C.	1 time	41	3.319
D.	2 or 3 times	29	2.349
E.	4 or 5 times	9	0.739
F.	6 or more times	22	1.780
	TOTALS	1,238	100.00%
	ast 12 months, how many times did someone you were dating or going out with physically hurt you on p slammed into something, or injured with an object or weapon.)	ourpose? (Co	unt such
			38.70
things as being hit,	I did not date or go out with anyone during the past 12 months	481	50.70
things as being hit,	I did not date or go out with anyone during the past 12 months	481 698	56.15°
things as being hit, A.	I did not date or go out with anyone during the past 12 months		
things as being hit, A. B.	I did not date or go out with anyone during the past 12 months 0 times 1 time	698	56.159
things as being hit, A. B. C.	I did not date or go out with anyone during the past 12 months 0 times 1 time	698 26	56.15° 2.09°
things as being hit, A. B. C. D. E.	I did not date or go out with anyone during the past 12 months 0 times 1 time 2 or 3 times	698 26 14	56.15 ⁰ 2.09 ⁰ 1.13 ⁰

	Vac		21.000
Α.	Yes	273	21.969
В.	No	970	78.049
	TOTALS	1,243	100.009
Q-25. During the pasocial media.)	ast 12 months, have you ever been electronically bullied? (Count being bullied thro	ugh texting, Instagram, Facebook,	or other
A.	Yes	240	19.37
B.	No	999	80.63
	TOTALS	1,239	100.00
Q-26. During the pable bisexual?	ast 12 months, have you ever been the victim of teasing or name calling because s	omeone thought you were gay, les	bian, or
А.	Yes	219	17.62
B.	No	1024	82.38
	TOTALS	1,243	100.00
Q-27. During the passence of t	ast 12 months, did you ever feel so sad or hopeless almost every day for two week es?	s or more in a row that you stoppe	d doing
А.	Yes	552	44.37
B.	No	692	55.63
	TOTALS	1,244	100.00
Q-28. During the p	ast 12 months, did you ever seriously consider attempting suicide?		
Α.	Yes	308	24.86
B.	No	931	75.14
	TOTALS	1,239	100.00
Q-29. During the p	ast 12 months, did you make a plan about how you would attempt suicide?		
А.	Yes	254	20.42
B.	No	990	79.58
	TOTALS	1,244	100.00
Q-30. During the p	ast 12 months, how many times did you actually attempt suicide?		
A.	0 times	1033	83.17
B.	1 time	150	12.08
C.	2 or 3 times	37	2.98
D.	4 or 5 times	9	0.72
E.	6 or more times	13	1.05
L.	TOTALS	1,242	100.00
Q-31. If you attemp doctor or nurse?	oted suicide during the past 12 months, did any attempt result in an injury, poisoni		
А.	I did not attempt suicide during the past 12 months	1026	83.62
B.	Yes	47	3.83
C.	No	154	12.55
	TOTALS	1,227	100.00
Q-32. Have you eve	er tried cigarette smoking, even one or two puffs?	1	
A.	Yes	381	30.75
B.	No	858	69.25
51	TOTALS		

А.	I have never tried cigarette smoking, not even one or two puffs	865	69.70%
B.	8 years old or younger	44	3.55%
C.	9 or 10 years old	31	2.50%
D.	11 or 12 years old	41	3.30%
E.	13 or 14 years old	100	8.06%
F.	15 or 16 years old	126	10.15%
G.	17 years old or older	34	2.74%
	TOTALS	1,241	100.00%
Q-34. During the p	ast 30 days, on how many days did you smoke cigarettes?		
A.	0 days	1119	90.10%
B.	1 or 2 days	60	4.83%
C.	3 to 5 days	23	1.85%
D.	6 to 9 days	13	1.05%
E.	10 to 19 days	6	0.48%
F.	20 to 29 days	4	0.32%
G.	All 30 days	17	1.37%
	TOTALS	1,242	100.00%
Q-35. During the p	ast 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
A.	I did not smoke cigarettes during the past 30 days	1122	90.05%
B.	Less than 1 cigarette per day	54	4.33%
C.	1 cigarette per day	31	2.49%
D.	2 to 5 cigarettes per day	26	2.09%
E.	6 to 10 cigarettes per day	7	0.56%
F.	11 to 20 cigarettes per day	2	0.16%
G.	More than 20 cigarettes per day	4	0.32%
	TOTALS	1,246	100.00%
Q-36. Have you ev	er used an electronic vapor product?		
A.	Yes	618	49.84%
B.	No	622	50.16%
	TOTALS	1,240	100.00%
Q-37. During the p	ast 30 days, on how many days did you use an electronic vapor product?		
A.	0 days	860	69.52%
B.	1 or 2 days	108	8.73%
C.	3 to 5 days	53	4.28%
D.	6 to 9 days	32	2.59%
E.	10 to 19 days	54	4.37%
 F.	20 to 29 days	46	3.72%
	All 30 days	84	6.79%
		1,237	100.00%

0.	TOTALS	1,244	100.00%
G.	All 30 days	19	1.53%
F.	20 to 29 days	5	0.40%
E.	10 to 19 days	12	0.96%
D.	6 to 9 days	14	1.13
C.	3 to 5 days	11	0.88
В.	1 or 2 days	17	1.370
Copenhagen, Grizz A.	y, Skoal, or Camel Snus? (Do not count any electronic vapor products.) 0 days	1166	93.739
	ast 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco pro	-	
11.	TOTALS	1,242	100.00
	Some other flavor	47	3.78
г. G.	Торассо	25	2.01
с. F.	Mint	23	1.85
D. E.	Menthol	87	7.00
C. D.	Fruit	10	13.77
B.	Alcoholic drinks (such as wine, margarita, or other cocktails) Chocolate, candy, desserts, or other sweets	10	1.29
	I did not use an electronic vapor product during the past 30 days	863 10	69.48 0.81
	ast 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)	0(2)	CO 40
40 During the p	TOTALS	1,243	100.00
H.	I got them in some other way	91	7.32
G.	I took them from a store or another person	11	0.88
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	2	0.16
E.	I bought them myself at a mall or shopping center kiosk or stand	0	0.00
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	9	0.72
C.	I bought them myself in a vape shop or tobacco shop	14	1.13
B.	I got or bought them from a friend, family member, or someone else	240	19.31
A.	I did not use any electronic vapor products during the past 30 days	876	70.47
-39. During the p	ast 30 days, how did you usually get your own electronic vapor products? (Select only one response.)		
0.	TOTALS	1,246	100.00
	All 30 days	41	3.29
E.	20 to 29 days	23	1.85
E.	10 to 19 days	33	2.65
C. D.	6 to 9 days	27	1.93
B.	1 or 2 days 3 to 5 days	50 27	4.01
Р	1 av 2 dava	FO	4.01

Q-42. During the p	ast 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
Α.	0 days	1167	93.73%
B.	1 or 2 days	42	3.37%
C.	3 to 5 days	12	0.96%
D.	6 to 9 days	7	0.56%
E.	10 to 19 days	4	0.32%
F.	20 to 29 days	5	0.40%
G.	All 30 days	8	0.64%
	TOTALS	1,245	100.00%
Q-43. During the p	ast 12 months, did you ever try to quit using all tobacco products?		
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	822	66.29%
B.	Yes	224	18.06%
C.	No	194	15.65%
	TOTALS	1,240	100.00%
Q-44. How old were	e you when you had your first drink of alcohol other than a few sips?		
A.	I have never had a drink of alcohol other than a few sips	521	41.91%
B.	8 years old or younger	90	7.24%
C.	9 or 10 years old	48	3.86%
D.	11 or 12 years old	77	6.19%
E.	13 or 14 years old	238	19.15%
F.	15 or 16 years old	240	19.31%
G.	17 years old or older	29	2.33%
	TOTALS	1,243	100.00%
Q-45. During the p	ast 30 days, on how many days did you have at least one drink of alcohol?		
A.	0 days	827	66.59%
B.	1 or 2 days	192	15.46%
C.	3 to 5 days	115	9.26%
D.	6 to 9 days	58	4.67%
E.	10 to 19 days	29	2.33%
F.	20 to 29 days	12	0.97%
G.	All 30 days	9	0.72%
	TOTALS	1,242	100.00%

0.	TOTALS	1,229	100.00%
G	Four Loko, or hard apple cider Some other type of alcohol	12	0.98%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade,	124	10.09%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	69	5.61%
D.	Vodka	65	5.29%
C.	Wine	16	1.30%
В.	Beer	111	9.03%
A.	I did not drink alcohol during the past 30 days	832	67.70%
)-49. During the p	ast 30 days, what type of alcohol did you drink most often? (Select only one response.)		
	TOTALS	1,239	100.00%
H.	I got it some other way	84	6.789
G.	I took it from a store or family member	48	3.87%
F.	Someone gave it to me	178	14.379
E.	I gave someone else money to buy it for me	74	5.979
D.	I bought it at a public event such as a concert or sporting event	2	0.169
C.	I bought it at a restaurant, bar, or club	4	0.320
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	17	1.379
A.	I did not drink alcohol during the past 30 days	832	67.15%
-48. During the p	ast 30 days, how did you usually get the alcohol you drank?		
	TOTALS	1,245	100.00%
H.	10 or more drinks	63	5.06%
G.	8 or 9 drinks	27	2.179
F.	6 or 7 drinks	64	5.149
E.	5 drinks	48	3.860
D.	4 drinks	40	3.210
C.	3 drinks	38	3.05
B.	1 or 2 drinks	120	9.649
A.	I did not drink alcohol during the past 30 days	845	67.87%
)-47. During the p	ast 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of ho	urs?	
	TOTALS	1,242	100.00%
G.	20 or more days	9	0.729
	10 to 19 days	19	1.539
	6 to 9 days	23	1.859
-	3 to 5 days	57	4.59%
	2 days	68	5.48%
	1 day	80	6.449
А	0 days	986	79.39%

A.	0 times	772	62.06%
B.	1 or 2 times	93	7.48%
C.	3 to 9 times	88	7.07%
D.	10 to 19 times	64	5.14%
E.	20 to 39 times	45	3.62%
F.	40 to 99 times	60	4.82%
G.	100 or more times	122	9.81%
	TOTALS	1,244	100.00%
Q-51. How old wer	e you when you tried marijuana for the first time?		
A.	I have never tried marijuana	770	62.00%
B.	8 years old or younger	23	1.85%
C.	9 or 10 years old	19	1.53%
D.	11 or 12 years old	51	4.11%
E.	13 or 14 years old	157	12.64%
F.	15 or 16 years old	180	14.49%
G.	17 years old or older	42	3.38%
	TOTALS	1,242	100.00%
Q-52. During the p	ast 30 days, how many times did you use marijuana?		
A.	0 times	983	79.34%
В.	1 or 2 times	82	6.62%
C.	3 to 9 times	63	5.08%
D.	10 to 19 times	37	2.99%
E.	20 to 39 times	30	2.429
F.	40 or more times	44	3.55%
	TOTALS	1,239	100.00%
Q-53. During your	life, how many times have you used synthetic marijuana?		
А.	0 times	1154	92.84%
В.	1 or 2 times	41	3.30%
C.	3 to 9 times	12	0.97%
D.	10 to 19 times	14	1.139
E.	20 to 39 times	6	0.48%
F.	40 or more times	16	1.29%
	TOTALS	1,243	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

A.	0 times	1053	84.71%
B.	1 or 2 times	98	7.88%
C.	3 to 9 times	44	3.54%
D.	10 to 19 times	20	1.61%
E.	20 to 39 times	8	0.64%
 F.	40 or more times	20	1.61%
	TOTALS	1,243	100.00%
Q-55. During your	life, how many times have you used any form of cocaine, including powder, crack, or f	reebase?	
Α.	0 times	1184	95.48%
B.	1 or 2 times	28	2.26%
C.	3 to 9 times	9	0.73%
D.	10 to 19 times	8	0.65%
E.	20 to 39 times	2	0.16%
F.	40 or more times	9	0.73%
	TOTALS	1,240	100.00%
Q-56. During your high?	life, how many times have you sniffed glue, breathed the contents of aerosol spray car	ns, or inhaled any paints or spra	ays to get
A.	0 times	1117	89.79%
B.	1 or 2 times	69	5.55%
C.	3 to 9 times	22	1.77%
D.	10 to 19 times	13	1.05%
E.	20 to 39 times	6	0.48%
F.	40 or more times	17	1.37%
	TOTALS	1,244	100.00%
Q-57. During your	life, how many times have you used heroin (also called smack, junk, or China White)?		
Α.	0 times	1211	97.43%
В.	1 or 2 times	16	1.29%
C.	3 to 9 times	3	0.24%
D.	10 to 19 times	6	0.48%
E.	20 to 39 times	1	0.08%
F.	40 or more times	6	0.48%
	TOTALS	1,243	100.00%
Q-58. During your	life, how many times have you used methamphetamines (also called speed, crystal me	th, crank, ice, or meth)?	
Α.	0 times	1204	97.02%
B.	1 or 2 times	21	1.69%
C.	3 to 9 times	3	0.24%
D.	10 to 19 times	6	0.48%
E.	20 to 39 times	0	0.00%
F.	40 or more times	7	0.56%
	TOTALS	1,241	100.00%

A.	0 times	1161	93.63% 3.55%
B.	1 or 2 times 3 to 9 times	16	1.29%
C.			0.48%
D.	10 to 19 times	6	
E.	20 to 39 times	4	0.329
F.	40 or more times	9	0.739
0-60 During your	TOTALS life, how many times have you used a needle to inject any illegal drug into your body?	1,240	100.00%
		1017	00.220
A.	0 times	1217	98.229
В.	1 time	12	0.979
C.	2 or more times	10	0.819
0.61 During the p	TOTALS	1,239	100.00%
	ast 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
Α.	Yes	307	24.989
B.	No	922	75.029
	TOTALS	1,229	100.00%
	ast 30 days, how many times did you use hallucinogenic drugs, such as LSD, acid, PCP, angel dust,		
Α.	0 times	1159	93.329
B.		56	4.519
C.	3 to 9 times	11	0.899
D.		7	0.56%
E.	20 to 30 times	1	0.089
F.	40 or more times	8	0.649
	TOTALS	1,242	100.00%
Q-63. Have you ev	er had sexual intercourse?		
A.	Yes	524	42.53%
B.	No	708	57.479
	TOTALS	1,232	100.00%
Q-64. How old wer	e you when you had sexual intercourse for the first time?		
A.	I have never had sexual intercourse	719	58.129
В.	11 years old or younger	34	2.75
C.	12 years old	18	1.460
D.	13 years old	40	3.239
E.	14 years old	120	9.709
F.	15 years old	151	12.219
G.	16 years old	113	9.149
H.	17 years old or older	42	3.40
	TOTALS	1,237	100.009

A.	I have never had sexual intercourse	720	58.06%
B.	1 person	215	17.349
C.	2 people	112	9.03%
D.	3 people	64	5.16%
E.	4 people	32	2.58%
F.	5 people	26	2.10%
G.	6 or more people	71	5.739
	TOTALS	1,240	100.00%
Q-66. During the p	ast 3 months, with how many people did you have sexual intercourse?	,	
A.	I have never had sexual intercourse	722	58.27%
В.	I have had sexual intercourse, but not during the past 3 months	146	11.78%
C.	1 person	282	22.76%
D.	2 people	47	3.79%
E.	3 people	19	1.53%
F.	4 people	5	0.40%
G.	5 people	4	0.329
H.	6 or more people	14	1.139
	TOTALS	1,239	100.00%
Q-67. Did you drinl	k alcohol or use drugs before you had sexual intercourse the last time?		
A.	I have never had sexual intercourse	711	57.85%
B.	Yes	121	9.85%
C.	No	397	32.30%
	TOTALS	1,229	100.00%
Q-68. The last time	e you had sexual intercourse, did you or your partner use a condom?		
A.	I have never had sexual intercourse	722	58.46%
B.	Yes	261	21.13%
C.	No	252	20.40%
	TOTALS	1,235	100.00%
Q-69. The last time (Select only one re	e you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use	to prevent p	regnancy?
A.	I have never had sexual intercourse with an opposite-sex partner	719	58.41%
B.	No method was used to prevent pregnancy	55	4.479
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	118	9.599
D.	Condoms	185	15.03%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	58	4.719
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	19	1.549
G.	Withdrawal or some other method	52	4.229
H.	Not sure	25	2.03%
	TOTALS	1,231	100.00%

	TOTALS	1,237	100.00%
G.	4 or more times per day	19	1.54%
F.	3 times per day	4	0.32%
E.	2 times per day	27	2.18%
D.	1 time per day	98	7.929
C.	4 to 6 times during the past 7 days	216	17.469
В.	1 to 3 times during the past 7 days	511	41.319
А.	I did not eat green salad during the past 7 days	362	29.269
Q-74. During the p	ast 7 days, how many times did you eat green salad?		
	TOTALS	1,236	100.00%
G.	4 or more times per day	54	4.37
F.	3 times per day	56	4.53
E.	2 times per day	139	11.25
D.	1 time per day	158	12.78
C.	4 to 6 times during the past 7 days	307	24.84
B.	1 to 3 times during the past 7 days	432	34.95
А.	I did not eat fruit during the past 7 days	90	7.28
Q-73. During the p	ast 7 days, how many times did you eat fruit? (Do not count fruit juice.)		
	TOTALS	1,237	100.00
G.	4 or more times per day	25	2.02
F.	3 times per day	16	1.29
E.	2 times per day	53	4.28
D.	1 time per day	58	4.69
C.	4 to 6 times during the past 7 days	142	11.48
B.	1 to 3 times during the past 7 days	506	40.91
A.	I did not drink 100% fruit juice during the past 7 days	437	35.33
	ast 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juic orts drinks, or other fruit-flavored drinks.)	e, or grape juice? (Do not	count
	TOTALS	1,237	100.00
D.	I am not trying to do anything about my weight	273	22.07
C.	Stay the same weight	194	15.689
B.	Gain weight	272	21.99
А.	Lose weight	498	40.26
Q-71. Which of the	following are you trying to do about your weight?		
	TOTALS	1,233	100.009
E.	Very overweight	40	3.24
D.	Slightly overweight	305	24.74
C.	About the right weight	673	54.589
В.	Slightly underweight	193	15.65
А.	Very underweight	22	1.78

0.	F - · · · ·		100.00%
G.	4 or more times per day	15	1.22%
F.	3 times per day	7	0.57%
D. E.	2 time per day	44	3.57%
D.	1 time per day	65	5.27
В. С.	4 to 6 times during the past 7 days	174	14.119
A. B.	1 to 3 times during the past 7 days	514	41.69
2-78. During the pa liet soda or diet po A.	ast 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such p.) I did not drink soda or pop during the past 7 days	as Coke, Pepsi, or Sprite? (Do n 414	ot count 33.58
	TOTALS	1,234	100.00
G.	4 or more times per day	24	1.94
F.	3 times per day	21	1.70
E.	2 times per day	73	5.929
D.	1 time per day	166	13.45
C.	4 to 6 times during the past 7 days	304	24.64
B.	1 to 3 times during the past 7 days	471	38.17
A.	I did not eat other vegetables during the past 7 days	175	14.18
)-77. During the p	ast 7 days, how many times did you eat other vegetables? (Do not count green salad,	potatoes, or carrots.)	
	TOTALS	1,225	100.009
G.	4 or more times per day	9	0.73
F.	3 times per day	4	0.33
E.	2 times per day	11	0.90
D.	1 time per day	43	3.51
C.	4 to 6 times during the past 7 days	126	10.29
B.	1 to 3 times during the past 7 days	517	42.04
A.	I did not eat carrots during the past 7 days	517	42.20
)-76. During the p	ast 7 days, how many times did you eat carrots?	1,234	100.00
G.	4 or more times per day TOTALS	4 1,234	0.32 100.00
F.	3 times per day	4	0.32
E.	2 times per day	16	1.30
D.	1 time per day	25	2.03
C.	4 to 6 times during the past 7 days	130	10.53
В.	1 to 3 times during the past 7 days	656	53.16
Α.	I did not eat potatoes during the past 7 days	399	32.33

11.			
H.	7 days	341	27.88%
G.	6 days	134	10.96%
F.	5 days	187	15.29%
E.	4 days	131	10.71
D.	3 days	131	10.71
C.	2 days	125	10.220
В.	1 day	60	4.91
A.	0 days	114	9.32
	ast 7 days, on how many days were you physically active for a total of at least 60 minutes per da f physical activity that increased your heart rate and made you breathe hard some of the time.)	ay? (Add up all the tin	ne you
	TOTALS	1,225	100.00%
H.	7 days	377	30.789
G.	6 days	82	6.69
F.	5 days	96	7.84
E.	4 days	84	6.860
D.	3 days	112	9.14
C.	2 days	124	10.12
B.	1 day	137	11.18
A.	0 days	213	17.39
-81. During the p	ast 7 days, on how many days did you eat breakfast?		
	TOTALS	1,232	100.00
	4 or more glasses per day	45	3.65
	3 glasses per day	45	3.65
E.		125	10.15
D.		141	11.44
	4 to 6 glasses during the past 7 days	196	15.91
	1 to 3 glasses during the past 7 days	348	28.25
-	of milk served at school as equal to one glass.) I did not drink milk during the past 7 days	332	26.95
	ast 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup,	from a carton, or wit	h cereal.
	TOTALS	1,232	100.00%
G.		11	0.89
F.		6	0.49
E.		26	2.11
D.		42	3.41
D. C.		127	10.31
	1 to 3 times during the past 7 days	362	29.38
Λ	I did not drink sports drinks during the past 7 days	658	53.41

A.	Less than 1 hour per day	69	5.65%
B.	1 hour per day	93	7.61%
	2 hours per day	213	17.43%
D.	3 hours per day	287	23.49%
E.	4 hours per day	235	19.23%
F.	5 or more hours per day	325	26.60%
	TOTALS	1,222	100.00%
Q-84. In an averag	ge week when you are in school, on how many days do you go to physical education (PE) classes?		
A.	0 days	560	45.90%
B.	1 day	21	1.72%
C.	2 days	95	7.79%
D.	3 days	167	13.69%
E.	4 days	42	3.44%
F.	5 days	335	27.46%
	TOTALS	1,220	100.00%
Q-85. During the p	ast 12 months, on how many sports teams did you play? (Count any teams run by your school or	community groups.))
A.	0 teams	469	38.57%
B.	1 team	291	23.93%
C.	2 teams	230	18.91%
D.	3 or more teams	226	18.59%
	TOTALS	1,216	100.00%
Q-86. During the p	ast 12 months, how many times did you have a concussion from playing a sport or being physical	ly active?	
A.	0 times	1021	83.08%
B.	1 time	133	10.82%
C.	2 times	41	3.34%
D.	3 times	16	1.30%
E.	4 or more times	18	1.46%
	TOTALS	1,229	100.00%
Q-87. Has a doctor	r or nurse ever told you that you have asthma?		
A.	Yes	206	16.93%
B.	No	943	77.49%
C.	Not sure	68	5.59%
	TOTALS	1,217	100.00%
Q-88. Do you still l	nave asthma?		
A.	I have never had asthma	759	62.26%
B.	Yes	148	12.14%
<u>с</u>	No	231	18.95%
L.			
_	Not sure	81	6.64%

A.	I do not have asthma	973	79.36%
B.	0 days	224	18.27%
C.	1 day	13	1.06%
D.	2 days	6	0.49%
E.	3 days	6	0.49%
F.	4 days	1	0.08%
G.	5 or more days	3	0.24%
	TOTALS	1,226	100.00%
Q-90. When was th	ne last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
A.	During the past 12 months	966	78.929
B.	Between 12 and 24 months ago	141	11.529
C.	More than 24 months ago	58	4.749
D.	Never	11	0.90
E.	Not sure	48	3.92
	TOTALS	1,224	100.00%
Q-91. During the p	ast 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety,	and depression	n.)
A.	Never	195	16.020
B.	Rarely	262	21.53
C.	Sometimes	360	29.58
D.	Most of the time	289	23.75
E.	Always	111	9.120
	TOTALS	1,217	100.00%
Q-92. On an avera	ge school night, how many hours of sleep do you get?		
A.	4 or less hours	104	8.55
B.	5 hours	138	11.349
C.	6 hours	265	21.77
D.	7 hours	365	29.99
E.	8 hours	276	22.68
F.	9 hours	55	4.52
G.	10 or more hours	14	1.15
	TOTALS	1,217	100.00%
Q-93. During the p	ast 30 days, where did you usually sleep?		
A.	In my parent's or guardian's home	1154	94.590
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	31	2.549
C.	In a shelter or emergency housing	9	0.74
D.	In a motel or hotel	8	0.66
E.	In a car, park, campground, or other public place	5	0.41
F.	I do not have a usual place to sleep	6	0.49
G.	Somewhere else	7	0.57
	TOTALS	1,220	100.00%

Δ	Yes	68	5.62%
	No	1142	94.38%
D.	TOTALS	1,210	100.00%
Q-95. During the p	ast 30 days, how often did you go hungry because there was not enough food in your home?		
A.	Never	1022	84.05%
	Rarely	119	9.79%
C.	Sometimes	58	4.77%
D.	Most of the time	13	1.07%
E.	Always	4	0.33%
	TOTALS	1,216	100.00%
Q-96. During the p	ast 12 months, how would you describe your grades in school?		
A.	Mostly A's	563	46.61%
B.	Mostly B's	335	27.73%
C.	Mostly C's	192	15.89%
D.	Mostly D's	49	4.06%
E.	Mostly F's	31	2.57%
F.	None of these grades	2	0.17%
G.	Not sure	36	2.98%
	TOTALS	1,208	100.00%
Q-97. During the p count getting a spi	ast 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed,	or tanning booth?	(Do not
	0 times	1145	94.24%
	1 or 2 times	30	2.47%
C.		19	1.56%
D.	10 to 19 times	8	0.66%
E.	20 to 39 times	8	0.66%
F.	40 or more times	5	0.41%
	TOTALS	1,215	100.00%
Q-98. During the p	bast 12 months, did you receive help from a resource teacher, speech therapist or other special edu	ication teacher at so	chool?
	Var	196	16.27%
А.	Yes	190	1012/ /
A. B.		190	83.73%