

2021 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 503 high school students in Nonpublic Region during February of 2021. Frequency distributions may not total 503 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	0	0.00%
B.	13 years old	1	0.20%
C.	14 years old	50	9.94%
D.	15 years old	134	26.64%
E.	16 years old	122	24.25%
F.	17 years old	120	23.86%
G.	18 years old or older	76	15.11%
	TOTALS	503	100.00%
Q-2. What is your sex?			
A.	Female	245	49.20%
B.	Male	253	50.80%
	TOTALS	498	100.00%
Q-3. In what grade are you?			
A.	9th grade	132	26.67%
B.	10th grade	126	25.45%
C.	11th grade	115	23.23%
D.	12th grade	121	24.44%
E.	Ungraded or other grade	1	0.20%
	TOTALS	495	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	39	7.83%
B.	No	459	92.17%
	TOTALS	498	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	30	5.84%
B.	Asian	16	3.11%
C.	Black or African American	13	2.53%
D.	Native Hawaiian or Other Pacific Islander	10	1.95%
E.	White	445	86.58%
	TOTALS	514	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	2	0.40%
C.	4ft, 7in to 5 ft	12	2.40%
D.	5ft, 1in to 5ft, 6in	174	34.80%
E.	Over 5ft, 6in	312	62.40%
TOTALS		500	100.00%

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	2	0.41%
B.	90-99 lbs	11	2.25%
C.	100-109 lbs	27	5.52%
D.	110-119lbs	35	7.16%
E.	120-129 lbs	57	11.66%
F.	130-139 lbs	74	15.13%
G.	140 lbs +	283	57.87%
TOTALS		489	100.00%

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	4	0.80%
B.	Rarely	14	2.79%
C.	Sometimes	28	5.58%
D.	Most of the time	109	21.71%
E.	Always	347	69.12%
TOTALS		502	100.00%

Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	423	84.26%
B.	1 time	41	8.17%
C.	2 or 3 times	27	5.38%
D.	4 or 5 times	5	1.00%
E.	6 or more times	6	1.20%
TOTALS		502	100.00%

Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	68	13.55%
B.	Never	5	1.00%
C.	Rarely	7	1.39%
D.	Sometimes	13	2.59%
E.	Most of the time	41	8.17%
F.	Always	368	73.31%
TOTALS		502	100.00%

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

A.	I did not drive a car or other vehicle during the past 30 days	84	16.73%
B.	0 times	381	75.90%
C.	1 time	23	4.58%
D.	2 or 3 times	10	1.99%
E.	4 or 5 times	1	0.20%
F.	6 or more times	3	0.60%
TOTALS		502	100.00%

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	79	15.74%
B.	0 days	169	33.67%
C.	1 or 2 days	55	10.96%
D.	3 to 5 days	44	8.76%
E.	6 to 9 days	29	5.78%
F.	10 to 19 days	31	6.18%
G.	20 to 29 days	36	7.17%
H.	All 30 days	59	11.75%
TOTALS		502	100.00%

Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)

A.	I did not drive a car or other vehicle during the past 30 days	74	14.83%
B.	0 days	185	37.07%
C.	1 or 2 days	62	12.42%
D.	3 to 5 days	29	5.81%
E.	6 to 9 days	24	4.81%
F.	10 to 19 days	31	6.21%
G.	20 to 29 days	31	6.21%
H.	All 30 days	63	12.63%
TOTALS		499	100.00%

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	481	95.82%
B.	1 day	9	1.79%
C.	2 or 3 days	2	0.40%
D.	4 or 5 days	1	0.20%
E.	6 or more days	9	1.79%
TOTALS		502	100.00%

Q-15. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	484	96.22%
B.	1 day	6	1.19%
C.	2 or 3 days	3	0.60%
D.	4 or 5 days	1	0.20%
E.	6 or more days	9	1.79%
TOTALS		503	100.00%

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	469	93.43%
B.	1 day	18	3.59%
C.	2 or 3 days	7	1.39%
D.	4 or 5 days	0	0.00%
E.	6 or more days	8	1.59%
TOTALS		502	100.00%

Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	491	97.61%
B.	1 time	7	1.39%
C.	2 or 3 times	3	0.60%
D.	4 or 5 times	0	0.00%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	1	0.20%
H.	12 or more times	1	0.20%
TOTALS		503	100.00%

Q-18. During the past 12 months, how many times were you in a physical fight?

A.	0 times	422	83.90%
B.	1 time	47	9.34%
C.	2 or 3 times	25	4.97%
D.	4 or 5 times	3	0.60%
E.	6 or 7 times	2	0.40%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	4	0.80%
TOTALS		503	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-19. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	493	98.80%
B.	1 time	5	1.00%
C.	2 or 3 times	1	0.20%
D.	4 or 5 times	0	0.00%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	0	0.00%
TOTALS		499	100.00%
Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	50	9.96%
B.	No	452	90.04%
TOTALS		502	100.00%
Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	435	87.17%
B.	1 time	39	7.82%
C.	2 or 3 times	14	2.81%
D.	4 or 5 times	6	1.20%
E.	6 or more times	5	1.00%
TOTALS		499	100.00%
Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	223	44.69%
B.	0 times	243	48.70%
C.	1 time	16	3.21%
D.	2 or 3 times	11	2.20%
E.	4 or 5 times	2	0.40%
F.	6 or more times	4	0.80%
TOTALS		499	100.00%
Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	215	42.83%
B.	0 times	271	53.98%
C.	1 time	10	1.99%
D.	2 or 3 times	1	0.20%
E.	4 or 5 times	2	0.40%
F.	6 or more times	3	0.60%
TOTALS		502	100.00%

Q-24. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	73	14.54%
B.	No	429	85.46%
TOTALS		502	100.00%
Q-25. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	87	17.37%
B.	No	414	82.63%
TOTALS		501	100.00%
Q-26. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	60	11.95%
B.	No	442	88.05%
TOTALS		502	100.00%
Q-27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	178	35.39%
B.	No	325	64.61%
TOTALS		503	100.00%
Q-28. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	91	18.16%
B.	No	410	81.84%
TOTALS		501	100.00%
Q-29. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	73	14.57%
B.	No	428	85.43%
TOTALS		501	100.00%
Q-30. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	450	89.46%
B.	1 time	38	7.55%
C.	2 or 3 times	12	2.39%
D.	4 or 5 times	2	0.40%
E.	6 or more times	1	0.20%
TOTALS		503	100.00%
Q-31. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
A.	I did not attempt suicide during the past 12 months	446	89.20%
B.	Yes	16	3.20%
C.	No	38	7.60%
TOTALS		500	100.00%
Q-32. Have you ever tried cigarette smoking, even one or two puffs?			
A.	Yes	104	20.76%
B.	No	397	79.24%
TOTALS		501	100.00%

Q-33. How old were you when you first tried cigarette smoking, even one or two puffs?			
A.	I have never tried cigarette smoking, not even one or two puffs	398	79.28%
B.	8 years old or younger	10	1.99%
C.	9 or 10 years old	3	0.60%
D.	11 or 12 years old	8	1.59%
E.	13 or 14 years old	19	3.78%
F.	15 or 16 years old	48	9.56%
G.	17 years old or older	16	3.19%
TOTALS		502	100.00%

Q-34. During the past 30 days, on how many days did you smoke cigarettes?			
A.	0 days	484	96.61%
B.	1 or 2 days	11	2.20%
C.	3 to 5 days	3	0.60%
D.	6 to 9 days	0	0.00%
E.	10 to 19 days	1	0.20%
F.	20 to 29 days	1	0.20%
G.	All 30 days	1	0.20%
TOTALS		501	100.00%

Q-35. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
A.	I did not smoke cigarettes during the past 30 days	486	96.81%
B.	Less than 1 cigarette per day	10	1.99%
C.	1 cigarette per day	3	0.60%
D.	2 to 5 cigarettes per day	1	0.20%
E.	6 to 10 cigarettes per day	0	0.00%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	2	0.40%
TOTALS		502	100.00%

Q-36. Have you ever used an electronic vapor product?			
A.	Yes	227	45.40%
B.	No	273	54.60%
TOTALS		500	100.00%

Q-37. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	374	75.25%
B.	1 or 2 days	33	6.64%
C.	3 to 5 days	15	3.02%
D.	6 to 9 days	17	3.42%
E.	10 to 19 days	20	4.02%
F.	20 to 29 days	15	3.02%
G.	All 30 days	23	4.63%
TOTALS		497	100.00%

Q-38. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	442	88.40%
B.	1 or 2 days	17	3.40%
C.	3 to 5 days	9	1.80%
D.	6 to 9 days	6	1.20%
E.	10 to 19 days	10	2.00%
F.	20 to 29 days	7	1.40%
G.	All 30 days	9	1.80%
	TOTALS	500	100.00%
Q-39. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	383	76.60%
B.	I got or bought them from a friend, family member, or someone else	70	14.00%
C.	I bought them myself in a vape shop or tobacco shop	17	3.40%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	5	1.00%
E.	I bought them myself at a mall or shopping center kiosk or stand	1	0.20%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	0	0.00%
G.	I took them from a store or another person	1	0.20%
H.	I got them in some other way	23	4.60%
	TOTALS	500	100.00%
Q-40. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)			
A.	I did not use an electronic vapor product during the past 30 days	379	75.65%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	0	0.00%
C.	Chocolate, candy, desserts, or other sweets	4	0.80%
D.	Fruit	64	12.77%
E.	Menthol	16	3.19%
F.	Mint	15	2.99%
G.	Tobacco	4	0.80%
H.	Some other flavor	19	3.79%
	TOTALS	501	100.00%
Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)			
A.	0 days	476	94.63%
B.	1 or 2 days	10	1.99%
C.	3 to 5 days	4	0.80%
D.	6 to 9 days	3	0.60%
E.	10 to 19 days	6	1.19%
F.	20 to 29 days	0	0.00%
G.	All 30 days	4	0.80%
	TOTALS	503	100.00%

Q-42. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	473	94.04%
B.	1 or 2 days	20	3.98%
C.	3 to 5 days	4	0.80%
D.	6 to 9 days	4	0.80%
E.	10 to 19 days	0	0.00%
F.	20 to 29 days	0	0.00%
G.	All 30 days	2	0.40%
TOTALS		503	100.00%
Q-43. During the past 12 months, did you ever try to quit using all tobacco products?			
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	353	70.74%
B.	Yes	97	19.44%
C.	No	49	9.82%
TOTALS		499	100.00%
Q-44. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	209	41.55%
B.	8 years old or younger	12	2.39%
C.	9 or 10 years old	17	3.38%
D.	11 or 12 years old	22	4.37%
E.	13 or 14 years old	99	19.68%
F.	15 or 16 years old	127	25.25%
G.	17 years old or older	17	3.38%
TOTALS		503	100.00%
Q-45. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	310	61.75%
B.	1 or 2 days	91	18.13%
C.	3 to 5 days	64	12.75%
D.	6 to 9 days	28	5.58%
E.	10 to 19 days	6	1.20%
F.	20 to 29 days	2	0.40%
G.	All 30 days	1	0.20%
TOTALS		502	100.00%

Q-46. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?

A.	0 days	380	76.00%
B.	1 day	44	8.80%
C.	2 days	31	6.20%
D.	3 to 5 days	33	6.60%
E.	6 to 9 days	8	1.60%
F.	10 to 19 days	1	0.20%
G.	20 or more days	3	0.60%
TOTALS		500	100.00%

Q-47. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?

A.	I did not drink alcohol during the past 30 days	320	63.75%
B.	1 or 2 drinks	48	9.56%
C.	3 drinks	21	4.18%
D.	4 drinks	20	3.98%
E.	5 drinks	32	6.37%
F.	6 or 7 drinks	23	4.58%
G.	8 or 9 drinks	19	3.78%
H.	10 or more drinks	19	3.78%
TOTALS		502	100.00%

Q-48. During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	317	63.15%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	12	2.39%
C.	I bought it at a restaurant, bar, or club	0	0.00%
D.	I bought it at a public event such as a concert or sporting event	2	0.40%
E.	I gave someone else money to buy it for me	44	8.76%
F.	Someone gave it to me	73	14.54%
G.	I took it from a store or family member	15	2.99%
H.	I got it some other way	39	7.77%
TOTALS		502	100.00%

Q-49. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)

A.	I did not drink alcohol during the past 30 days	307	62.27%
B.	Beer	70	14.20%
C.	Wine	15	3.04%
D.	Vodka	20	4.06%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	28	5.68%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	52	10.55%
G.	Some other type of alcohol	1	0.20%
TOTALS		493	100.00%

Q-50. During your life, how many times have you used marijuana?			
A.	0 times	348	69.32%
B.	1 or 2 times	37	7.37%
C.	3 to 9 times	44	8.76%
D.	10 to 19 times	18	3.59%
E.	20 to 39 times	12	2.39%
F.	40 to 99 times	14	2.79%
G.	100 or more times	29	5.78%
TOTALS		502	100.00%
Q-51. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	351	69.78%
B.	8 years old or younger	3	0.60%
C.	9 or 10 years old	2	0.40%
D.	11 or 12 years old	5	0.99%
E.	13 or 14 years old	35	6.96%
F.	15 or 16 years old	86	17.10%
G.	17 years old or older	21	4.17%
TOTALS		503	100.00%
Q-52. During the past 30 days, how many times did you use marijuana?			
A.	0 times	421	84.37%
B.	1 or 2 times	33	6.61%
C.	3 to 9 times	12	2.40%
D.	10 to 19 times	11	2.20%
E.	20 to 39 times	9	1.80%
F.	40 or more times	13	2.61%
TOTALS		499	100.00%
Q-53. During your life, how many times have you used synthetic marijuana?			
A.	0 times	475	94.62%
B.	1 or 2 times	15	2.99%
C.	3 to 9 times	4	0.80%
D.	10 to 19 times	3	0.60%
E.	20 to 39 times	2	0.40%
F.	40 or more times	3	0.60%
TOTALS		502	100.00%

Q-54. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

A.	0 times	457	90.85%
B.	1 or 2 times	26	5.17%
C.	3 to 9 times	15	2.98%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	3	0.60%
F.	40 or more times	2	0.40%
TOTALS		503	100.00%

Q-55. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	488	97.60%
B.	1 or 2 times	7	1.40%
C.	3 to 9 times	1	0.20%
D.	10 to 19 times	1	0.20%
E.	20 to 39 times	2	0.40%
F.	40 or more times	1	0.20%
TOTALS		500	100.00%

Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	476	94.82%
B.	1 or 2 times	13	2.59%
C.	3 to 9 times	7	1.39%
D.	10 to 19 times	2	0.40%
E.	20 to 39 times	2	0.40%
F.	40 or more times	2	0.40%
TOTALS		502	100.00%

Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	496	99.00%
B.	1 or 2 times	3	0.60%
C.	3 to 9 times	0	0.00%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	1	0.20%
F.	40 or more times	1	0.20%
TOTALS		501	100.00%

Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

A.	0 times	496	99.00%
B.	1 or 2 times	1	0.20%
C.	3 to 9 times	0	0.00%
D.	10 to 19 times	1	0.20%
E.	20 to 39 times	1	0.20%
F.	40 or more times	2	0.40%
TOTALS		501	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-59. During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
A.	0 times	490	97.80%
B.	1 or 2 times	7	1.40%
C.	3 to 9 times	1	0.20%
D.	10 to 19 times	1	0.20%
E.	20 to 39 times	0	0.00%
F.	40 or more times	2	0.40%
TOTALS		501	100.00%
Q-60. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	496	99.40%
B.	1 time	2	0.40%
C.	2 or more times	1	0.20%
TOTALS		499	100.00%
Q-61. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	101	20.36%
B.	No	395	79.64%
TOTALS		496	100.00%
Q-62. During the past 30 days, how many times did you use hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?			
A.	0 times	481	96.01%
B.	1 or 2 times	13	2.59%
C.	3 to 9 times	0	0.00%
D.	10 to 19 times	4	0.80%
E.	20 to 30 times	1	0.20%
F.	40 or more times	2	0.40%
TOTALS		501	100.00%
Q-63. Have you ever had sexual intercourse?			
A.	Yes	178	35.89%
B.	No	318	64.11%
TOTALS		496	100.00%
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	322	64.27%
B.	11 years old or younger	7	1.40%
C.	12 years old	4	0.80%
D.	13 years old	7	1.40%
E.	14 years old	28	5.59%
F.	15 years old	65	12.97%
G.	16 years old	48	9.58%
H.	17 years old or older	20	3.99%
TOTALS		501	100.00%

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	329	65.80%
B.	1 person	77	15.40%
C.	2 people	26	5.20%
D.	3 people	16	3.20%
E.	4 people	13	2.60%
F.	5 people	14	2.80%
G.	6 or more people	25	5.00%
TOTALS		500	100.00%

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	326	64.94%
B.	I have had sexual intercourse, but not during the past 3 months	52	10.36%
C.	1 person	101	20.12%
D.	2 people	10	1.99%
E.	3 people	6	1.20%
F.	4 people	2	0.40%
G.	5 people	0	0.00%
H.	6 or more people	5	1.00%
TOTALS		502	100.00%

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	316	63.33%
B.	Yes	43	8.62%
C.	No	140	28.06%
TOTALS		499	100.00%

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	321	64.33%
B.	Yes	94	18.84%
C.	No	84	16.83%
TOTALS		499	100.00%

Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse with an opposite-sex partner	325	65.13%
B.	No method was used to prevent pregnancy	12	2.40%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	58	11.62%
D.	Condoms	60	12.02%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	14	2.81%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	5	1.00%
G.	Withdrawal or some other method	18	3.61%
H.	Not sure	7	1.40%
TOTALS		499	100.00%

Q-70. How do you describe your weight?			
A.	Very underweight	15	3.02%
B.	Slightly underweight	79	15.90%
C.	About the right weight	293	58.95%
D.	Slightly overweight	97	19.52%
E.	Very overweight	13	2.62%
TOTALS		497	100.00%
Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	182	36.47%
B.	Gain weight	110	22.04%
C.	Stay the same weight	98	19.64%
D.	I am not trying to do anything about my weight	109	21.84%
TOTALS		499	100.00%
Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	161	32.39%
B.	1 to 3 times during the past 7 days	208	41.85%
C.	4 to 6 times during the past 7 days	68	13.68%
D.	1 time per day	32	6.44%
E.	2 times per day	16	3.22%
F.	3 times per day	6	1.21%
G.	4 or more times per day	6	1.21%
TOTALS		497	100.00%
Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	32	6.45%
B.	1 to 3 times during the past 7 days	132	26.61%
C.	4 to 6 times during the past 7 days	140	28.23%
D.	1 time per day	66	13.31%
E.	2 times per day	80	16.13%
F.	3 times per day	25	5.04%
G.	4 or more times per day	21	4.23%
TOTALS		496	100.00%
Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	139	27.69%
B.	1 to 3 times during the past 7 days	237	47.21%
C.	4 to 6 times during the past 7 days	70	13.94%
D.	1 time per day	38	7.57%
E.	2 times per day	13	2.59%
F.	3 times per day	2	0.40%
G.	4 or more times per day	3	0.60%
TOTALS		502	100.00%

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	160	31.94%
B.	1 to 3 times during the past 7 days	264	52.69%
C.	4 to 6 times during the past 7 days	54	10.78%
D.	1 time per day	13	2.59%
E.	2 times per day	5	1.00%
F.	3 times per day	2	0.40%
G.	4 or more times per day	3	0.60%
TOTALS		501	100.00%

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	203	40.68%
B.	1 to 3 times during the past 7 days	213	42.69%
C.	4 to 6 times during the past 7 days	57	11.42%
D.	1 time per day	16	3.21%
E.	2 times per day	5	1.00%
F.	3 times per day	2	0.40%
G.	4 or more times per day	3	0.60%
TOTALS		499	100.00%

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	57	11.38%
B.	1 to 3 times during the past 7 days	180	35.93%
C.	4 to 6 times during the past 7 days	147	29.34%
D.	1 time per day	61	12.18%
E.	2 times per day	37	7.39%
F.	3 times per day	14	2.79%
G.	4 or more times per day	5	1.00%
TOTALS		501	100.00%

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	175	34.93%
B.	1 to 3 times during the past 7 days	208	41.52%
C.	4 to 6 times during the past 7 days	78	15.57%
D.	1 time per day	21	4.19%
E.	2 times per day	10	2.00%
F.	3 times per day	5	1.00%
G.	4 or more times per day	4	0.80%
TOTALS		501	100.00%

Q-79. During the past 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade or PowerAde? (Do not count low-calorie sports drinks such as Propel or G2.)

A.	I did not drink sports drinks during the past 7 days	212	42.66%
B.	1 to 3 times during the past 7 days	186	37.42%
C.	4 to 6 times during the past 7 days	62	12.47%
D.	1 time per day	22	4.43%
E.	2 times per day	7	1.41%
F.	3 times per day	2	0.40%
G.	4 or more times per day	6	1.21%
TOTALS		497	100.00%

Q-80. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	135	27.00%
B.	1 to 3 glasses during the past 7 days	146	29.20%
C.	4 to 6 glasses during the past 7 days	71	14.20%
D.	1 glass per day	57	11.40%
E.	2 glasses per day	54	10.80%
F.	3 glasses per day	19	3.80%
G.	4 or more glasses per day	18	3.60%
TOTALS		500	100.00%

Q-81. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	72	14.37%
B.	1 day	44	8.78%
C.	2 days	43	8.58%
D.	3 days	40	7.98%
E.	4 days	45	8.98%
F.	5 days	43	8.58%
G.	6 days	43	8.58%
H.	7 days	171	34.13%
TOTALS		501	100.00%

Q-82. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	31	6.20%
B.	1 day	24	4.80%
C.	2 days	45	9.00%
D.	3 days	35	7.00%
E.	4 days	40	8.00%
F.	5 days	110	22.00%
G.	6 days	78	15.60%
H.	7 days	137	27.40%
TOTALS		500	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-83. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)

A.	Less than 1 hour per day	15	3.01%
B.	1 hour per day	40	8.02%
C.	2 hours per day	102	20.44%
D.	3 hours per day	135	27.05%
E.	4 hours per day	97	19.44%
F.	5 or more hours per day	110	22.04%
TOTALS		499	100.00%

Q-84. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	244	49.29%
B.	1 day	14	2.83%
C.	2 days	58	11.72%
D.	3 days	102	20.61%
E.	4 days	1	0.20%
F.	5 days	76	15.35%
TOTALS		495	100.00%

Q-85. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	74	15.01%
B.	1 team	121	24.54%
C.	2 teams	165	33.47%
D.	3 or more teams	133	26.98%
TOTALS		493	100.00%

Q-86. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

A.	0 times	414	82.31%
B.	1 time	56	11.13%
C.	2 times	16	3.18%
D.	3 times	10	1.99%
E.	4 or more times	7	1.39%
TOTALS		503	100.00%

Q-87. Has a doctor or nurse ever told you that you have asthma?

A.	Yes	104	20.72%
B.	No	380	75.70%
C.	Not sure	18	3.59%
TOTALS		502	100.00%

Q-88. Do you still have asthma?

A.	I have never had asthma	301	60.08%
B.	Yes	79	15.77%
C.	No	78	15.57%
D.	Not sure	43	8.58%
TOTALS		501	100.00%

Q-89. During the past 30 days, how many days of school did you miss because of your asthma?			
A.	I do not have asthma	375	74.85%
B.	0 days	118	23.55%
C.	1 day	2	0.40%
D.	2 days	2	0.40%
E.	3 days	1	0.20%
F.	4 days	1	0.20%
G.	5 or more days	2	0.40%
TOTALS		501	100.00%
Q-90. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	429	85.63%
B.	Between 12 and 24 months ago	40	7.98%
C.	More than 24 months ago	4	0.80%
D.	Never	4	0.80%
E.	Not sure	24	4.79%
TOTALS		501	100.00%
Q-91. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)			
A.	Never	79	15.86%
B.	Rarely	106	21.29%
C.	Sometimes	167	33.53%
D.	Most of the time	111	22.29%
E.	Always	35	7.03%
TOTALS		498	100.00%
Q-92. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	31	6.25%
B.	5 hours	55	11.09%
C.	6 hours	131	26.41%
D.	7 hours	160	32.26%
E.	8 hours	93	18.75%
F.	9 hours	24	4.84%
G.	10 or more hours	2	0.40%
TOTALS		496	100.00%
Q-93. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	482	96.79%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	8	1.61%
C.	In a shelter or emergency housing	0	0.00%
D.	In a motel or hotel	3	0.60%
E.	In a car, park, campground, or other public place	2	0.40%
F.	I do not have a usual place to sleep	1	0.20%
G.	Somewhere else	2	0.40%
TOTALS		498	100.00%

Q-94. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
A.	Yes	20 4.05%
B.	No	474 95.95%
TOTALS		494 100.00%
Q-95. During the past 30 days, how often did you go hungry because there was not enough food in your home?		
A.	Never	461 92.38%
B.	Rarely	27 5.41%
C.	Sometimes	9 1.80%
D.	Most of the time	1 0.20%
E.	Always	1 0.20%
TOTALS		499 100.00%
Q-96. During the past 12 months, how would you describe your grades in school?		
A.	Mostly A's	316 63.45%
B.	Mostly B's	136 27.31%
C.	Mostly C's	29 5.82%
D.	Mostly D's	3 0.60%
E.	Mostly F's	3 0.60%
F.	None of these grades	1 0.20%
G.	Not sure	10 2.01%
TOTALS		498 100.00%
Q-97. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	467 93.96%
B.	1 or 2 times	8 1.61%
C.	3 to 9 times	11 2.21%
D.	10 to 19 times	6 1.21%
E.	20 to 39 times	1 0.20%
F.	40 or more times	4 0.80%
TOTALS		497 100.00%
Q-98. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	71 14.34%
B.	No	424 85.66%
TOTALS		495 100.00%