

# 2021 NORTH CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,282 high school students in North Central Region during February of 2021. Frequency distributions may not total 1,282 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	0	0.00%
B.	13 years old	2	0.16%
C.	14 years old	148	11.55%
D.	15 years old	339	26.46%
E.	16 years old	320	24.98%
F.	17 years old	304	23.73%
G.	18 years old or older	168	13.11%
	<b>TOTALS</b>	<b>1,281</b>	<b>100.00%</b>
Q-2. What is your sex?			
A.	Female	615	48.31%
B.	Male	658	51.69%
	<b>TOTALS</b>	<b>1,273</b>	<b>100.00%</b>
Q-3. In what grade are you?			
A.	9th grade	363	28.63%
B.	10th grade	337	26.58%
C.	11th grade	291	22.95%
D.	12th grade	276	21.77%
E.	Ungraded or other grade	1	0.08%
	<b>TOTALS</b>	<b>1,268</b>	<b>100.00%</b>
Q-4. Are you Hispanic or Latino?			
A.	Yes	94	7.40%
B.	No	1176	92.60%
	<b>TOTALS</b>	<b>1,270</b>	<b>100.00%</b>
Q-5. What is your race?			
A.	American Indian or Alaskan Native	242	17.47%
B.	Asian	40	2.89%
C.	Black or African American	40	2.89%
D.	Native Hawaiian or Other Pacific Islander	21	1.52%
E.	White	1042	75.23%
	<b>TOTALS</b>	<b>1,385</b>	<b>100.00%</b>

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	0	0.00%
C.	4ft, 7in to 5 ft	19	1.53%
D.	5ft, 1in to 5ft, 6in	479	38.47%
E.	Over 5ft, 6in	747	60.00%
<b>TOTALS</b>		<b>1,245</b>	<b>100.00%</b>

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	2	0.16%
B.	90-99 lbs	3	0.24%
C.	100-109 lbs	57	4.62%
D.	110-119lbs	120	9.73%
E.	120-129 lbs	147	11.92%
F.	130-139 lbs	170	13.79%
G.	140 lbs +	734	59.53%
<b>TOTALS</b>		<b>1,233</b>	<b>100.00%</b>

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	30	2.35%
B.	Rarely	55	4.30%
C.	Sometimes	140	10.95%
D.	Most of the time	451	35.26%
E.	Always	603	47.15%
<b>TOTALS</b>		<b>1,279</b>	<b>100.00%</b>

Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	1018	80.03%
B.	1 time	78	6.13%
C.	2 or 3 times	93	7.31%
D.	4 or 5 times	27	2.12%
E.	6 or more times	56	4.40%
<b>TOTALS</b>		<b>1,272</b>	<b>100.00%</b>

Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	218	17.10%
B.	Never	23	1.80%
C.	Rarely	64	5.02%
D.	Sometimes	86	6.75%
E.	Most of the time	234	18.35%
F.	Always	650	50.98%
<b>TOTALS</b>		<b>1,275</b>	<b>100.00%</b>

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

A.	I did not drive a car or other vehicle during the past 30 days	313	24.41%
B.	0 times	902	70.36%
C.	1 time	36	2.81%
D.	2 or 3 times	19	1.48%
E.	4 or 5 times	5	0.39%
F.	6 or more times	7	0.55%
<b>TOTALS</b>		<b>1,282</b>	<b>100.00%</b>

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	277	21.69%
B.	0 days	436	34.14%
C.	1 or 2 days	185	14.49%
D.	3 to 5 days	85	6.66%
E.	6 to 9 days	62	4.86%
F.	10 to 19 days	74	5.79%
G.	20 to 29 days	53	4.15%
H.	All 30 days	105	8.22%
<b>TOTALS</b>		<b>1,277</b>	<b>100.00%</b>

Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)

A.	I did not drive a car or other vehicle during the past 30 days	276	21.65%
B.	0 days	507	39.76%
C.	1 or 2 days	143	11.22%
D.	3 to 5 days	75	5.88%
E.	6 to 9 days	44	3.45%
F.	10 to 19 days	64	5.02%
G.	20 to 29 days	52	4.08%
H.	All 30 days	114	8.94%
<b>TOTALS</b>		<b>1,275</b>	<b>100.00%</b>

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	1165	91.09%
B.	1 day	23	1.80%
C.	2 or 3 days	20	1.56%
D.	4 or 5 days	9	0.70%
E.	6 or more days	62	4.85%
<b>TOTALS</b>		<b>1,279</b>	<b>100.00%</b>

Q-15. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	1139	89.05%
B.	1 day	28	2.19%
C.	2 or 3 days	34	2.66%
D.	4 or 5 days	15	1.17%
E.	6 or more days	63	4.93%
<b>TOTALS</b>		<b>1,279</b>	<b>100.00%</b>

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	1182	93.22%
B.	1 day	47	3.71%
C.	2 or 3 days	17	1.34%
D.	4 or 5 days	9	0.71%
E.	6 or more days	13	1.03%
<b>TOTALS</b>		<b>1,268</b>	<b>100.00%</b>

Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	1208	94.23%
B.	1 time	36	2.81%
C.	2 or 3 times	12	0.94%
D.	4 or 5 times	8	0.62%
E.	6 or 7 times	10	0.78%
F.	8 or 9 times	4	0.31%
G.	10 or 11 times	0	0.00%
H.	12 or more times	4	0.31%
<b>TOTALS</b>		<b>1,282</b>	<b>100.00%</b>

Q-18. During the past 12 months, how many times were you in a physical fight?

A.	0 times	1020	79.63%
B.	1 time	115	8.98%
C.	2 or 3 times	90	7.03%
D.	4 or 5 times	22	1.72%
E.	6 or 7 times	9	0.70%
F.	8 or 9 times	5	0.39%
G.	10 or 11 times	2	0.16%
H.	12 or more times	18	1.41%
<b>TOTALS</b>		<b>1,281</b>	<b>100.00%</b>

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-19. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	1180	92.99%
B.	1 time	59	4.65%
C.	2 or 3 times	19	1.50%
D.	4 or 5 times	2	0.16%
E.	6 or 7 times	1	0.08%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	8	0.63%
<b>TOTALS</b>		<b>1,269</b>	<b>100.00%</b>

Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	151	11.84%
B.	No	1124	88.16%
<b>TOTALS</b>		<b>1,275</b>	<b>100.00%</b>

Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	1117	87.27%
B.	1 time	100	7.81%
C.	2 or 3 times	36	2.81%
D.	4 or 5 times	13	1.02%
E.	6 or more times	14	1.09%
<b>TOTALS</b>		<b>1,280</b>	<b>100.00%</b>

Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	481	38.08%
B.	0 times	712	56.37%
C.	1 time	27	2.14%
D.	2 or 3 times	26	2.06%
E.	4 or 5 times	6	0.48%
F.	6 or more times	11	0.87%
<b>TOTALS</b>		<b>1,263</b>	<b>100.00%</b>

Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	484	37.81%
B.	0 times	752	58.75%
C.	1 time	13	1.02%
D.	2 or 3 times	15	1.17%
E.	4 or 5 times	4	0.31%
F.	6 or more times	12	0.94%
<b>TOTALS</b>		<b>1,280</b>	<b>100.00%</b>

Q-24. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	225	17.62%
B.	No	1052	82.38%
<b>TOTALS</b>		<b>1,277</b>	<b>100.00%</b>
Q-25. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	181	14.20%
B.	No	1094	85.80%
<b>TOTALS</b>		<b>1,275</b>	<b>100.00%</b>
Q-26. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	149	11.67%
B.	No	1128	88.33%
<b>TOTALS</b>		<b>1,277</b>	<b>100.00%</b>
Q-27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	474	37.09%
B.	No	804	62.91%
<b>TOTALS</b>		<b>1,278</b>	<b>100.00%</b>
Q-28. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	265	20.72%
B.	No	1014	79.28%
<b>TOTALS</b>		<b>1,279</b>	<b>100.00%</b>
Q-29. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	221	17.31%
B.	No	1056	82.69%
<b>TOTALS</b>		<b>1,277</b>	<b>100.00%</b>
Q-30. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	1098	85.92%
B.	1 time	129	10.09%
C.	2 or 3 times	33	2.58%
D.	4 or 5 times	11	0.86%
E.	6 or more times	7	0.55%
<b>TOTALS</b>		<b>1,278</b>	<b>100.00%</b>
Q-31. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
A.	I did not attempt suicide during the past 12 months	1073	84.89%
B.	Yes	36	2.85%
C.	No	155	12.26%
<b>TOTALS</b>		<b>1,264</b>	<b>100.00%</b>
Q-32. Have you ever tried cigarette smoking, even one or two puffs?			
A.	Yes	372	29.20%
B.	No	902	70.80%
<b>TOTALS</b>		<b>1,274</b>	<b>100.00%</b>

Q-33. How old were you when you first tried cigarette smoking, even one or two puffs?			
A.	I have never tried cigarette smoking, not even one or two puffs	908	70.99%
B.	8 years old or younger	52	4.07%
C.	9 or 10 years old	32	2.50%
D.	11 or 12 years old	70	5.47%
E.	13 or 14 years old	95	7.43%
F.	15 or 16 years old	97	7.58%
G.	17 years old or older	25	1.95%
<b>TOTALS</b>		<b>1,279</b>	<b>100.00%</b>

Q-34. During the past 30 days, on how many days did you smoke cigarettes?			
A.	0 days	1183	92.93%
B.	1 or 2 days	44	3.46%
C.	3 to 5 days	14	1.10%
D.	6 to 9 days	8	0.63%
E.	10 to 19 days	6	0.47%
F.	20 to 29 days	8	0.63%
G.	All 30 days	10	0.79%
<b>TOTALS</b>		<b>1,273</b>	<b>100.00%</b>

Q-35. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
A.	I did not smoke cigarettes during the past 30 days	1197	93.66%
B.	Less than 1 cigarette per day	38	2.97%
C.	1 cigarette per day	15	1.17%
D.	2 to 5 cigarettes per day	22	1.72%
E.	6 to 10 cigarettes per day	2	0.16%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	4	0.31%
<b>TOTALS</b>		<b>1,278</b>	<b>100.00%</b>

Q-36. Have you ever used an electronic vapor product?			
A.	Yes	589	46.34%
B.	No	682	53.66%
<b>TOTALS</b>		<b>1,271</b>	<b>100.00%</b>

Q-37. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	962	75.75%
B.	1 or 2 days	107	8.43%
C.	3 to 5 days	51	4.02%
D.	6 to 9 days	31	2.44%
E.	10 to 19 days	40	3.15%
F.	20 to 29 days	22	1.73%
G.	All 30 days	57	4.49%
<b>TOTALS</b>		<b>1,270</b>	<b>100.00%</b>

Q-38. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	1154	90.23%
B.	1 or 2 days	45	3.52%
C.	3 to 5 days	21	1.64%
D.	6 to 9 days	11	0.86%
E.	10 to 19 days	12	0.94%
F.	20 to 29 days	11	0.86%
G.	All 30 days	25	1.95%
<b>TOTALS</b>		<b>1,279</b>	<b>100.00%</b>
Q-39. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	998	78.15%
B.	I got or bought them from a friend, family member, or someone else	187	14.64%
C.	I bought them myself in a vape shop or tobacco shop	7	0.55%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	11	0.86%
E.	I bought them myself at a mall or shopping center kiosk or stand	2	0.16%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	3	0.23%
G.	I took them from a store or another person	5	0.39%
H.	I got them in some other way	64	5.01%
<b>TOTALS</b>		<b>1,277</b>	<b>100.00%</b>
Q-40. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)			
A.	I did not use an electronic vapor product during the past 30 days	985	77.44%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	5	0.39%
C.	Chocolate, candy, desserts, or other sweets	13	1.02%
D.	Fruit	117	9.20%
E.	Menthol	72	5.66%
F.	Mint	21	1.65%
G.	Tobacco	20	1.57%
H.	Some other flavor	39	3.07%
<b>TOTALS</b>		<b>1,272</b>	<b>100.00%</b>
Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)			
A.	0 days	1211	94.61%
B.	1 or 2 days	29	2.27%
C.	3 to 5 days	3	0.23%
D.	6 to 9 days	8	0.63%
E.	10 to 19 days	10	0.78%
F.	20 to 29 days	5	0.39%
G.	All 30 days	14	1.09%
<b>TOTALS</b>		<b>1,280</b>	<b>100.00%</b>



Q-42. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	1231	96.17%
B.	1 or 2 days	28	2.19%
C.	3 to 5 days	8	0.63%
D.	6 to 9 days	2	0.16%
E.	10 to 19 days	4	0.31%
F.	20 to 29 days	2	0.16%
G.	All 30 days	5	0.39%
<b>TOTALS</b>		<b>1,280</b>	<b>100.00%</b>

Q-43. During the past 12 months, did you ever try to quit using all tobacco products?			
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	921	72.29%
B.	Yes	220	17.27%
C.	No	133	10.44%
<b>TOTALS</b>		<b>1,274</b>	<b>100.00%</b>

Q-44. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	550	43.27%
B.	8 years old or younger	88	6.92%
C.	9 or 10 years old	55	4.33%
D.	11 or 12 years old	79	6.22%
E.	13 or 14 years old	264	20.77%
F.	15 or 16 years old	197	15.50%
G.	17 years old or older	38	2.99%
<b>TOTALS</b>		<b>1,271</b>	<b>100.00%</b>

Q-45. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	941	73.52%
B.	1 or 2 days	175	13.67%
C.	3 to 5 days	77	6.02%
D.	6 to 9 days	44	3.44%
E.	10 to 19 days	29	2.27%
F.	20 to 29 days	6	0.47%
G.	All 30 days	8	0.63%
<b>TOTALS</b>		<b>1,280</b>	<b>100.00%</b>

Q-46. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?		
A.	0 days	1059 83.39%
B.	1 day	83 6.54%
C.	2 days	49 3.86%
D.	3 to 5 days	43 3.39%
E.	6 to 9 days	23 1.81%
F.	10 to 19 days	4 0.31%
G.	20 or more days	9 0.71%
<b>TOTALS</b>		<b>1,270 100.00%</b>
Q-47. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
A.	I did not drink alcohol during the past 30 days	958 74.84%
B.	1 or 2 drinks	110 8.59%
C.	3 drinks	32 2.50%
D.	4 drinks	32 2.50%
E.	5 drinks	31 2.42%
F.	6 or 7 drinks	57 4.45%
G.	8 or 9 drinks	15 1.17%
H.	10 or more drinks	45 3.52%
<b>TOTALS</b>		<b>1,280 100.00%</b>
Q-48. During the past 30 days, how did you usually get the alcohol you drank?		
A.	I did not drink alcohol during the past 30 days	940 73.49%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	15 1.17%
C.	I bought it at a restaurant, bar, or club	4 0.31%
D.	I bought it at a public event such as a concert or sporting event	3 0.23%
E.	I gave someone else money to buy it for me	59 4.61%
F.	Someone gave it to me	139 10.87%
G.	I took it from a store or family member	40 3.13%
H.	I got it some other way	79 6.18%
<b>TOTALS</b>		<b>1,279 100.00%</b>
Q-49. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)		
A.	I did not drink alcohol during the past 30 days	939 74.46%
B.	Beer	126 9.99%
C.	Wine	14 1.11%
D.	Vodka	41 3.25%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	39 3.09%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	85 6.74%
G.	Some other type of alcohol	17 1.35%
<b>TOTALS</b>		<b>1,261 100.00%</b>

Q-50. During your life, how many times have you used marijuana?			
A.	0 times	878	68.59%
B.	1 or 2 times	111	8.67%
C.	3 to 9 times	84	6.56%
D.	10 to 19 times	47	3.67%
E.	20 to 39 times	41	3.20%
F.	40 to 99 times	32	2.50%
G.	100 or more times	87	6.80%
<b>TOTALS</b>		<b>1,280</b>	<b>100.00%</b>

Q-51. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	870	67.92%
B.	8 years old or younger	22	1.72%
C.	9 or 10 years old	24	1.87%
D.	11 or 12 years old	57	4.45%
E.	13 or 14 years old	138	10.77%
F.	15 or 16 years old	136	10.62%
G.	17 years old or older	34	2.65%
<b>TOTALS</b>		<b>1,281</b>	<b>100.00%</b>

Q-52. During the past 30 days, how many times did you use marijuana?			
A.	0 times	1087	85.05%
B.	1 or 2 times	73	5.71%
C.	3 to 9 times	35	2.74%
D.	10 to 19 times	20	1.56%
E.	20 to 39 times	24	1.88%
F.	40 or more times	39	3.05%
<b>TOTALS</b>		<b>1,278</b>	<b>100.00%</b>

Q-53. During your life, how many times have you used synthetic marijuana?			
A.	0 times	1200	93.60%
B.	1 or 2 times	35	2.73%
C.	3 to 9 times	20	1.56%
D.	10 to 19 times	11	0.86%
E.	20 to 39 times	6	0.47%
F.	40 or more times	10	0.78%
<b>TOTALS</b>		<b>1,282</b>	<b>100.00%</b>

Q-54. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

A.	0 times	1141	89.07%
B.	1 or 2 times	77	6.01%
C.	3 to 9 times	33	2.58%
D.	10 to 19 times	17	1.33%
E.	20 to 39 times	5	0.39%
F.	40 or more times	8	0.62%
<b>TOTALS</b>		<b>1,281</b>	<b>100.00%</b>

Q-55. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	1234	96.71%
B.	1 or 2 times	21	1.65%
C.	3 to 9 times	8	0.63%
D.	10 to 19 times	5	0.39%
E.	20 to 39 times	2	0.16%
F.	40 or more times	6	0.47%
<b>TOTALS</b>		<b>1,276</b>	<b>100.00%</b>

Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	1176	91.80%
B.	1 or 2 times	55	4.29%
C.	3 to 9 times	25	1.95%
D.	10 to 19 times	10	0.78%
E.	20 to 39 times	5	0.39%
F.	40 or more times	10	0.78%
<b>TOTALS</b>		<b>1,281</b>	<b>100.00%</b>

Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	1255	98.28%
B.	1 or 2 times	13	1.02%
C.	3 to 9 times	2	0.16%
D.	10 to 19 times	1	0.08%
E.	20 to 39 times	1	0.08%
F.	40 or more times	5	0.39%
<b>TOTALS</b>		<b>1,277</b>	<b>100.00%</b>

Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

A.	0 times	1250	97.81%
B.	1 or 2 times	9	0.70%
C.	3 to 9 times	4	0.31%
D.	10 to 19 times	6	0.47%
E.	20 to 39 times	4	0.31%
F.	40 or more times	5	0.39%
<b>TOTALS</b>		<b>1,278</b>	<b>100.00%</b>

Q-59. During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
A.	0 times	1242	97.03%
B.	1 or 2 times	18	1.41%
C.	3 to 9 times	4	0.31%
D.	10 to 19 times	6	0.47%
E.	20 to 39 times	4	0.31%
F.	40 or more times	6	0.47%
<b>TOTALS</b>		<b>1,280</b>	<b>100.00%</b>
Q-60. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	1259	98.67%
B.	1 time	11	0.86%
C.	2 or more times	6	0.47%
<b>TOTALS</b>		<b>1,276</b>	<b>100.00%</b>
Q-61. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	235	18.55%
B.	No	1032	81.45%
<b>TOTALS</b>		<b>1,267</b>	<b>100.00%</b>
Q-62. During the past 30 days, how many times did you use hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?			
A.	0 times	1215	94.92%
B.	1 or 2 times	44	3.44%
C.	3 to 9 times	10	0.78%
D.	10 to 19 times	1	0.08%
E.	20 to 30 times	4	0.31%
F.	40 or more times	6	0.47%
<b>TOTALS</b>		<b>1,280</b>	<b>100.00%</b>
Q-63. Have you ever had sexual intercourse?			
A.	Yes	563	44.58%
B.	No	700	55.42%
<b>TOTALS</b>		<b>1,263</b>	<b>100.00%</b>
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	725	57.40%
B.	11 years old or younger	29	2.30%
C.	12 years old	23	1.82%
D.	13 years old	45	3.56%
E.	14 years old	118	9.34%
F.	15 years old	146	11.56%
G.	16 years old	116	9.18%
H.	17 years old or older	61	4.83%
<b>TOTALS</b>		<b>1,263</b>	<b>100.00%</b>

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	732	57.55%
B.	1 person	232	18.24%
C.	2 people	106	8.33%
D.	3 people	60	4.72%
E.	4 people	41	3.22%
F.	5 people	28	2.20%
G.	6 or more people	73	5.74%
<b>TOTALS</b>		<b>1,272</b>	<b>100.00%</b>
Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	730	57.62%
B.	I have had sexual intercourse, but not during the past 3 months	171	13.50%
C.	1 person	300	23.68%
D.	2 people	35	2.76%
E.	3 people	14	1.10%
F.	4 people	4	0.32%
G.	5 people	3	0.24%
H.	6 or more people	10	0.79%
<b>TOTALS</b>		<b>1,267</b>	<b>100.00%</b>
Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	726	57.26%
B.	Yes	81	6.39%
C.	No	461	36.36%
<b>TOTALS</b>		<b>1,268</b>	<b>100.00%</b>
Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	735	58.29%
B.	Yes	291	23.08%
C.	No	235	18.64%
<b>TOTALS</b>		<b>1,261</b>	<b>100.00%</b>
Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse with an opposite-sex partner	734	58.49%
B.	No method was used to prevent pregnancy	60	4.78%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	140	11.16%
D.	Condoms	183	14.58%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	43	3.43%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	37	2.95%
G.	Withdrawal or some other method	32	2.55%
H.	Not sure	26	2.07%
<b>TOTALS</b>		<b>1,255</b>	<b>100.00%</b>

Q-70. How do you describe your weight?			
A.	Very underweight	39	3.06%
B.	Slightly underweight	188	14.76%
C.	About the right weight	657	51.57%
D.	Slightly overweight	334	26.22%
E.	Very overweight	56	4.40%
<b>TOTALS</b>		<b>1,274</b>	<b>100.00%</b>
Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	520	40.88%
B.	Gain weight	242	19.03%
C.	Stay the same weight	218	17.14%
D.	I am not trying to do anything about my weight	292	22.96%
<b>TOTALS</b>		<b>1,272</b>	<b>100.00%</b>
Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	384	30.14%
B.	1 to 3 times during the past 7 days	530	41.60%
C.	4 to 6 times during the past 7 days	173	13.58%
D.	1 time per day	67	5.26%
E.	2 times per day	57	4.47%
F.	3 times per day	24	1.88%
G.	4 or more times per day	39	3.06%
<b>TOTALS</b>		<b>1,274</b>	<b>100.00%</b>
Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	140	11.02%
B.	1 to 3 times during the past 7 days	484	38.11%
C.	4 to 6 times during the past 7 days	298	23.46%
D.	1 time per day	129	10.16%
E.	2 times per day	114	8.98%
F.	3 times per day	41	3.23%
G.	4 or more times per day	64	5.04%
<b>TOTALS</b>		<b>1,270</b>	<b>100.00%</b>
Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	453	35.53%
B.	1 to 3 times during the past 7 days	557	43.69%
C.	4 to 6 times during the past 7 days	148	11.61%
D.	1 time per day	70	5.49%
E.	2 times per day	25	1.96%
F.	3 times per day	6	0.47%
G.	4 or more times per day	16	1.25%
<b>TOTALS</b>		<b>1,275</b>	<b>100.00%</b>

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	403	31.63%
B.	1 to 3 times during the past 7 days	651	51.10%
C.	4 to 6 times during the past 7 days	144	11.30%
D.	1 time per day	38	2.98%
E.	2 times per day	21	1.65%
F.	3 times per day	6	0.47%
G.	4 or more times per day	11	0.86%
<b>TOTALS</b>		<b>1,274</b>	<b>100.00%</b>

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	606	47.72%
B.	1 to 3 times during the past 7 days	484	38.11%
C.	4 to 6 times during the past 7 days	100	7.87%
D.	1 time per day	37	2.91%
E.	2 times per day	16	1.26%
F.	3 times per day	9	0.71%
G.	4 or more times per day	18	1.42%
<b>TOTALS</b>		<b>1,270</b>	<b>100.00%</b>

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	238	18.65%
B.	1 to 3 times during the past 7 days	544	42.63%
C.	4 to 6 times during the past 7 days	257	20.14%
D.	1 time per day	113	8.86%
E.	2 times per day	79	6.19%
F.	3 times per day	22	1.72%
G.	4 or more times per day	23	1.80%
<b>TOTALS</b>		<b>1,276</b>	<b>100.00%</b>

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	358	28.21%
B.	1 to 3 times during the past 7 days	546	43.03%
C.	4 to 6 times during the past 7 days	179	14.11%
D.	1 time per day	79	6.23%
E.	2 times per day	61	4.81%
F.	3 times per day	17	1.34%
G.	4 or more times per day	29	2.29%
<b>TOTALS</b>		<b>1,269</b>	<b>100.00%</b>



Q-79. During the past 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade or PowerAde? (Do not count low-calorie sports drinks such as Propel or G2.)

A.	I did not drink sports drinks during the past 7 days	464	36.71%
B.	1 to 3 times during the past 7 days	461	36.47%
C.	4 to 6 times during the past 7 days	184	14.56%
D.	1 time per day	64	5.06%
E.	2 times per day	47	3.72%
F.	3 times per day	19	1.50%
G.	4 or more times per day	25	1.98%
<b>TOTALS</b>		<b>1,264</b>	<b>100.00%</b>

Q-80. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	308	24.16%
B.	1 to 3 glasses during the past 7 days	322	25.25%
C.	4 to 6 glasses during the past 7 days	204	16.00%
D.	1 glass per day	176	13.80%
E.	2 glasses per day	147	11.53%
F.	3 glasses per day	58	4.55%
G.	4 or more glasses per day	60	4.71%
<b>TOTALS</b>		<b>1,275</b>	<b>100.00%</b>

Q-81. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	199	15.68%
B.	1 day	120	9.46%
C.	2 days	121	9.54%
D.	3 days	136	10.72%
E.	4 days	102	8.04%
F.	5 days	102	8.04%
G.	6 days	92	7.25%
H.	7 days	397	31.28%
<b>TOTALS</b>		<b>1,269</b>	<b>100.00%</b>

Q-82. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	121	9.58%
B.	1 day	58	4.59%
C.	2 days	92	7.28%
D.	3 days	109	8.63%
E.	4 days	131	10.37%
F.	5 days	200	15.84%
G.	6 days	175	13.86%
H.	7 days	377	29.85%
<b>TOTALS</b>		<b>1,263</b>	<b>100.00%</b>

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-83. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)

A.	Less than 1 hour per day	81	6.40%
B.	1 hour per day	94	7.42%
C.	2 hours per day	216	17.06%
D.	3 hours per day	278	21.96%
E.	4 hours per day	223	17.61%
F.	5 or more hours per day	374	29.54%
<b>TOTALS</b>		<b>1,266</b>	<b>100.00%</b>

Q-84. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	496	39.49%
B.	1 day	38	3.03%
C.	2 days	113	9.00%
D.	3 days	186	14.81%
E.	4 days	157	12.50%
F.	5 days	266	21.18%
<b>TOTALS</b>		<b>1,256</b>	<b>100.00%</b>

Q-85. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	410	32.75%
B.	1 team	288	23.00%
C.	2 teams	263	21.01%
D.	3 or more teams	291	23.24%
<b>TOTALS</b>		<b>1,252</b>	<b>100.00%</b>

Q-86. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

A.	0 times	1065	83.53%
B.	1 time	133	10.43%
C.	2 times	35	2.75%
D.	3 times	15	1.18%
E.	4 or more times	27	2.12%
<b>TOTALS</b>		<b>1,275</b>	<b>100.00%</b>

Q-87. Has a doctor or nurse ever told you that you have asthma?

A.	Yes	254	20.02%
B.	No	941	74.15%
C.	Not sure	74	5.83%
<b>TOTALS</b>		<b>1,269</b>	<b>100.00%</b>

Q-88. Do you still have asthma?

A.	I have never had asthma	743	58.60%
B.	Yes	182	14.35%
C.	No	227	17.90%
D.	Not sure	116	9.15%
<b>TOTALS</b>		<b>1,268</b>	<b>100.00%</b>

Q-89. During the past 30 days, how many days of school did you miss because of your asthma?			
A.	I do not have asthma	979	76.78%
B.	0 days	272	21.33%
C.	1 day	7	0.55%
D.	2 days	9	0.71%
E.	3 days	4	0.31%
F.	4 days	0	0.00%
G.	5 or more days	4	0.31%
<b>TOTALS</b>		<b>1,275</b>	<b>100.00%</b>

Q-90. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	947	74.63%
B.	Between 12 and 24 months ago	142	11.19%
C.	More than 24 months ago	53	4.18%
D.	Never	18	1.42%
E.	Not sure	109	8.59%
<b>TOTALS</b>		<b>1,269</b>	<b>100.00%</b>

Q-91. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)			
A.	Never	248	19.57%
B.	Rarely	281	22.18%
C.	Sometimes	375	29.60%
D.	Most of the time	264	20.84%
E.	Always	99	7.81%
<b>TOTALS</b>		<b>1,267</b>	<b>100.00%</b>

Q-92. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	130	10.28%
B.	5 hours	167	13.20%
C.	6 hours	268	21.19%
D.	7 hours	353	27.91%
E.	8 hours	285	22.53%
F.	9 hours	52	4.11%
G.	10 or more hours	10	0.79%
<b>TOTALS</b>		<b>1,265</b>	<b>100.00%</b>

Q-93. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	1226	96.54%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	20	1.57%
C.	In a shelter or emergency housing	7	0.55%
D.	In a motel or hotel	7	0.55%
E.	In a car, park, campground, or other public place	2	0.16%
F.	I do not have a usual place to sleep	1	0.08%
G.	Somewhere else	7	0.55%
<b>TOTALS</b>		<b>1,270</b>	<b>100.00%</b>

Q-94. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
A.	Yes	70 5.58%
B.	No	1185 94.42%
<b>TOTALS</b>		<b>1,255 100.00%</b>
Q-95. During the past 30 days, how often did you go hungry because there was not enough food in your home?		
A.	Never	1104 87.07%
B.	Rarely	108 8.52%
C.	Sometimes	43 3.39%
D.	Most of the time	8 0.63%
E.	Always	5 0.39%
<b>TOTALS</b>		<b>1,268 100.00%</b>
Q-96. During the past 12 months, how would you describe your grades in school?		
A.	Mostly A's	575 45.63%
B.	Mostly B's	385 30.56%
C.	Mostly C's	164 13.02%
D.	Mostly D's	47 3.73%
E.	Mostly F's	31 2.46%
F.	None of these grades	7 0.56%
G.	Not sure	51 4.05%
<b>TOTALS</b>		<b>1,260 100.00%</b>
Q-97. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	1204 95.63%
B.	1 or 2 times	25 1.99%
C.	3 to 9 times	13 1.03%
D.	10 to 19 times	10 0.79%
E.	20 to 39 times	3 0.24%
F.	40 or more times	4 0.32%
<b>TOTALS</b>		<b>1,259 100.00%</b>
Q-98. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	213 17.18%
B.	No	1027 82.82%
<b>TOTALS</b>		<b>1,240 100.00%</b>