2021 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 710 high school students in South East Region during February of 2021. Frequency distributions may not total 710 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are y	ou?		
A.	12 years old or younger	1	0.14%
B.	13 years old	0	0.00%
C.	14 years old	74	10.48%
D.	15 years old	180	25.50%
E.	16 years old	197	27.90%
F.	17 years old	160	22.66%
G.	18 years old or older	94	13.31%
	TOTALS	706	100.00%
Q-2. What is your s	sex?		
A.	Female	356	50.71%
В.	Male	346	49.29%
	TOTALS	702	100.00%
Q-3. In what grade	are you?		
A.	9th grade	192	27.55%
B.	10th grade	181	25.97%
C.	11th grade	174	24.96%
D.	12th grade	149	21.38%
E.	Ungraded or other grade	1	0.14%
	TOTALS	697	100.00%
Q-4. Are you Hispa	nic or Latino?		
A.	Yes	62	8.95%
B.	No	631	91.05%
	TOTALS	693	100.00%
Q-5. What is your r	race?		
A.	American Indian or Alaskan Native	136	18.35%
В.	Asian	24	3.24%
C.	Black or African American	18	2.43%
D.	Native Hawaiian or Other Pacific Islander	8	1.08%
E.	White	555	74.90%
	TOTALS	741	100.00%

	TOTALS	707	100.00%
F.	Always	323	45.69%
E.	Most of the time	168	23.76%
D.	Sometimes	58	8.20%
C.	Rarely	49	6.93%
B.	Never	29	4.10%
A.	I do not drive a car	80	11.32%
Q-10. How often do	you wear a seat belt when driving a car?		
	TOTALS	707	100.00%
E.	6 or more times	35	4.95%
D.	4 or 5 times	6	0.85%
C.	2 or 3 times	50	7.07%
	1 time	65	9.19%
A.	0 times	551	77.93%
Q-9. During the pas	t 30 days, how many times did you ride in a car or other vehicle driven by someone who had been o	drinking alcohol?	
	TOTALS	709	100.00%
	Always	251	35.40%
•	Most of the time	287	40.48%
	Sometimes	90	12.69%
	Rarely	52	7.33%
	Never	29	4.09%
	you wear a seat belt when riding in a car driven by someone else?	000	
	TOTALS	685	100.00%
г. G.	140 lbs +	426	62.19%
с. F.	130-139 lbs	79	11.53%
D. E.	120-129 lbs	98	14.31%
C.	110-119lbs	46	6.72%
B.	100-109 lbs	26	3.80%
A.	Less than 90 lbs 90-99 lbs	2	0.29%
-	you weigh without your shoes on?		
	TOTALS	700	100.00%
E.	Over 5ft, 6in	425	60.71%
D.	5ft, 1in to 5ft, 6in	263	37.57%
C.	4ft, 7in to 5 ft	12	1.71%
B.	4ft to 4 ft, 6 in	0	0.00%
A.	Less than 4 ft	0	0.00%

A.	I did not drive a car or other vehicle during the past 30 days	113	15.94%
	0 times	536	75.60%
C.	1 time	24	3.39%
D.	2 or 3 times	19	2.68%
E.	4 or 5 times	4	0.56%
F.	6 or more times	13	1.83%
	TOTALS	709	100.00%
Q-12. During the p	ast 30 days, on how many days did you text or e-mail while driving a car or other veh	icle?	
A.	I did not drive a car or other vehicle during the past 30 days	94	13.26%
В.	0 days	231	32.58%
C.	1 or 2 days	91	12.83%
D.	3 to 5 days	46	6.49%
E.	6 to 9 days	34	4.80%
F.	10 to 19 days	55	7.76%
G.	20 to 29 days	44	6.21%
H.	All 30 days	114	16.08%
	TOTALS	709	100.00%
Q-13. During the p while driving a car	ast 30 days, on how many days did you use the Internet or apps on your cell phone (sor other vehicle? (Do not count using your cell phone to get driving directions or to de	such as YouTube, Instagram, or etermine your location.)	Facebook)
A.	I did not drive a car or other vehicle during the past 30 days	89	12.61%
B.	0 days	248	35.13%
C.	1 or 2 days	69	9.77%
D.	3 to 5 days	46	6.52%
E.	6 to 9 days	36	5.10%
F.	10 to 19 days	45	6.37%
G.	20 to 29 days	41	5.81%
H.	All 30 days	132	18.70%
	TOTALS	706	100.00%
Q-14. During the p	ast 30 days, on how many days did you carry a weapon such as a gun, knife, or club o	on school property?	
A.	0 days	606	85.35%
B.	1 day	23	3.24%
C.	2 or 3 days	20	2.82%
D.	4 or 5 days	3	0.42%
E.	6 or more days	58	8.17%
	TOTALS	710	100.00%

G. H.	12 or more times	17	2.40%
G.	10 of 11 diffes		
	10 or 11 times	1	0.14%
F.	8 or 9 times	3	0.42%
E.	6 or 7 times	5	0.71%
D.	4 or 5 times	23	3.24%
C.	2 or 3 times	62	8.74%
В.	1 time	80	11.28%
Α.	0 times	518	73.06%
)-18. During the p	ast 12 months, how many times were you in a physical fight?	, , , ,	
11.	TOTALS	710	100.00%
H.	12 or more times	11	1.55%
G.	10 or 11 times	0	0.00%
F.	8 or 9 times	1	0.149
E.	6 or 7 times	3	0.429
C. D.	4 or 5 times	3	0.429
	2 or 3 times	15	2.110
A. B.	1 time	27	3.80%
roperty?	ast 12 months, how many times has someone threatened or injured you times	ou with a weapon such as a gun, knife, or club o	on school 91.55%
	TOTALS	703	100.00%
E.	6 or more days	13	1.859
D.	4 or 5 days	4	0.579
C.	2 or 3 days	5	0.719
B.	1 day	31	4.419
A.	0 days	650	92.46%
-16. During the part of the pa	ast 30 days, on how many days did you not go to school because you	felt you would be unsafe at school or on your w	ay to or
	TOTALS	707	100.00%
E.	6 or more days	59	8.359
D.	4 or 5 days	7	0.999
C.	2 or 3 days	20	2.83
B.	1 day	22	3.119
	0 days	599	84.729

	TOTALS	709	100.00%
F.	6 or more times	11	1.55%
E.	4 or 5 times	4	0.56%
D.	2 or 3 times	8	1.13%
C.	1 time	15	2.12%
B.	0 times	435	61.35%
	I did not date or go out with anyone during the past 12 months	236	33.29%
	ast 12 months, how many times did someone you were dating or going out with physically hurt you on p slammed into something, or injured with an object or weapon.)	urpose? (Co	unt such
	TOTALS	705	100.00%
	6 or more times	13	1.84%
E.	4 or 5 times	8	1.13%
	2 or 3 times	7	0.99%
C.	1 time	17	2.41%
В.	0 times	417	59.15%
A.	I did not date or go out with anyone during the past 12 months	243	34.47%
	ast 12 months, how many times did someone you were dating or going out with force you to do sexual to such things as kissing, touching, or being physically forced to have sexual intercourse.)	migs triat yo	a aia 110t
0-22 During the or	TOTALS set 12 months, how many times did someone you were dating or going out with force you to do sevual t	708	100.00%
E.	6 or more times	20	2.82%
٥.	4 or 5 times	6	0.85%
	2 or 3 times	30	4.24%
	1 time	49	6.92%
	0 times	603	85.17%
kissing, touching, o	ast 12 months, how many times did anyone force you to do sexual things that you did not want to do? (r being physically forced to have sexual intercourse.)		
	TOTALS	704	100.00%
B.	No	630	89.49%
A.	Yes	74	10.51%
Q-20. Have you eve	er been physically forced to have sexual intercourse when you did not want to?		
	TOTALS	708	100.00%
H.	12 or more times	7	0.99%
G.	10 or 11 times	0	0.00%
F.	8 or 9 times	0	0.00%
E.	6 or 7 times	0	0.00%
D.	4 or 5 times	3	0.42%
C.	2 or 3 times	15	2.12%
B.	1 time	32	4.52%
A.	0 times	651	91.95%

	ast 12 months, have you ever been bullied on school property?	100	10.000
Α.	Yes	135	19.09%
B.	No	572	80.91%
	TOTALS	707	100.00%
Q-25. During the passocial media.)	ast 12 months, have you ever been electronically bullied? (Count being bullied thro	ough texting, Instagram, Facebook,	or other
A.	Yes	125	17.73%
B.	No	580	82.27%
	TOTALS	705	100.00%
Q-26. During the pabisexual?	ast 12 months, have you ever been the victim of teasing or name calling because s	someone thought you were gay, les	bian, or
A.	Yes	85	11.97%
B.	No	625	88.03%
	TOTALS	710	100.00%
Q-27. During the passome usual activities	ast 12 months, did you ever feel so sad or hopeless almost every day for two weekes?	s or more in a row that you stoppe	d doing
A.	Yes	297	41.95%
B.	No	411	58.05%
	TOTALS	708	100.00%
Q-28. During the pa	ast 12 months, did you ever seriously consider attempting suicide?		
A.	Yes	168	23.93%
B.	No	534	76.07%
	TOTALS	702	100.00%
Q-29. During the pa	ast 12 months, did you make a plan about how you would attempt suicide?		
A.	Yes	153	21.70%
B.	No	552	78.30%
	TOTALS	705	100.00%
Q-30. During the pa	ast 12 months, how many times did you actually attempt suicide?		
A.	0 times	588	83.40%
В.	1 time	83	11.779
C.	2 or 3 times	24	3.40%
D.	4 or 5 times	5	0.719
	6 or more times	5	0.719
	TOTALS	705	100.00%
Q-31. If you attempt doctor or nurse?	oted suicide during the past 12 months, did any attempt result in an injury, poisoni		
A.	I did not attempt suicide during the past 12 months	565	81.29%
B.	Yes	32	4.60%
C.	No	98	14.10%
	TOTALS	695	100.00%
Q-32. Have you eve	er tried cigarette smoking, even one or two puffs?		
A.	Yes	282	40.00
В.	No	423	60.009
٥.	TOTALS	705	100.00%

Q-33. How old were	e you when you first tried cigarette smoking, even one or two puffs?		
A.	I have never tried cigarette smoking, not even one or two puffs	420	59.49%
B.	8 years old or younger	32	4.53%
C.	9 or 10 years old	21	2.97%
D.	11 or 12 years old	38	5.38%
E.	13 or 14 years old	77	10.91%
F.	15 or 16 years old	94	13.31%
G.	17 years old or older	24	3.40%
	TOTALS	706	100.00%
Q-34. During the page	ast 30 days, on how many days did you smoke cigarettes?		
A.	0 days	616	87.38%
B.	1 or 2 days	43	6.10%
C.	3 to 5 days	16	2.27%
D.	6 to 9 days	7	0.99%
E.	10 to 19 days	7	0.99%
F.	20 to 29 days	6	0.85%
G.	All 30 days	10	1.42%
	TOTALS	705	100.00%
Q-35. During the p	ast 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
A.	I did not smoke cigarettes during the past 30 days	622	88.10%
B.	Less than 1 cigarette per day	47	6.66%
C.	1 cigarette per day	8	1.13%
D.	2 to 5 cigarettes per day	18	2.55%
E.	6 to 10 cigarettes per day	2	0.28%
F.	11 to 20 cigarettes per day	2	0.28%
G.	More than 20 cigarettes per day	7	0.99%
	TOTALS	706	100.00%
Q-36. Have you eve	er used an electronic vapor product?		
A.	Yes	394	55.89%
B.	No	311	44.11%
	TOTALS	705	100.00%
Q-37. During the p	ast 30 days, on how many days did you use an electronic vapor product?		
A.	0 days	478	67.90%
B.	1 or 2 days	59	8.38%
C.	3 to 5 days	35	4.97%
D.	6 to 9 days	21	2.98%
E.	10 to 19 days	32	4.55%
F.	20 to 29 days	22	3.13%
G.	All 30 days	57	8.10%
	TOTALS	704	100.00%

	ast 30 days, on how many days did you use an electronic vapor product on school property?		
A.	0 days	600	84.87%
В.	1 or 2 days	39	5.52%
C.	3 to 5 days	9	1.27%
D.	6 to 9 days	13	1.84%
E.	10 to 19 days	12	1.70%
F.	20 to 29 days	10	1.41%
G.	All 30 days	24	3.39%
	TOTALS	707	100.00%
Q-39. During the p	ast 30 days, how did you usually get your own electronic vapor products? (Select only one response.)		
A.	I did not use any electronic vapor products during the past 30 days	495	70.21%
B.	I got or bought them from a friend, family member, or someone else	120	17.02%
C.	I bought them myself in a vape shop or tobacco shop	14	1.99%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	4	0.57%
E.	I bought them myself at a mall or shopping center kiosk or stand	1	0.14%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	4	0.57%
G.	I took them from a store or another person	3	0.43%
H.	I got them in some other way	64	9.08%
	TOTALS	705	100.00%
Q-40. During the p	ast 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)		
A.	I did not use an electronic vapor product during the past 30 days	487	69.08%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	4	0.57%
C.	Chocolate, candy, desserts, or other sweets	18	2.55%
D.	Fruit	60	8.51%
E.	Menthol	86	12.20%
	Mint	18	2.55%
	Tobacco	16	2.27%
Н.	Some other flavor	16	2.27%
	TOTALS	705	100.00%
	ast 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco pro ly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)		
A.	0 days	643	90.95%
B.	1 or 2 days	22	3.11%
C.	3 to 5 days	10	1.41%
D.	6 to 9 days	5	0.71%
E.	10 to 19 days	4	0.57%
F.	20 to 29 days	3	0.42%
	All 30 days	20	2.83%
G.			

Q-42. During the p	ast 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
A.	0 days	661	93.36%
B.	1 or 2 days	26	3.67%
C.	3 to 5 days	7	0.99%
D.	6 to 9 days	4	0.56%
E.	10 to 19 days	3	0.42%
F.	20 to 29 days	1	0.14%
G.	All 30 days	6	0.85%
	TOTALS	708	100.00%
Q-43. During the p	ast 12 months, did you ever try to quit using all tobacco products?		
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	435	62.14%
В.	Yes	160	22.86%
C.	No	105	15.00%
	TOTALS	700	100.00%
Q-44. How old wer	e you when you had your first drink of alcohol other than a few sips?		
A.	I have never had a drink of alcohol other than a few sips	263	37.36%
B.	8 years old or younger	48	6.82%
C.	9 or 10 years old	41	5.82%
D.	11 or 12 years old	56	7.95%
E.	13 or 14 years old	155	22.02%
F.	15 or 16 years old	118	16.76%
G.	17 years old or older	23	3.27%
	TOTALS	704	100.00%
Q-45. During the p	ast 30 days, on how many days did you have at least one drink of alcohol?		
A.	0 days	458	64.96%
B.	1 or 2 days	147	20.85%
C.	3 to 5 days	38	5.39%
D.	6 to 9 days	30	4.26%
E.	10 to 19 days	12	1.70%
F.	20 to 29 days	8	1.13%
G.	All 30 days	12	1.70%
	TOTALS	705	100.00%

A.	0 days	567	81.00%
В.	1 day	47	6.71%
C.	2 days	35	5.00%
D.	3 to 5 days	22	3.14%
E.	6 to 9 days	12	1.71%
F.	10 to 19 days	9	1.29%
G.	20 or more days	8	1.14%
	TOTALS	700	100.00%
)-47. During the p	ast 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hou	ırs?	
A.	I did not drink alcohol during the past 30 days	471	66.62%
В.	1 or 2 drinks	90	12.73%
C.	3 drinks	19	2.69%
D.	4 drinks	16	2.26%
E.	5 drinks	25	3.54%
F.	6 or 7 drinks	33	4.67%
G.	8 or 9 drinks	20	2.83%
H.	10 or more drinks	33	4.679
	TOTALS	707	100.00%
)-48. During the p	ast 30 days, how did you usually get the alcohol you drank?		
A.	I did not drink alcohol during the past 30 days	468	66.20%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	13	1.84%
C.	I bought it at a restaurant, bar, or club	3	0.42%
D.	I bought it at a public event such as a concert or sporting event	0	0.00%
E.	I gave someone else money to buy it for me	46	6.519
F.	Someone gave it to me	102	14.439
G.	I took it from a store or family member	16	2.26%
H.	I got it some other way	59	8.35%
	TOTALS	707	100.00%
)-49. During the p	ast 30 days, what type of alcohol did you drink most often? (Select only one response.)		
A.	I did not drink alcohol during the past 30 days	456	65.99%
В.	Beer	85	12.309
C.	Wine	10	1.45%
D.	Vodka	17	2.469
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	42	6.089
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	70	10.13%
G.	Some other type of alcohol	11	1.59%
	TOTALS	691	100.00%

A.	0 times	467	66.15%
В.	1 or 2 times	62	8.78%
C.	3 to 9 times	59	8.36%
D.	10 to 19 times	24	3.40%
E.	20 to 39 times	21	2.97%
	40 to 99 times	26	3.68%
G.	100 or more times	47	6.66%
	TOTALS	706	100.00%
Q-51. How old wer	e you when you tried marijuana for the first time?		
A.	I have never tried marijuana	461	65.21%
В.	8 years old or younger	11	1.56%
C.	9 or 10 years old	9	1.27%
D.	11 or 12 years old	32	4.53%
E.	13 or 14 years old	87	12.31%
F.	15 or 16 years old	87	12.31%
G.	17 years old or older	20	2.83%
	TOTALS	707	100.00%
)-52. During the p	ast 30 days, how many times did you use marijuana?		
A.	0 times	590	83.57%
В.	1 or 2 times	43	6.09%
C.	3 to 9 times	21	2.97%
D.	10 to 19 times	14	1.98%
E.	20 to 39 times	15	2.129
F.	40 or more times	23	3.26%
	TOTALS	706	100.00%
)-53. During your	life, how many times have you used synthetic marijuana?		
A.	0 times	666	94.20%
В.	1 or 2 times	22	3.119
C.	3 to 9 times	8	1.13%
D.	10 to 19 times	2	0.289
E.	20 to 39 times	1	0.149
F.	40 or more times	8	1.13%
	TOTALS	707	100.00%

Q-54. During your told you to use it?	life, how many times have you taken prescription pain medicine without a doctor's prescription or difference.	ently than how	a doctor
A.	0 times	603	85.41%
В.	1 or 2 times	49	6.94%
C.	3 to 9 times	27	3.82%
D.	10 to 19 times	10	1.42%
E.	20 to 39 times	5	0.71%
F.	40 or more times	12	1.70%
	TOTALS	706	100.00%
Q-55. During your	life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
A.	0 times	674	96.15%
B.	1 or 2 times	18	2.57%
C.	3 to 9 times	3	0.43%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	1	0.14%
F.	40 or more times	5	0.71%
	TOTALS	701	100.00%
Q-56. During your high?	life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any	paints or spra	ys to get
Α.	0 times	639	90.38%
В.	1 or 2 times	33	4.67%
C.	3 to 9 times	11	1.56%
D.	10 to 19 times	17	2.40%
E.	20 to 39 times	2	0.28%
F.	40 or more times	5	0.71%
	TOTALS	707	100.00%
Q-57. During your	life, how many times have you used heroin (also called smack, junk, or China White)?		
A.	0 times	696	98.44%
B.	1 or 2 times	3	0.42%
C.	3 to 9 times	2	0.28%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	1	0.14%
F.	40 or more times	5	0.71%
	TOTALS	707	100.00%
Q-58. During your	life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or	meth)?	
A.	0 times	690	97.87%
B.	1 or 2 times	8	1.13%
C.	3 to 9 times	1	0.14%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	6	0.85%
	TOTALS	705	100.00%

Q-59. During your l	ife, how many times have you used ecstasy (also called MDMA or Molly)?		
A.	0 times	690	97.60%
B.	1 or 2 times	9	1.27%
C.	3 to 9 times	2	0.28%
D.	10 to 19 times	1	0.14%
E.	20 to 39 times	1	0.14%
F.	40 or more times	4	0.57%
	TOTALS	707	100.00%
Q-60. During your l	ife, how many times have you used a needle to inject any illegal drug into your body?		
A.	0 times	697	98.59%
B.	1 time	5	0.71%
C.	2 or more times	5	0.71%
	TOTALS	707	100.00%
Q-61. During the pa	ast 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
A.	Yes	130	18.57%
B.	No	570	81.43%
	TOTALS	700	100.00%
Q-62. During the pa	ast 30 days, how many times did you use hallucinogenic drugs, such as LSD, acid, PCP, angel dust, n	nescaline, or mus	shrooms?
A.	0 times	671	95.18%
B.	1 or 2 times	24	3.40%
C.	3 to 9 times	4	0.57%
D.	10 to 19 times	1	0.14%
E.	20 to 30 times	0	0.00%
F.	40 or more times	5	0.71%
	TOTALS	705	100.00%
Q-63. Have you eve	er had sexual intercourse?		
A.	Yes	329	47.07%
B.	No	370	52.93%
	TOTALS	699	100.00%
Q-64. How old were	e you when you had sexual intercourse for the first time?		
A.	I have never had sexual intercourse	381	54.74%
B.	11 years old or younger	14	2.01%
C.	12 years old	13	1.87%
D.	13 years old	11	1.58%
E.	14 years old	90	12.93%
F.	15 years old	101	14.51%
G.	16 years old	64	9.20%
H.	17 years old or older	22	3.16%
	TOTALS	696	100.00%

Q-65. During your l	ife, with how many people have you had sexual intercourse?		
A.	I have never had sexual intercourse	389	55.26%
B.	1 person	121	17.19%
C.	2 people	62	8.81%
D.	3 people	39	5.54%
E.	4 people	18	2.56%
F.	5 people	17	2.41%
G.	6 or more people	58	8.24%
	TOTALS	704	100.00%
Q-66. During the pa	ast 3 months, with how many people did you have sexual intercourse?		
A.	I have never had sexual intercourse	387	55.13%
B.	I have had sexual intercourse, but not during the past 3 months	87	12.39%
C.	1 person	165	23.50%
D.	2 people	28	3.99%
E.	3 people	17	2.42%
F.	4 people	4	0.57%
G.	5 people	2	0.28%
H.	6 or more people	12	1.71%
	TOTALS	702	100.00%
Q-67. Did you drink	alcohol or use drugs before you had sexual intercourse the last time?		
A.	I have never had sexual intercourse	374	53.28%
B.	Yes	75	10.68%
C.	No	253	36.04%
	TOTALS	702	100.00%
Q-68. The last time	you had sexual intercourse, did you or your partner use a condom?		
A.	I have never had sexual intercourse	387	55.76%
B.	Yes	181	26.08%
C.	No	126	18.16%
	TOTALS	694	100.00%
Q-69. The last time (Select only one res	you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use sponse.)	to prevent p	regnancy?
A.	I have never had sexual intercourse with an opposite-sex partner	385	55.48%
B.	No method was used to prevent pregnancy	37	5.33%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	55	7.93%
D.	Condoms	121	17.44%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	30	4.32%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	12	1.73%
G.	Withdrawal or some other method	32	4.61%
H.	Not sure	22	3.17%
	TOTALS	694	100.00%

Q-70. How do you	describe your weight?		
A.	Very underweight	27	3.85%
B.	Slightly underweight	97	13.84%
C.	About the right weight	348	49.64%
D.	Slightly overweight	194	27.67%
E.	Very overweight	35	4.99%
	TOTALS	701	100.00%
Q-71. Which of the	following are you trying to do about your weight?		
A.	Lose weight	324	46.15%
B.	Gain weight	130	18.52%
C.	Stay the same weight	123	17.52%
D.	I am not trying to do anything about my weight	125	17.81%
	TOTALS	702	100.00%
Q-72. During the paper punch, Kool-Aid, sp	ast 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or gorts drinks, or other fruit-flavored drinks.)	grape juice? (Do not	count
A.	I did not drink 100% fruit juice during the past 7 days	228	32.39%
B.	1 to 3 times during the past 7 days	299	42.47%
C.	4 to 6 times during the past 7 days	89	12.64%
D.	1 time per day	33	4.69%
E.	2 times per day	20	2.84%
F.	3 times per day	5	0.71%
G.	4 or more times per day	30	4.26%
	TOTALS	704	100.00%
Q-73. During the pa	ast 7 days, how many times did you eat fruit? (Do not count fruit juice.)		
A.	I did not eat fruit during the past 7 days	89	12.68%
B.	1 to 3 times during the past 7 days	294	41.88%
C.	4 to 6 times during the past 7 days	153	21.79%
D.	1 time per day	60	8.55%
E.	2 times per day	56	7.98%
F.	3 times per day	21	2.99%
G.	4 or more times per day	29	4.13%
	TOTALS	702	100.00%
Q-74. During the pa	ast 7 days, how many times did you eat green salad?		
A.	I did not eat green salad during the past 7 days	286	40.51%
B.	1 to 3 times during the past 7 days	293	41.50%
C.	4 to 6 times during the past 7 days	72	10.20%
D.	1 time per day	29	4.11%
E.	2 times per day	10	1.42%
F.	3 times per day	4	0.57%
G.	4 or more times per day	12	1.70%
	TOTALS	706	100.00%

A.	I did not eat potatoes during the past 7 days	210	29.91%
B.	1 to 3 times during the past 7 days	366	52.14%
C.	4 to 6 times during the past 7 days	79	11.25%
D.	1 time per day	22	3.13%
E.	2 times per day	7	1.00%
F.	3 times per day	5	0.71%
G.	4 or more times per day	13	1.85%
	TOTALS	702	100.00%
Q-76. During the p	ast 7 days, how many times did you eat carrots?		
A.	I did not eat carrots during the past 7 days	334	47.78%
В.	1 to 3 times during the past 7 days	279	39.91%
C.	4 to 6 times during the past 7 days	57	8.15%
D.	1 time per day	12	1.72%
E.	2 times per day	5	0.72%
F.	3 times per day	3	0.43%
G.	4 or more times per day	9	1.29%
	TOTALS	699	100.00%
Q-77. During the p	ast 7 days, how many times did you eat other vegetables? (Do not count green sal	ad, potatoes, or carrots.)	
A.	I did not eat other vegetables during the past 7 days	128	18.26%
В.	1 to 3 times during the past 7 days	319	45.51%
C.	4 to 6 times during the past 7 days	151	21.54%
D.	1 time per day	52	7.42%
E.	2 times per day	33	4.71%
F.	3 times per day	5	0.71%
G.	4 or more times per day	13	1.85%
	TOTALS	701	100.00%
Q-78. During the p	ast 7 days, how many times did you drink a can, bottle, or glass of soda or pop, su	ch as Coke, Pepsi, or Sprite? (Do n	ot count
A.		185	26.50%
В.	1 to 3 times during the past 7 days	303	43.41%
C.	4 to 6 times during the past 7 days	127	18.19%
D.	1 time per day	30	4.30%
E.	2 times per day	23	3.30%
	3 times per day	6	0.86%
G.	4 or more times per day	24	3.44%
<u> </u>	TOTALS	698	100.00%

	ast 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade drinks such as Propel or G2.)	or PowerAde? (Do	not count
Α.	I did not drink sports drinks during the past 7 days	246	35.04%
B.	1 to 3 times during the past 7 days	236	33.62%
C.	4 to 6 times during the past 7 days	131	18.66%
D.	1 time per day	33	4.70%
E.	2 times per day	26	3.70%
F.	3 times per day	11	1.57%
G.	4 or more times per day	19	2.71%
	TOTALS	702	100.00%
	ast 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, fro of milk served at school as equal to one glass.)	om a carton, or wit	h cereal.
A.	I did not drink milk during the past 7 days	174	24.82%
B.	1 to 3 glasses during the past 7 days	192	27.39%
C.	4 to 6 glasses during the past 7 days	118	16.83%
D.	1 glass per day	82	11.70%
E.	2 glasses per day	66	9.42%
F.	3 glasses per day	27	3.85%
G.	4 or more glasses per day	42	5.99%
	TOTALS	701	100.00%
Q-81. During the p	ast 7 days, on how many days did you eat breakfast?		
A.	0 days	131	18.77%
B.	1 day	72	10.32%
C.	2 days	85	12.18%
D.	3 days	63	9.03%
E.	4 days	57	8.17%
F.	5 days	72	10.32%
G.	6 days	32	4.58%
H.	7 days	186	26.65%
	TOTALS	698	100.00%
	ast 7 days, on how many days were you physically active for a total of at least 60 minutes per day? f physical activity that increased your heart rate and made you breathe hard some of the time.)	(Add up all the tin	ne you
A.	0 days	71	10.23%
B.	1 day	40	5.76%
C.	2 days	53	7.64%
D.	3 days	65	9.37%
E.	4 days	85	12.25%
F.	5 days	89	12.82%
G.	6 days	101	14.55%
H.	7 days	190	27.38%
	TOTALS	694	100.00%

A.	Less than 1 hour per day	37	5.33%
В.	1 hour per day	44	6.34%
C.	2 hours per day	117	16.86%
D.	3 hours per day	167	24.06%
E.	4 hours per day	146	21.04%
F.	5 or more hours per day	183	26.37%
	TOTALS	694	100.00%
Q-84. In an averag	ge week when you are in school, on how many days do you go to physical education (PE) classes?		
A.	0 days	316	45.80%
В.	1 day	16	2.32%
C.	2 days	33	4.78%
D.	3 days	79	11.45%
	4 days	131	18.99%
		115	16.67%
	TOTALS	690	100.00%
Q-85. During the p	last 12 months, on how many sports teams did you play? (Count any teams run by your school or community	groups.))
Α.	0 teams	222	32.27%
В.	1 team	176	25.58%
C.	2 teams	146	21.22%
D.	3 or more teams	144	20.93%
	TOTALS	688	100.00%
Q-86. During the p	ast 12 months, how many times did you have a concussion from playing a sport or being physically active?		
Δ	0 times	581	83.12%
	1 time	77	11.02%
	2 times	21	3.00%
	3 times	8	1.14%
	4 or more times	12	1.72%
L.	TOTALS	699	100.00%
	r or nurse ever told you that you have asthma?	033	100.00 //
O-87. Has a docto			22.84%
		150	
A.	Yes	159	
A. B.	Yes No	499	71.70%
A.	Yes No Not sure	499 38	71.70% 5.46%
A. B. C.	Yes No Not sure TOTALS	499	71.70% 5.46%
A. B. C. Q-88. Do you still	Yes No Not sure TOTALS nave asthma?	499 38 696	71.70% 5.46% 100.00 %
A. B. C. Q-88. Do you still	Yes No Not sure TOTALS nave asthma? I have never had asthma	499 38 696 380	71.70% 5.46% 100.00 % 55.07%
A. B. C. Q-88. Do you still A. B.	Yes No Not sure TOTALS nave asthma? I have never had asthma Yes	499 38 696 380 101	71.70% 5.46% 100.00% 55.07% 14.64%
A. B. C. A. B. C. C. C.	Yes No Not sure TOTALS nave asthma? I have never had asthma Yes	499 38 696 380	71.70% 5.46% 100.00% 55.07% 14.64% 20.72% 9.57%

٨	I do not have asthma	514	73.53%
	0 days	165	23.61%
	1 day	6	0.86%
<u> </u>	2 days	4	0.57%
	3 days	3	0.43%
	4 days	1	0.14%
	5 or more days	6	0.86%
G.	TOTALS	699	100.00%
Q-90. When was th	e last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?	033	100100 /
	During the past 12 months	498	71.55%
В.	Between 12 and 24 months ago	89	12.79%
	More than 24 months ago	39	5.60%
O.	Never	7	1.01%
	Not sure	63	9.05%
E.	TOTALS	696	100.00%
0-91. During the pa	ast 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety,		
		130	18.68%
	Never		
	Rarely	153	21.989
	Sometimes Mark of the time	193	27.739
	Most of the time	147	21.129
E.	Always	73	10.49%
On an average	TOTALS ge school night, how many hours of sleep do you get?	696	100.00%
	4 or less hours	76	10.97%
	5 hours	96	13.85%
	6 hours	141	20.35%
	7 hours	198	28.57%
	8 hours	138	19.91%
F.	9 hours	37	5.34%
G.	10 or more hours	7	1.01%
	TOTALS	693	100.00%
Q-93. During the pa	ast 30 days, where did you usually sleep?		
A.	In my parent's or guardian's home	665	95.96%
В.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	12	1.73%
C.	In a shelter or emergency housing	4	0.58%
D.	In a motel or hotel	2	0.29%
E.	In a car, park, campground, or other public place	4	0.58%
F.	I do not have a usual place to sleep	5	0.729
G.	Somewhere else	1	0.149
	TOTALS	693	100.00%

A.	Yes	35	5.09%
B.	No	653	94.91%
	TOTALS	688	100.00%
Q-95. During the p	ast 30 days, how often did you go hungry because there was not enough food in your home?		
A.	Never	574	82.59%
В.	Rarely	69	9.93%
C.	Sometimes	36	5.18%
D.	Most of the time	9	1.29%
E.	Always	7	1.01%
	TOTALS	695	100.00%
Q-96. During the p	ast 12 months, how would you describe your grades in school?		
A.	Mostly A's	291	42.36%
B.	Mostly B's	184	26.78%
C.	Mostly C's	119	17.329
D.	Mostly D's	35	5.09%
E.	Mostly F's	17	2.47%
F.	None of these grades	1	0.15%
G.	Not sure	40	5.82%
	TOTALS	687	100.00%
Q-97. During the p count getting a spr	ast 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning bo ay-on tan.)	oth?	(Do not
	0 times	650	94.07%
В.	1 or 2 times	19	2.75%
C.	3 to 9 times	9	1.30%
D.	10 to 19 times	5	0.72%
E.	20 to 39 times	4	0.58%
F.	40 or more times	4	0.58%
	TOTALS	691	100.00%
Q-98. During the p	ast 12 months, did you receive help from a resource teacher, speech therapist or other special education teache	r at so	chool?
A.	Yes	111	16.13%
B.	No	577	83.87%