


Percentage of High School Students Who Ever Had Sexual Intercourse, by Sex, Grade,* and Race/Ethnicity,* 2021




*10th > 9th, 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th, 12th > 11th; N > W (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.


This graph contains weighted results.

Percentage of High School Students Who Ever Had Sexual Intercourse, 1993-2021*



*Decreased 1993-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).] This graph contains weighted results.

Percentage of High School Students Who Had Sexual Intercourse for the First Time Before Age 13 Years, by Sex,* Grade, and Race/Ethnicity,* 2021




*M > F; H > W (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.


This graph contains weighted results.

Percentage of High School Students Who Had Sexual Intercourse for the First Time Before Age 13 Years, 1993-2021*



*Decreased 1993-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).] This graph contains weighted results.

Percentage of High School Students Who Had Sexual Intercourse with Four or More Persons During Their Life, by Sex, Grade,* and Race/Ethnicity,* 2021




*10th > 9th, 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th, 12th > 11th; H > W, N > W (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.


This graph contains weighted results.

Percentage of High School Students Who Had Sexual Intercourse with Four or More Persons During Their Life, 1993-2021*



*Decreased 1993-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]
This graph contains weighted results.

Percentage of High School Students Who Were Currently Sexually Active,* by Sex,† Grade,† and Race/Ethnicity,† 2021




*Had sexual intercourse with at least one person, during the 3 months before the survey

†F > M; 10th > 9th, 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th, 12th > 11th; H > W (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

Percentage of High School Students Who Were Currently Sexually Active,* 1993-2021†




*Had sexual intercourse with at least one person, during the 3 months before the survey

†No change 1993-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]


This graph contains weighted results.

Percentage of High School Students Who Drank Alcohol or Used Drugs Before Last Sexual Intercourse,* by Sex, Grade, and Race/Ethnicity, 2021



*Among students who were currently sexually active
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.
 Missing bar indicates fewer than 30 students in the subgroup.
 This graph contains weighted results.

Percentage of High School Students Who Drank Alcohol or Used Drugs Before Last Sexual Intercourse,* 1993-2021†




*Among students who were currently sexually active

†Decreased 1993-2021, no change 1993-2001, decreased 2001-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

Percentage of High School Students Who Used a Condom During Last Sexual Intercourse,* by Sex,[†] Grade,[†] and Race/Ethnicity,[†] 2021



*Among students who were currently sexually active


[†]M > F; 10th > 11th, 10th > 12th; W > H (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

Percentage of High School Students Who Used a Condom During Last Sexual Intercourse,* 1993-2021†




*Among students who were currently sexually active

†Increased 1993-2021, increased 1993-2009, decreased 2009-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

Percentage of High School Students Who Used Birth Control Pills Before Last Sexual Intercourse with Opposite-Sex Partner,* by Sex, Grade,† and Race/Ethnicity, 2021



*To prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active


†11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

Percentage of High School Students Who Used an IUD (Such As Mirena or Paragard) or Implant (Such As Implanon or Nexplanon) Before Last Sexual Intercourse with an Opposite-Sex Partner,* by Sex,† Grade,† and Race/Ethnicity, 2021



*Before last sexual intercourse to prevent pregnancy, among students who were currently sexually active

†F > M; 11th > 9th, 11th > 10th, 12th > 9th (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

Percentage of High School Students Who Used Birth Control Pills; an IUD or Implant; or a Shot, Patch, or Birth Control Ring Before Last Sexual Intercourse with an Opposite-Sex Partner



*Before last sexual intercourse to prevent pregnancy, among students who were currently sexually active


†F > M; 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

Percentage of High School Students Who Used Both a Condom During Last Sexual Intercourse and Birth Control Pills; an IUD or Implant; or a Shot, Patch, or Birth Control Ring Before Last Sexual Intercourse with an Opposite-Sex Partner,* by Sex, Grade, and Race/Ethnicity, 2021



*To prevent pregnancy, among students who were currently sexually active
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.
 Missing bar indicates fewer than 30 students in the subgroup.
 This graph contains weighted results.

Percentage of High School Students Who Did Not Use Any Method to Prevent Pregnancy During Last Sexual Intercourse with an Opposite-Sex Partner,* by Sex, Grade,† and Race/Ethnicity,† 2021



*During last sexual intercourse, among students who were currently sexually active.

†9th > 11th, 9th > 12th; H > W (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.