

2021 Montana Youth Risk Behavior Survey



Urban/Class AA, A, B, and C Report

A Comparative Report of
Health Risk Behaviors

Youth Risk Behavior Survey Program
Health Enhancement and Safety Division
December 2021

2021 Montana Youth Risk Behavior Survey

The Montana Youth Risk Behavior Survey (YRBS) is administered by the Montana Office of Public Instruction every two years to students in grades 7 through 12. The survey is conducted by the U.S. Centers for Disease Control and Prevention (CDC) through a cooperative agreement with the Montana Office of Public Instruction. The purpose of the survey is to help monitor the prevalence of behaviors that not only influence youth health, but also put youth at risk for the most significant health and social problems that can occur during adolescence. While all schools in Montana can voluntarily participate in the survey, approximately 50 high schools are randomly selected by the CDC to provide Montana YRBS results.

The 2021 YRBS was conducted in February-March 2021. Schools administering the survey were provided with detailed written instructions on conducting a random survey in their schools. To encourage accurate responses to sensitive questions, a strict protocol was implemented to protect the privacy and confidentiality of all participating students. The questionnaire was designed without skip patterns to ensure survey completion by students in a similar period of time.

For the purpose of this report, high school students in Class AA public schools, and Class A or B non-public schools within these cities, are defined as 'Urban/AA'; all other Montana schools with a classification of Class A, B or C are represented as titled. The data is representative of all Montana high schools that participated in the 2021 YRBS.

The results are presented in the following two formats:

- Point of Interest Graphs (pages 3-26)
- Frequency Distribution Tables (pages 27-48)

2021 Montana Youth Risk Behavior Survey

Point of Interest Graphs


[Percentage of Students]

UNINTENTIONAL INJURIES AND VIOLENCE


ALWAYS WORE A SEAT BELT WHEN RIDING IN A VEHICLE




ALWAYS WORE A SEAT BELT WHEN DRIVING A VEHICLE [AMONG STUDENTS WHO DRIVE]



RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL, PAST 30 DAYS




DROVE WHEN DRINKING ALCOHOL, AMONG STUDENTS WHO DROVE A VEHICLE DURING THE PAST 30 DAYS




UNINTENTIONAL INJURIES AND VIOLENCE


TEXTED OR E-MAILED WHILE DRIVING, AMONG STUDENTS WHO DROVE A VEHICLE DURING THE PAST 30 DAYS




USED THE INTERNET OR APPS ON THEIR CELL PHONE WHILE DRIVING, AMONG STUDENTS WHO DROVE A VEHICLE DURING THE PAST 30 DAYS



CARRIED A WEAPON SUCH AS A GUN, KNIFE, OR CLUB ON SCHOOL PROPERTY, PAST 30 DAYS




CARRIED A GUN (NOT COUNTING FOR HUNTING OR SPORT SUCH AS TARGET SHOOTING), PAST 12 MONTHS




UNINTENTIONAL INJURIES AND VIOLENCE


DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE AT SCHOOL OR ON THEIR WAY TO OR FROM SCHOOL, PAST 30 DAYS




WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY, PAST 12 MONTHS



WERE IN A PHYSICAL FIGHT, PAST 12 MONTHS




WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY, PAST 12 MONTHS




UNINTENTIONAL INJURIES AND VIOLENCE


HAD EVER BEEN PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE WHEN THEY DID NOT WANT TO




HAD EXPERIENCED SEXUAL VIOLENCE (BEING FORCED TO DO SEXUAL THINGS SUCH AS KISSING, TOUCHING, OR BEING PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE), PAST 12 MONTHS



HAD BEEN FORCED BY SOMEONE THEY WERE DATING OR GOING OUT WITH TO DO SEXUAL THINGS THEY DID NOT WANT TO DO, AMONG STUDENTS WHO DATED DURING THE PAST 12 MONTHS




HAD BEEN PHYSICALLY HURT ON PURPOSE BY SOMEONE THEY WERE DATING OR GOING OUT WITH, AMONG STUDENTS WHO DATED DURING THE PAST 12 MONTHS




UNINTENTIONAL INJURIES AND VIOLENCE


WERE BULLIED ON SCHOOL PROPERTY, PAST 12 MONTHS




HAD BEEN ELECTRONICALLY BULLIED (THROUGH TEXTING, INSTAGRAM, FACEBOOK, OR OTHER SOCIAL MEDIA), PAST 12 MONTHS



HAD BEEN THE VICTIM OF TEASING OR NAME CALLING BECAUSE SOMEONE THOUGHT THEY WERE GAY, LESBIAN, OR BISEXUAL, PAST 12 MONTHS




FELT SAD OR HOPELESS FOR 2 WEEKS OR MORE IN A ROW, PAST 12 MONTHS




UNINTENTIONAL INJURIES AND VIOLENCE


SERIOUSLY CONSIDERED ATTEMPTING SUICIDE, PAST 12 MONTHS




MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE, PAST 12 MONTHS



ATTEMPTED SUICIDE, PAST 12 MONTHS




HAD A SUICIDE ATTEMPT THAT RESULTED IN AN INJURY, POISONING, OR OVERDOSE THAT REQUIRED MEDICAL TREATMENT, PAST 12 MONTHS [AMONG STUDENTS WHO ATTEMPTED SUICIDE]




TOBACCO USE


EVER TRIED CIGARETTE SMOKING




FIRST TRIED CIGARETTE SMOKING BEFORE AGE 13 YEARS



SMOKED A CIGARETTE DURING THE PAST 30 DAYS, 'CURRENTLY SMOKE'




SMOKED CIGARETTES ON 20 OR MORE OF THE PAST 30 DAYS, 'FREQUENTLY SMOKE'




TOBACCO USE


SMOKED CIGARETTES ON EACH OF THE PAST 30 DAYS, 'DAILY SMOKER'




SMOKED MORE THAN 10 CIGARETTES PER DAY, AMONG CURRENT SMOKERS



EVER USED AN ELECTRONIC VAPOR PRODUCT IN THEIR LIFETIME




USED AN ELECTRONIC VAPOR PRODUCT DURING THE PAST 30 DAYS, 'CURRENTLY USE'




TOBACCO USE


USED AN ELECTRONIC VAPOR PRODUCT ON 20 OR MORE OF THE PAST 30 DAYS, 'FREQUENTLY USE'




USED AN ELECTRONIC VAPOR PRODUCT ON EACH OF THE PAST 30 DAYS, 'DAILY USE'



USED AN ELECTRONIC VAPOR PRODUCT ON SCHOOL PROPERTY, PAST 30 DAYS




USUALLY GOT THEIR ELECTRONIC VAPOR PRODUCTS BY BUYING THEM IN A STORE SUCH AS A CONVENIENCE STORE, SUPERMARKET, DISCOUNT STORE, GAS STATION, OR VAPE STORE.




TOBACCO USE


WHEN USING AN ELECTRONIC VAPING PRODUCT DURING THE PAST 30 DAYS, PREFERRED FLAVORS TO TASTE LIKE AN ALCOHOLIC DRINK, CHOCOLATE OR OTHER SWEETS, FRUIT, MENTHOL, OR MINT AS THE PRODUCT MOST OFTEN USED.




CURRENTLY USED CHEWING TOBACCO, SNUFF, DIP, SNUS, OR DISSOLVABLE TOBACCO PRODUCTS, PAST 30 DAYS



CURRENTLY SMOKED CIGARS, PAST 30 DAYS




TRIED TO QUIT USING ALL TOBACCO PRODUCTS, PAST 12 MONTHS




ALCOHOL AND OTHER DRUG USE


HAD THEIR FIRST DRINK OF ALCOHOL BEFORE AGE 13 YEARS




CURRENTLY DRANK ALCOHOL, PAST 30 DAYS



BINGE DRINKING (4 OR MORE DRINKS IN A ROW FOR FEMALES, OR 5 OR MORE DRINKS IN A ROW FOR MALES, WITHIN A COUPLE OF HOURS), PAST 30 DAYS




HAD 10 OR MORE DRINKS IN A ROW, WITHIN A COUPLE OF HOURS, PAST 30 DAYS




ALCOHOL AND OTHER DRUG USE


USUALLY GOT THE ALCOHOL THEY DRANK BY SOMEONE GIVING IT TO THEM




USUALLY DRANK VODKA OR SOME OTHER LIQUOR, SUCH AS RUM, SCOTCH, BOURBON, WHISKEY, OR TEQUILA, WHEN DRINKING, AMONG CURRENT DRINKERS OF ALCOHOL



EVER USED MARIJUANA




TRIED MARIJUANA FOR THE FIRST TIME BEFORE AGE 13 YEARS




ALCOHOL AND OTHER DRUG USE


CURRENTLY USED MARIJUANA, PAST 30 DAYS




EVER USED SYNTHETIC MARIJUANA



EVER TOOK PRESCRIPTION PAIN MEDICINE WITHOUT A DOCTOR'S PRESCRIPTION OR DIFFERENTLY THAN HOW A DOCTOR TOLD THEM TO USE IT




EVER USED COCAINE




ALCOHOL AND OTHER DRUG USE


EVER USED INHALANTS




EVER USED HEROIN



EVER USED METHAMPHETAMINES




EVER USED ECSTASY




ALCOHOL AND OTHER DRUG USE


EVER INJECTED ANY ILLEGAL DRUG



USED HALLUCINOGENIC DRUGS, SUCH AS LSD, ACID, PCP, ANGEL DUST, Mescaline, OR MUSHROOMS, DURING THE PAST 30 DAYS




WERE OFFERED, SOLD, OR GIVEN AN ILLEGAL DRUG ON SCHOOL PROPERTY/PAST 12 MONTHS




SEXUAL BEHAVIORS

EVER HAD SEXUAL INTERCOURSE




SEXUAL BEHAVIORS


HAD SEXUAL INTERCOURSE FOR THE FIRST TIME BEFORE AGE 13 YEARS




HAD SEXUAL INTERCOURSE WITH FOUR OR MORE PERSONS DURING THEIR LIFE



WERE CURRENTLY SEXUALLY ACTIVE, PAST 3 MONTHS




DRANK ALCOHOL OR USED DRUGS BEFORE LAST SEXUAL INTERCOURSE




SEXUAL BEHAVIORS

USED A CONDOM DURING LAST SEXUAL INTERCOURSE




USED BIRTH CONTROL PILLS BEFORE LAST SEXUAL INTERCOURSE




DIETARY BEHAVIORS AND NUTRITION

DESCRIBED THEMSELVES ARE SLIGHTLY OR VERY OVERWEIGHT




WERE TRYING TO LOSE WEIGHT




DIETARY BEHAVIORS AND NUTRITION


DID NOT DRINK 100% FRUIT JUICE, PAST 7 DAYS




DID NOT EAT FRUIT, PAST 7 DAYS



DID NOT EAT GREEN SALAD, PAST 7 DAYS




DID NOT EAT POTATOES, PAST 7 DAYS




DIETARY BEHAVIORS AND NUTRITION


DID NOT EAT CARROTS, PAST 7 DAYS




DID NOT EAT OTHER VEGETABLES (DO NOT COUNT GREEN SALAD, POTATOES, OR CARROTS), PAST 7 DAYS



DID NOT DRINK A CAN, BOTTLE, OR GLASS OF SODA OR POP, SUCH AS COKE, PEPSI, OR SPRITE, PAST 7 DAYS




DID NOT DRINK MILK, PAST 7 DAYS




DIETARY BEHAVIORS AND NUTRITION


DRANK 3 OR MORE GLASSES OF MILK PER DAY, PAST 7 DAYS



DID NOT EAT BREAKFAST, PAST 7 DAYS




ATE BREAKFAST ON EACH OF THE PAST 7 DAYS




PHYSICAL ACTIVITY

WERE PHYSICALLY ACTIVE FOR AT LEAST 60 MINUTES PER DAY, ON 5 OF THE PAST 7 DAYS



PHYSICAL ACTIVITY


DID NOT PARTICIPATE IN AT LEAST 60 MINUTES OF PHYSICAL ACTIVITY ON ANY OF THE PAST 7 DAYS




SPENT 3 OR MORE HOURS ON SCREEN TIME IN AN AVERAGE SCHOOL DAY (SUCH AS IN FRONT OF A TV, COMPUTER, SMART PHONE, OR OTHER ELECTRONIC DEVICE WATCHING SHOWS OR VIDEOS, PLAYING GAMES, ACCESSING THE INTERNET, OR USING SOCIAL MEDIA. *DO NOT COUNT TIME SPENT DOING SCHOOLWORK.*)



ATTENDED PHYSICAL EDUCATION (PE) CLASSES ON ALL 5 DAYS OF AN AVERAGE WEEK




PLAYED ON AT LEAST ONE SPORTS TEAM RUN BY THEIR SCHOOL OR COMMUNITY GROUPS, PAST 12 MONTHS




PHYSICAL ACTIVITY

HAD A CONCUSSION FROM PLAYING A SPORT OR BEING PHYSICALLY ACTIVE, PAST 12 MONTHS




OTHER HEALTH-RELATED TOPICS


HAVE BEEN TOLD BY A DOCTOR OR NURSE THAT THEY HAD ASTHMA



CURRENTLY HAVE ASTHMA




MISSED ONE OR MORE DAYS OF SCHOOL BECAUSE OF THEIR ASTHMA DURING THE PAST 30 DAYS




OTHER HEALTH-RELATED TOPICS


SAW A DENTIST FOR A CHECK-UP, EXAM, TEETH CLEANING, OR OTHER DENTAL WORK, PAST 12 MONTHS




MOST OF THE TIME OR ALWAYS HAD POOR MENTAL HEALTH INCLUDING STRESS, ANXIETY, AND DEPRESSION, DURING THE PAST 30 DAYS



GOT 8 OR MORE HOURS OF SLEEP ON AN AVERAGE SCHOOL NIGHT




DID NOT USUALLY SLEEP IN THEIR PARENT'S OR GUARDIAN'S HOME, PAST 30 DAYS




OTHER HEALTH-RELATED TOPICS


SLEPT AWAY FROM PARENTS OR GUARDIANS BECAUSE THEY WERE KICKED OUT, RAN AWAY, OR WERE ABANDONED DURING THE PAST 30 DAYS




MOST OF THE TIME OR ALWAYS WENT HUNGRY BECAUSE THERE WAS NOT ENOUGH FOOD IN THEIR HOME DURING THE PAST 30 DAYS



DESCRIBED THEIR GRADES IN SCHOOL AS MOSTLY A'S OR B'S, PAST 12 MONTHS




USED AN INDOOR TANNING DEVICE SUCH AS A SUNLAMP, SUNBED, OR TANNING BOTH, PAST 12 MONTHS



OTHER HEALTH-RELATED TOPICS

RECEIVED HELP FROM A RESOURCE TEACHER, SPEECH THERAPIST, OR OTHER SPECIAL EDUCATION TEACHER, PAST 12 MONTHS



2021 Montana Youth Risk Behavior Survey

Frequency Distributions – 2021 Questionnaire

DEMOGRAPHICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-1. How old are you?					
A.	12 years old or younger	0.1	0.2	0.2	0.1
B.	13 years old	0.0	0.1	0.2	0.2
C.	14 years old	12.2	12.4	11.1	10.7
D.	15 years old	24.4	29.1	27.5	28.1
E.	16 years old	25.6	25.4	26.8	26.0
F.	17 years old	24.7	20.9	22.0	23.1
G.	18 years old or older	13.0	11.9	12.4	11.9
Q-2. What is your sex?					
A.	Female	47.7	48.2	48.8	49.0
B.	Male	52.3	51.8	51.2	51.1
Q-3. In what grade are you?					
A.	9 th grade	26.9	31.0	29.5	28.5
B.	10 th grade	25.1	28.7	25.6	28.8
C.	11 th grade	24.7	20.6	25.4	22.4
D.	12 th grade	23.1	19.6	18.9	20.1
E.	Ungraded or other grade	0.2	0.1	0.5	0.2
Q-4. Are you Hispanic or Latino?					
A.	Yes	8.0	9.0	8.8	7.0
B.	No	92.0	91.0	91.2	93.0
Q-5. What is your race?					
A.	American Indian or Alaskan Native	6.5	13.1	18.9	13.1
B.	Asian	2.4	2.9	2.5	2.3
C.	Black or African American	2.8	2.8	2.5	1.9
D.	Native Hawaiian or Other Pacific Islander	1.4	1.5	1.5	1.1
E.	White	87.0	79.8	74.7	81.7
Q-6. How tall are you without your shoes on?					
A.	Less than 4 ft	0.0	0.0	0.0	0.0
B.	4ft to 4ft, 6in	0.1	0.1	0.1	0.1
C.	4ft, 7in to 5 ft	1.5	1.8	1.8	1.6
D.	5ft, 1in to 5ft, 6in	38.7	38.3	38.3	35.4
E.	Over 5ft, 6in	59.7	59.8	59.8	63.0

DEMOGRAPHICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-7. How much do you weigh without your shoes on?					
A.	Less than 90 lbs	0.4	0.2	0.2	0.2
B.	90-99 lbs	1.8	1.5	1.2	1.0
C.	100-109 lbs	4.6	4.8	3.3	3.4
D.	110-119 lbs	10.3	8.9	8.2	7.4
E.	120-129 lbs	12.5	13.2	12.8	12.7
F.	130-139 lbs	14.5	13.8	14.1	12.8
G.	140 lbs+	56.0	57.6	60.2	62.5
UNINTENTIONAL INJURIES AND VIOLENCE					
Q-8. How often do you wear a seat belt when riding in a car driven by someone else?					
A.	Never	1.3	2.8	3.9	3.0
B.	Rarely	2.3	5.0	5.8	6.7
C.	Sometimes	5.8	10.1	12.5	13.4
D.	Most of the time	24.4	32.0	35.1	40.7
E.	Always	66.2	50.1	42.7	36.2
Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?					
A.	0 times	81.8	77.6	80.2	78.6
B.	1 time	7.8	8.4	7.1	7.4
C.	2 or 3 times	6.0	7.9	6.4	8.0
D.	4 or 5 times	1.9	1.8	1.9	1.8
E.	6 or more times	2.5	4.3	4.4	4.2
Q-10. How often do you wear a seat belt when driving a car?					
A.	I do not drive a car	21.5	19.9	18.0	15.6
B.	Never	1.1	2.6	3.4	3.0
C.	Rarely	1.9	3.9	4.4	6.6
D.	Sometimes	2.6	4.2	6.8	9.0
E.	Most of the time	7.5	13.7	16.8	23.5
F.	Always	65.4	55.7	50.7	42.3
Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?					
A.	I did not drive a car or other vehicle during the past 30 days	26.9	26.4	24.2	21.5
B.	0 times	66.9	66.7	69.3	71.1
C.	1 time	3.5	3.1	2.9	3.2
D.	2 or 3 times	1.6	2.2	1.8	2.7
E.	4 or 5 times	0.4	0.7	0.7	0.7
F.	6 or more times	0.6	1.0	1.1	0.9

UNINTENTIONAL INJURIES AND VIOLENCE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?					
A.	I did not drive a car or other vehicle during the past 30 days	25.7	24.5	22.2	20.2
B.	0 days	31.3	32.7	34.5	36.4
C.	1 or 2 days	12.0	11.5	12.9	13.1
D.	3 to 5 days	6.1	7.0	6.3	5.9
E.	6 to 9 days	4.9	3.9	4.1	4.7
F.	10 to 19 days	5.0	4.2	5.9	6.2
G.	20 to 29 days	4.5	4.8	3.8	4.3
H.	All 30 days	10.5	11.5	10.4	9.4
Q-13. During the past 30 days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)					
A.	I did not drive a car or other vehicle during the past 30 days	25.4	23.8	21.6	19.7
B.	0 days	36.8	37.0	38.7	40.9
C.	1 or 2 days	9.9	10.0	10.8	10.8
D.	3 to 5 days	4.5	4.9	5.3	5.8
E.	6 to 9 days	3.5	3.4	4.0	4.3
F.	10 to 19 days	4.8	4.2	4.4	4.9
G.	20 to 29 days	4.5	4.0	3.8	3.7
H.	All 30 days	10.7	4.0	11.4	9.9
Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?					
A.	0 days	93.4	87.3	88.3	87.3
B.	1 day	1.4	2.8	2.8	3.5
C.	2 or 3 days	0.8	2.2	1.8	2.4
D.	4 or 5 days	0.6	0.8	0.9	1.0
E.	6 or more days	3.8	7.0	6.2	5.8
Q-15. During the past 30 days, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)					
A.	0 days	94.2	88.8	89.4	87.3
B.	1 day	1.6	2.8	2.6	2.8
C.	2 or 3 days	1.2	2.4	2.9	2.6
D.	4 or 5 days	0.8	1.0	1.1	1.1
E.	6 or more days	2.3	5.0	4.1	6.2

UNINTENTIONAL INJURIES AND VIOLENCE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-16. During the past 30 days, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?					
A.	0 days	93.6	92.5	93.0	93.7
B.	1 day	3.3	3.7	3.6	3.1
C.	2 or 3 days	1.8	1.7	1.6	1.6
D.	4 or 5 days	0.3	0.8	0.5	0.5
E.	6 or more days	1.0	1.4	1.3	1.1
Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?					
A.	0 times	94.9	93.1	93.4	94.2
B.	1 time	2.5	3.2	3.2	2.6
C.	2 or 3 times	1.3	1.8	1.7	1.7
D.	4 or 5 times	0.4	0.5	0.5	0.5
E.	6 or 7 times	0.4	0.2	0.4	0.3
F.	8 or 9 times	0.1	0.2	0.1	0.1
G.	10 or 11 times	0.1	0.0	0.0	0.1
H.	12 or more times	0.4	1.0	0.8	0.6
Q-18. During the past 12 months, how many times were you in a physical fight?					
A.	0 times	82.1	78.6	77.8	77.4
B.	1 time	9.5	9.9	9.7	9.6
C.	2 or 3 times	5.3	6.7	7.4	8.2
D.	4 or 5 times	1.4	1.9	1.8	2.0
E.	6 or 7 times	0.5	0.9	0.9	1.1
F.	8 or 9 times	0.3	0.3	0.4	0.2
G.	10 or 11 times	0.1	0.1	0.2	0.1
H.	12 or more times	1.0	1.6	1.8	1.5
Q-19. During the past 12 months, how many times were you in a physical fight on school property?					
A.	0 times	95.4	92.3	92.3	93.0
B.	1 time	3.3	4.6	4.7	4.4
C.	2 or 3 times	0.8	2.0	1.8	1.6
D.	4 or 5 times	0.2	0.3	0.2	0.2
E.	6 or 7 times	0.1	0.2	0.1	0.1
F.	8 or 9 times	0.0	0.0	0.1	0.0
G.	10 or 11 times	0.0	0.0	0.0	0.0
H.	12 or more times	0.1	0.7	0.8	0.6

UNINTENTIONAL INJURIES AND VIOLENCE			Percentage of students			
Question	Responses		Urban/ Class AA	Class A	Class B	Class C
Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?						
Yes	Yes		9.5	12.1	11.9	11.7
No	No		90.5	87.9	88.2	88.3
Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)						
A.	0 times		86.3	86.5	86.8	87.6
B.	1 time		7.4	7.3	7.4	7.1
C.	2 or 3 times		4.1	3.7	3.2	3.6
D.	4 or 5 times		0.9	1.1	1.0	0.6
E.	6 or more times		1.3	1.4	1.6	1.1
Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)						
A.	I did not date or go out with anyone during the past 12 months		42.4	40.9	38.9	39.8
B.	0 times		50.3	53.0	54.5	54.2
C.	1 time		3.2	2.3	2.8	2.2
D.	2 or 3 times		2.4	1.8	1.8	2.1
E.	4 or 5 times		0.8	0.9	0.4	0.8
F.	6 or more times		1.0	1.1	1.5	0.9
Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)						
A.	I did not date or go out with anyone during the past 12 months		41.5	40.1	37.6	38.6
B.	0 times		54.7	55.1	57.6	57.2
C.	1 time		1.9	2.0	1.7	2.1
D.	2 or 3 times		0.8	1.3	1.5	1.2
E.	4 or 5 times		0.5	0.5	0.4	0.3
F.	6 or more times		0.7	1.2	1.4	0.7
Q-24. During the past 12 months, have you ever been bullied on school property?						
A.	Yes		13.2	19.1	20.6	20.3
B.	No		86.8	80.9	79.4	79.7
Q-25. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)						
A.	Yes		15.7	18.4	17.7	16.8
B.	No		84.3	81.6	82.3	83.2

UNINTENTIONAL INJURIES AND VIOLENCE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-26. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?					
A.	Yes	13.0	15.9	14.2	14.0
B.	No	87.0	84.1	85.8	86.0
Q-27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?					
A.	Yes	38.8	44.0	41.2	39.0
B.	No	61.2	56.0	58.8	61.0
Q-28. During the past 12 months, did you ever seriously consider attempting suicide?					
A.	Yes	19.8	25.5	24.1	22.0
B.	No	80.2	74.5	75.9	78.0
Q-29. During the past 12 months, did you make a plan about how you would attempt suicide?					
A.	Yes	16.3	20.8	21.4	18.4
B.	No	83.7	79.2	78.6	81.6
Q-30. During the past 12 months, how many times did you actually attempt suicide?					
A.	0 times	87.3	82.8	83.7	85.4
B.	1 time	9.7	12.5	11.0	10.5
C.	2 or 3 times	2.0	3.5	3.6	3.0
D.	4 or 5 times	0.5	0.5	0.7	0.6
E.	6 or more times	0.6	0.7	1.0	0.5
Q-31. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?					
A.	I did not attempt suicide during the past 12 months	88.5	83.7	82.7	83.6
B.	Yes	2.8	3.7	4.8	3.4
C.	No	8.8	12.7	12.5	13.0
TOBACCO USE					
Q-33. Have you ever tried cigarette smoking, even one or two puffs?					
A.	Yes	22.6	30.9	34.5	35.5
B.	No	77.4	69.1	65.6	64.5

TOBACCO USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-33. How old were you when you first tried cigarette smoking, even one or two puffs?					
A.	I have never tried cigarette smoking, not even one or two puffs	77.7	70.0	66.0	64.9
B.	8 years old or younger	2.6	3.9	4.7	4.1
C.	9 or 10 years old	1.3	2.6	3.7	2.7
D.	11 or 12 years old	2.7	4.5	5.0	5.2
E.	13 or 14 years old	6.0	7.5	9.1	10.1
F.	15 or 16 years old	7.5	9.0	9.1	10.5
G.	17 years old or older	2.3	2.4	2.5	2.6
Q-34. During the past 30 days, on how many days did you smoke cigarettes?					
A.	0 days	94.2	90.1	90.0	88.7
B.	1 or 2 days	3.3	4.8	4.3	4.8
C.	3 to 5 days	1.1	1.6	1.8	1.9
D.	6 to 9 days	0.4	1.0	1.0	1.4
E.	10 to 19 days	0.4	0.5	1.0	0.9
F.	20 to 29 days	0.3	0.5	0.6	0.9
G.	All 30 days	0.4	1.6	1.4	1.5
Q-35. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?					
A.	I did not smoke cigarettes during the past 30 days	94.3	90.3	89.8	88.9
B.	Less than 1 cigarette per day	3.3	4.4	4.4	4.8
C.	1 cigarette per day	1.0	2.0	2.2	2.3
D.	2 to 5 cigarettes per day	0.9	2.0	2.5	3.4
E.	6 to 10 cigarettes per day	0.2	0.5	0.4	0.3
F.	11 to 20 cigarettes per day	0.0	0.2	0.1	0.0
G.	More than 20 cigarettes per day	0.2	0.7	0.7	0.4
Q-36. Have you ever used an electronic vapor product?					
A.	Yes	45.9	51.1	49.5	48.1
B.	No	54.1	48.9	50.5	51.9
Q-37. During the past 30 days, on how many days did you use an electronic vapor product?					
A.	0 days	72.6	67.7	70.6	73.8
B.	1 or 2 days	7.8	9.5	8.6	8.5
C.	3 to 5 days	3.6	5.2	4.3	3.5
D.	6 to 9 days	2.6	2.7	2.7	2.9
E.	10 to 19 days	3.7	3.7	3.7	3.4
F.	20 to 29 days	3.6	3.8	2.9	2.4
G.	All 30 days	6.2	7.4	7.2	5.5

TOBACCO USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-38. During the past 30 days, on how many days did you use an electronic vapor product on school property?					
A.	0 days	87.0	84.3	85.4	89.5
B.	1 or 2 days	3.8	4.8	4.6	3.9
C.	3 to 5 days	2.0	2.1	2.1	1.5
D.	6 to 9 days	1.2	1.9	1.2	1.4
E.	10 to 19 days	2.1	2.4	1.9	1.4
F.	20 to 29 days	1.4	1.4	1.5	0.9
G.	All 30 days	2.5	3.2	3.3	1.4
Q-39. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)					
A.	I did not use any electronic vapor products during the past 30 days	73.8	69.1	72.3	75.1
B.	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	16.4	19.8	16.1	15.7
C.	I got them on the Internet	2.7	1.3	2.3	1.1
D.	I gave someone else money to buy them for me	0.7	0.7	0.8	0.8
E.	I borrowed them from someone else	0.2	0.0	0.1	0.2
F.	A person who can legally buy these products gave them to me	0.2	0.5	0.4	0.8
G.	I took them from a store or another person	0.3	0.8	0.6	0.5
H.	I got them some other way	5.8	7.8	7.5	5.9
Q-40. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)					
A.	I did not use an electronic vapor product during the past 30 days	73.7	68.6	71.2	74.6
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	0.6	0.9	0.7	0.6
C.	Chocolate, candy, desserts, or otherer sweets	1.0	1.9	2.4	1.3
D.	Fruit	14.9	12.7	13.0	10.1
E.	Menthol	3.3	8.8	5.7	6.4
F.	Mint	2.0	1.9	2.0	1.8
G.	Tobacco	1.5	1.9	1.4	1.5
H.	Some other flavor	3.0	3.3	3.6	3.7
Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)					
A.	0 days	95.7	92.8	92.9	92.4
B.	1 or 2 days	1.6	2.3	2.7	2.9
C.	3 to 5 days	0.5	1.1	0.8	0.9
D.	6 to 9 days	0.5	1.1	0.7	0.7
E.	10 to 19 days	0.5	0.4	0.8	0.8
F.	20 to 29 days	0.3	0.4	0.6	0.4
G.	All 30 days	0.9	2.0	1.7	1.9

TOBACCO USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-42. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?					
A.	0 days	95.4	93.6	94.3	95.0
B.	1 or 2 days	2.9	3.5	3.4	2.6
C.	3 to 5 days	1.0	1.1	0.7	1.0
D.	6 to 9 days	0.2	0.5	0.4	0.5
E.	10 to 19 days	0.1	0.3	0.3	0.2
F.	20 to 29 days	0.0	0.2	0.2	0.2
G.	All 30 days	0.4	0.8	0.7	0.6
Q-43. During the past 12 months, did you ever try to quit using all tobacco products, including cigarettes, cigars, smokeless tobacco, shisha, or hookah tobacco, and electronic vapor products?					
A.	I did not use any tobacco products during the past 12 months	70.4	65.6	67.0	67.9
B.	Yes	17.8	19.9	18.9	16.9
C.	No	11.8	14.5	14.1	15.2
ALCOHOL AND OTHER DRUG USE					
Q-44. How old were you when you had your first drink of alcohol other than a few sips?					
A.	I have never had a drink of alcohol other than a few sips	41.8	39.9	41.6	40.0
B.	8 years old or younger	5.3	6.8	7.8	6.6
C.	9 or 10 years old	3.4	5.1	4.5	5.4
D.	11 or 12 years old	5.6	7.7	7.3	7.6
E.	13 or 14 years old	19.5	20.7	18.3	21.0
F.	15 or 16 years old	21.3	16.9	17.7	16.7
G.	17 years old or older	3.2	2.9	2.9	2.7
Q-45. During the past 30 days, on how many days did you have at least one drink of alcohol?					
A.	0 days	65.6	65.9	69.7	69.7
B.	1 or 2 days	17.3	15.7	15.4	14.4
C.	3 to 5 days	9.0	8.3	6.7	6.9
D.	6 to 9 days	4.5	4.6	3.8	4.3
E.	10 to 19 days	2.3	3.3	2.5	3.0
F.	20 to 29 days	0.7	1.1	0.7	0.7
G.	All 30 days	0.5	1.1	1.1	1.0

ALCOHOL AND OTHER DRUG USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-46. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks in a row, that is, within a couple of hours (if you are male)?					
A.	0 days	79.3	78.7	80.4	80.6
B.	1 day	7.6	7.0	7.2	7.0
C.	2 days	5.1	5.1	4.7	4.3
D.	3 to 5 days	4.6	4.5	4.0	4.4
E.	6 to 9 days	2.1	2.5	1.7	1.9
F.	10 to 19 days	0.7	1.4	1.0	1.0
G.	20 or more days	0.6	0.8	1.1	1.0
Q-47. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?					
A.	I did not drink alcohol during the past 30 days	66.5	67.3	70.8	70.6
B.	1 or 2 drinks	11.3	9.9	9.8	9.8
C.	3 drinks	3.4	2.8	2.0	2.8
D.	4 drinks	3.2	3.1	2.7	2.2
E.	5 drinks	4.0	4.1	3.2	3.0
F.	6 or 7 drinks	4.6	4.9	4.2	4.5
G.	8 or 9 drinks	2.5	2.5	1.9	2.1
H.	10 or more drinks	4.3	5.5	5.3	5.0
Q-48. During the past 30 days, how did you usually get the alcohol you drank?					
A.	I did not drink alcohol during the past 30 days	66.1	66.6	70.4	70.0
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	1.5	1.7	1.8	1.4
C.	I bought it at a restaurant, bar, or club	0.3	0.2	0.4	0.2
D.	I bought it at a public event such as a concert or sporting event	0.2	0.0	0.3	0.0
E.	I gave someone else money to buy it for me	8.1	6.9	4.9	5.4
F.	Someone gave it to me	13.3	13.7	11.7	13.0
G.	I took it from a store or family member	3.2	4.0	3.5	2.9
H.	I got it some other way	7.4	6.9	7.1	7.2

ALCOHOL AND OTHER DRUG USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-49. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)					
A.	I did not drink alcohol during the past 30 days	66.3	66.9	70.7	69.3
B.	Beer	9.6	9.6	10.1	12.1
C.	Wine	2.2	1.4	1.3	1.6
D.	Vodka	4.9	4.6	3.7	2.6
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	5.4	5.6	5.0	5.7
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	10.5	11.1	7.9	7.3
G.	Some other type of alcohol	1.3	0.8	1.2	1.3
Q-50. During your life, how many times have you used marijuana?					
A.	0 times	64.7	62.5	66.0	68.9
B.	1 or 2 times	7.8	8.3	8.1	8.0
C.	3 to 9 times	7.9	8.2	6.7	6.7
D.	10 to 19 times	4.2	3.9	3.8	3.8
E.	20 to 39 times	3.8	3.2	3.4	2.5
F.	40 to 99 times	3.5	4.1	2.9	2.6
G.	100 or more times	8.2	9.8	9.0	7.5
Q-51. How old were you when you tried marijuana for the first time?					
A.	I have never tried marijuana	64.4	62.4	65.3	68.2
B.	8 years old or younger	1.4	2.0	2.2	1.7
C.	9 or 10 years old	1.1	1.5	2.1	1.9
D.	11 or 12 years old	2.7	4.5	5.0	4.2
E.	13 or 14 years old	11.5	13.9	11.3	11.0
F.	15 or 16 years old	16.0	13.4	11.4	11.2
G.	17 years old or older	3.0	2.2	2.8	2.0
Q-52. During the past 30 days, how many times did you use marijuana?					
A.	0 times	80.3	78.0	83.1	84.6
B.	1 or 2 times	7.3	7.5	5.3	5.1
C.	3 to 9 times	4.1	4.4	3.2	3.3
D.	10 to 19 times	2.2	2.9	2.1	1.7
E.	20 to 39 times	2.3	2.1	2.1	1.9
F.	40 or more times	3.7	5.1	4.2	3.5

ALCOHOL AND OTHER DRUG USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-53. During your life, how many times have you used synthetic marijuana?					
A.	0 times	94.2	92.8	92.7	94.7
B.	1 or 2 times	2.8	3.7	3.0	2.4
C.	3 to 9 times	1.0	1.1	1.6	1.0
D.	10 to 19 times	0.6	0.6	0.8	0.6
E.	20 to 39 times	0.5	0.5	0.4	0.5
F.	40 or more times	0.9	1.3	1.5	0.8
Q-54. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?					
A.	0 times	89.4	87.4	86.9	87.5
B.	1 or 2 times	6.1	7.0	6.5	6.6
C.	3 to 9 times	2.5	2.4	3.3	3.0
D.	10 to 19 times	1.1	1.4	1.2	1.1
E.	20 to 39 times	0.4	0.5	0.5	0.7
F.	40 or more times	0.7	1.3	1.6	1.1
Q-55. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?					
A.	0 times	96.7	95.8	95.5	96.4
B.	1 or 2 times	1.9	2.1	2.3	2.0
C.	3 to 9 times	0.6	0.9	0.9	0.6
D.	10 to 19 times	0.3	0.3	0.3	0.3
E.	20 to 39 times	0.2	0.3	0.1	0.1
F.	40 or more times	0.4	0.7	1.0	0.8
Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?					
A.	0 times	93.1	91.1	89.8	89.3
B.	1 or 2 times	4.1	4.2	5.4	5.5
C.	3 to 9 times	1.5	1.9	2.2	2.3
D.	10 to 19 times	0.6	1.1	0.9	1.3
E.	20 to 39 times	0.3	0.5	0.5	0.4
F.	40 or more times	0.6	1.2	1.2	1.2
Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?					
A.	0 times	98.9	98.1	97.8	98.2
B.	1 or 2 times	0.6	0.6	0.8	0.9
C.	3 to 9 times	0.2	0.2	0.4	0.2
D.	10 to 19 times	0.0	0.2	0.2	0.2
E.	20 to 39 times	0.1	0.1	0.1	0.1
F.	40 or more times	0.3	0.9	0.8	0.5

ALCOHOL AND OTHER DRUG USE		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?					
A.	0 times	98.6	97.4	97.3	97.6
B.	1 or 2 times	0.7	1.1	1.1	0.9
C.	3 to 9 times	0.2	0.2	0.4	0.4
D.	10 to 19 times	0.1	0.2	0.3	0.2
E.	20 to 39 times	0.1	0.0	0.0	0.3
F.	40 or more times	0.3	1.0	0.9	0.6
Q-59. During your life, how many times have you used ecstasy (also called MDMA)?					
A.	0 times	96.2	95.1	95.9	96.4
B.	1 or 2 times	2.5	2.8	2.0	1.8
C.	3 to 9 times	0.6	0.7	0.8	0.7
D.	10 to 19 times	0.4	0.5	0.3	0.3
E.	20 to 39 times	0.2	0.2	0.3	0.2
F.	40 or more times	0.3	0.7	0.8	0.5
Q-60. During your life, how many times have you used a needle to inject any illegal drug into your body?					
A.	0 times	99.0	98.2	98.1	98.6
B.	1 time	0.5	1.0	0.8	0.9
C.	2 or more times	0.5	0.8	1.1	0.5
Q-61. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?					
A.	Yes	23.6	22.4	21.9	18.2
B.	No	76.4	77.6	78.1	81.8
Q-62. During the past 30 days, how many times did you use hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?					
A.	0 times	94.2	93.1	94.4	94.9
B.	1 or 2 times	3.8	4.7	3.6	3.2
C.	3 to 9 times	1.1	1.0	0.8	1.1
D.	10 to 19 times	0.4	0.5	0.3	0.3
E.	20 to 39 times	0.1	0.0	0.1	0.1
F.	40 or more times	0.3	0.7	0.7	0.5

SEXUAL BEHAVIORS THAT CONTRIBUTE TO UNINTENDED PREGNANCY /STDs		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-63. Have you ever had sexual intercourse?					
A.	Yes	39.4	43.9	45.8	42.1
B.	No	60.6	56.1	54.2	57.9
Q-64. How old were you when you had sexual intercourse for the first time?					
A.	I have never had sexual intercourse	61.4	57.6	55.2	58.6
B.	11 years old or younger	1.9	3.2	3.2	2.0
C.	12 years old	0.9	1.6	1.3	1.5
D.	13 years old	2.6	3.5	3.7	3.2
E.	14 years old	7.5	10.7	10.6	8.3
F.	15 years old	11.7	12.5	13.4	13.7
G.	16 years old	10.2	8.1	9.2	9.1
H.	17 years old or older	3.8	2.8	3.5	3.7
Q-65. During your life, with how many people have you had sexual intercourse?					
A.	I have never had sexual intercourse	62.3	58.4	55.9	58.8
B.	1 person	17.3	16.8	18.3	18.0
C.	2 people	6.7	8.5	8.3	7.4
D.	3 people	3.8	5.9	4.7	5.2
E.	4 people	2.5	2.5	3.5	3.0
F.	5 people	2.2	1.6	2.3	2.0
G.	6 or more people	5.3	6.1	7.0	5.6
Q-66. During the past 3 months, with how many people did you have sexual intercourse?					
A.	I have never had sexual intercourse	62.1	58.4	56.0	59.1
B.	I have had sexual intercourse, but not during the past 3 months	10.9	12.7	13.6	12.6
C.	1 person	22.1	22.7	23.1	22.7
D.	2 people	2.6	3.2	3.7	3.0
E.	3 people	1.1	1.2	1.6	1.3
F.	4 people	0.6	0.4	0.7	0.5
G.	5 people	0.1	0.4	0.2	0.0
H.	6 or more people	0.6	1.0	1.2	0.8
Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?					
A.	I have never had sexual intercourse	61.0	56.8	54.5	56.9
B.	Yes	7.8	9.4	9.6	8.9
C.	No	31.2	33.8	35.9	34.2

SEXUAL BEHAVIORS THAT CONTRIBUTE TO UNINTENDED PREGNANCY /STDs		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-68. The last time you had sexual intercourse, did you or your partner use a condom?					
A.	I have never had sexual intercourse	62.2	58.0	56.0	58.9
B.	Yes	21.3	22.8	24.5	23.3
C.	No	16.5	19.2	19.5	17.8
Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)					
A.	I have never had sexual intercourse with an opposite-sex partner	62.5	58.7	56.6	59.4
B.	No method was used to prevent pregnancy	3.0	4.8	6.0	4.9
C.	Birth control pills	10.4	9.1	10.6	8.9
D.	Condoms	14.4	15.3	15.9	16.2
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	4.2	5.2	3.8	4.0
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	1.2	1.6	1.7	1.9
G.	Withdrawal or some other method	3.2	3.5	3.1	2.6
H.	Not sure	1.3	1.8	2.3	2.2
DIETARY BEHAVIORS AND NUTRITION					
Q-70. How do you describe your weight?					
A.	Very underweight	2.7	3.0	3.2	3.0
B.	Slightly underweight	16.6	15.4	15.2	14.0
C.	About the right weight	55.8	51.7	50.4	52.4
D.	Slightly overweight	21.4	25.7	25.8	26.9
E.	Very overweight	3.4	4.2	5.4	3.8
Q-71. Which of the following are you trying to do about your weight?					
A.	Lose weight	37.0	43.1	43.2	41.4
B.	Gain weight	22.7	20.2	18.8	19.1
C.	Stay the same weight	17.1	15.7	17.4	18.5
D.	I am not trying to do anything about my weight	23.1	21.0	20.5	21.0

DIETARY BEHAVIORS AND NUTRITION		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)					
A.	I did not drink 100% fruit juice during the past 7 days	38.6	31.9	29.9	29.9
B.	1 to 3 times during the past 7 days	40.1	43.0	42.6	42.1
C.	4 to 6 times during the past 7 days	11.1	12.5	13.7	14.2
D.	1 time per day	4.8	4.6	5.2	4.6
E.	2 times per day	3.0	3.6	4.0	4.8
F.	3 times per day	0.9	1.2	1.8	1.4
G.	4 or more times per day	1.6	3.3	2.8	3.0
Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)					
A.	I did not eat fruit during the past 7 days	9.2	10.7	11.1	10.7
B.	1 to 3 times during the past 7 days	34.3	38.2	37.9	36.6
C.	4 to 6 times during the past 7 days	22.9	23.5	23.2	25.2
D.	1 time per day	12.4	10.1	10.6	10.3
E.	2 times per day	13.4	9.4	9.3	9.0
F.	3 times per day	4.3	3.3	3.4	3.7
G.	4 or more times per day	3.5	4.6	4.4	4.5
Q-74. During the past 7 days, how many times did you eat green salad?					
A.	I did not eat green salad during the past 7 days	32.8	37.6	34.7	36.4
B.	1 to 3 times during the past 7 days	44.8	42.6	42.8	39.8
C.	4 to 6 times during the past 7 days	12.6	11.5	13.0	15.4
D.	1 time per day	6.9	5.3	5.4	4.9
E.	2 times per day	1.6	1.5	2.1	2.0
F.	3 times per day	0.4	0.6	0.5	0.3
G.	4 or more times per day	0.9	1.0	1.5	1.1
Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)					
A.	I did not eat potatoes during the past 7 days	35.6	31.9	31.5	28.9
B.	1 to 3 times during the past 7 days	51.4	51.2	51.2	52.4
C.	4 to 6 times during the past 7 days	8.9	11.5	11.1	12.0
D.	1 time per day	2.4	2.8	3.1	3.6
E.	2 times per day	0.9	1.1	1.3	1.5
F.	3 times per day	0.4	0.6	0.4	0.4
G.	4 or more times per day	0.5	0.8	1.4	1.3

DIETARY BEHAVIORS AND NUTRITION		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-76. During the past 7 days, how many times did you eat carrots?					
A.	I did not eat carrots during the past 7 days	42.7	46.9	45.3	48.5
B.	1 to 3 times during the past 7 days	40.8	41.7	40.7	38.6
C.	4 to 6 times during the past 7 days	10.1	6.8	8.4	7.6
D.	1 time per day	4.0	2.1	2.8	2.8
E.	2 times per day	1.2	1.2	1.1	1.1
F.	3 times per day	0.4	0.5	0.4	0.4
G.	4 or more times per day	0.8	0.9	1.3	1.0
Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)					
A.	I did not eat other vegetables during the past 7 days	14.0	16.5	18.8	18.1
B.	1 to 3 times during the past 7 days	40.2	42.1	39.8	41.9
C.	4 to 6 times during the past 7 days	23.3	23.1	23.4	21.8
D.	1 time per day	12.0	9.5	9.0	9.5
E.	2 times per day	6.7	5.6	5.3	5.8
F.	3 times per day	2.4	1.2	1.6	1.3
G.	4 or more times per day	1.5	2.0	2.1	1.7
Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)					
A.	I did not drink soda or pop during the past 7 days	33.4	30.1	29.4	27.8
B.	1 to 3 times during the past 7 days	40.9	42.4	42.6	44.1
C.	4 to 6 times during the past 7 days	14.1	16.5	14.6	14.7
D.	1 time per day	6.3	4.7	5.9	5.4
E.	2 times per day	3.0	3.6	3.2	4.9
F.	3 times per day	1.2	1.2	1.5	1.3
G.	4 or more times per day	1.1	1.6	2.9	1.8
Q-79. During the past 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade or PowerAde? (Do not count low-calorie sports drinks such as Propel or G2.)					
A.	I did not sports drinks during the past 7 days	51.1	45.4	39.8	34.1
B.	1 to 3 times during the past 7 days	31.1	33.9	34.2	37.9
C.	4 to 6 times during the past 7 days	10.0	11.5	14.4	16.2
D.	1 time per day	4.0	4.1	5.2	5.6
E.	2 times per day	1.7	2.4	3.0	3.3
F.	3 times per day	0.9	1.2	1.3	1.2
G.	4 or more times per day	1.0	1.6	2.1	1.8

DIETARY BEHAVIORS AND NUTRITION		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-80. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)					
A.	I did not drink milk during the past 7 days	26.9	25.0	24.3	22.5
B.	1 to 3 times during the past 7 days	27.9	30.1	27.0	26.7
C.	4 to 6 times during the past 7 days	14.9	15.7	16.0	17.9
D.	1 time per day	12.6	11.8	12.7	11.8
E.	2 times per day	10.1	9.8	9.9	10.5
F.	3 times per day	4.3	3.7	5.1	4.7
G.	4 or more times per day	3.3	4.0	4.9	6.0
Q-81. During the past 7 days, on how many days did you eat breakfast?					
A.	0 days	16.7	18.1	17.8	13.3
B.	1 day	9.5	10.5	9.2	8.0
C.	2 days	9.2	11.6	10.9	10.6
D.	3 days	8.6	9.7	9.8	9.3
E.	4 days	7.2	7.6	7.9	9.1
F.	5 days	7.9	9.3	8.2	10.0
G.	6 days	7.5	5.9	6.8	7.5
H.	7 days	33.5	27.4	29.3	32.2
PHYSICAL ACTIVITY					
Q-82. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)					
A.	0 days	11.2	10.4	11.0	8.2
B.	1 day	6.2	5.6	5.7	5.2
C.	2 days	8.6	8.9	8.4	7.9
D.	3 days	10.1	11.2	8.7	8.5
E.	4 days	10.9	12.2	9.6	10.0
F.	5 days	16.5	13.5	15.3	14.7
G.	6 days	12.0	11.1	11.9	13.5
H.	7 days	24.5	27.1	29.5	32.1

PHYSICAL ACTIVITY		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-83. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called “screen time”)? (Do not count time spent doing schoolwork.)					
A.	Less than 1 hour per day	4.0	6.0	7.4	6.8
B.	1 hour per day	6.7	7.1	7.7	7.2
C.	2 hours per day	17.1	16.3	16.2	18.3
D.	3 hours per day	24.6	22.8	22.1	23.2
E.	4 hours per day	19.8	20.1	17.6	18.2
F.	5 or more hours per day	27.9	27.7	29.0	26.3
Q-84. In an average week when you are in school, on how many days do you go to physical education (PE) classes?					
A.	0 days	52.8	39.7	70.3	36.3
B.	1 day	2.1	2.7	2.4	1.9
C.	2 days	5.7	13.7	9.0	6.3
D.	3 days	9.8	18.0	6.5	8.6
E.	4 days	9.9	9.9	10.6	18.4
F.	5 days	19.8	16.1	31.2	28.6
Q-85. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)					
A.	0 teams	39.7	39.4	35.2	27.2
B.	1 team	24.2	23.2	25.4	23.6
C.	2 teams	20.1	20.4	20.0	23.4
D.	3 or more teams	16.0	17.0	19.4	25.9
Q-86. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?					
A.	0 times	84.5	82.9	83.4	82.4
B.	1 time	10.5	10.8	10.7	11.6
C.	2 times	2.6	3.0	3.2	3.1
D.	3 times	1.2	1.6	0.9	1.4
E.	4 or more times	1.2	1.8	1.9	1.5
Q-87. Has a doctor or nurse ever told you that you have asthma?					
A.	Yes	20.2	20.8	20.7	21.7
B.	No	74.5	73.5	72.4	72.5
C.	Not sure	5.3	5.7	6.9	5.8

OTHER HEALTH-RELATED TOPICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-88. Do you still have asthma?					
A.	I have never had asthma	61.6	60.1	59.5	58.0
B.	Yes	13.9	14.2	14.5	15.5
C.	No	16.3	17.5	17.0	17.4
D.	Not sure	8.2	8.2	9.0	9.0
Q-89. During the past 30 days, how many days of school did you miss because of your asthma?					
A.	I do not have asthma	77.2	76.2	75.2	73.8
B.	0 days	20.8	21.3	22.1	24.3
C.	1 day	0.8	1.1	1.2	0.9
D.	2 days	0.6	0.5	0.5	0.5
E.	3 days	0.4	0.4	0.4	0.2
F.	4 days	0.1	0.2	0.1	0.0
G.	5 or more days	0.1	0.4	0.5	0.3
Q-90. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?					
A.	During the past 12 months	81.3	75.5	72.3	72.8
B.	Between 12 and 24 months ago	10.0	11.9	12.8	12.0
C.	More than 24 months ago	3.3	5.3	5.6	5.3
D.	Never	0.8	0.9	1.7	1.8
E.	Not sure	4.5	6.4	7.6	8.0
Q-91. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)					
A.	Never	14.7	17.8	19.8	20.8
B.	Rarely	22.5	21.6	21.7	21.8
C.	Sometimes	31.7	26.8	28.1	28.1
D.	Most of the time	23.2	23.8	20.9	21.8
E.	Always	7.9	10.1	9.5	7.6
Q-92. On an average school night, how many hours of sleep do you get?					
A.	4 or less hours	7.8	10.1	11.3	9.5
B.	5 hours	12.5	12.4	11.9	12.0
C.	6 hours	21.7	21.8	19.9	19.9
D.	7 hours	30.3	27.6	28.3	29.1
E.	8 hours	22.0	22.2	22.1	22.6
F.	9 hours	4.7	4.5	5.0	5.7
G.	10 or more hours	1.0	1.5	1.5	1.2

OTHER HEALTH-RELATED TOPICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-93. During the past 30 days, where did you usually sleep?					
A.	In my parent's or guardian's home	96.9	95.3	94.9	95.9
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	1.4	2.6	2.2	2.2
C.	In a shelter or emergency housing	0.6	0.6	0.8	0.7
D.	In a motel or hotel	0.3	0.4	0.6	0.3
E.	In a car, park, campground, or other public place	0.2	0.4	0.5	0.2
F.	I do not have a usual place to sleep	0.2	0.3	0.5	0.2
G.	Somewhere else	0.4	0.5	0.6	0.4
Q-94. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?					
A.	Yes	3.7	5.2	6.0	5.0
B.	No	96.3	94.8	94.0	95.0
Q-95. During the past 30 days, how often did you go hungry because there was not enough food in your home?					
A.	Never	88.4	83.8	83.1	85.7
B.	Rarely	7.8	9.8	10.0	9.4
C.	Sometimes	3.0	4.9	5.0	3.9
D.	Most of the time	0.6	0.9	1.1	0.5
E.	Always	0.3	0.6	0.8	0.6
Q-96. During the past 12 months, how would you describe your grades in school?					
A.	Mostly A's	51.8	44.4	46.5	48.7
B.	Mostly B's	27.1	26.9	29.0	30.9
C.	Mostly C's	12.1	15.3	13.7	11.8
D.	Mostly D's	3.4	5.4	3.9	3.0
E.	Mostly F's	2.4	3.3	2.1	1.6
F.	None of these grades	0.4	0.4	0.6	0.6
G.	Not sure	2.9	4.2	4.1	3.5
Q-97. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)					
A.	0 times	94.3	94.9	93.7	94.9
B.	1 or 2 times	2.4	2.2	2.7	2.1
C.	3 to 9 times	1.8	1.1	1.6	1.7
D.	10 to 19 times	0.6	0.9	0.9	0.4
E.	20 to 39 times	0.3	0.5	0.5	0.4
F.	40 or more times	0.6	0.3	0.6	0.4

OTHER HEALTH-RELATED TOPICS		Percentage of students			
Question	Responses	Urban/ Class AA	Class A	Class B	Class C
Q-98. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?					
A.	Yes	13.8	16.4	17.6	19.4
B.	No	86.2	83.6	82.4	80.6

Montana Youth Risk Behavior Survey
www.opi.mt.gov/yrbs

This document was supported by Cooperative Agreement No. 1U87PS004124 from the U.S. Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the authors and do not necessarily represent the views of the CDC.