2023 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 185 high school students in Central Region during February of 2023. Frequency distributions may not total 185 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are y	ou?		
A.	12 years old or younger	1	0.54%
B.	13 years old	0	0.00%
C.	14 years old	13	7.07%
D.	15 years old	50	27.17%
E.	16 years old	57	30.98%
F.	17 years old	41	22.28%
G.	18 years old or older	22	11.96%
	TOTALS	184	100.00%
Q-2. What is your s	sex?		
A.	Female	92	50.27%
B.	Male	91	49.73%
	TOTALS	183	100.00%
Q-3. In what grade	are you?		
A.	9th grade	45	24.32%
B.	10th grade	57	30.81%
C.	11th grade	50	27.03%
D.	12th grade	32	17.30%
E.	Ungraded or other grade	1	0.54%
	TOTALS	185	100.00%
Q-4. Are you Hispa	nic or Latino?		
A.	Yes	10	5.41%
B.	No	175	94.59%
	TOTALS	185	100.00%
Q-5. What is your r	ace?		
A.	American Indian or Alaskan Native	9	4.79%
B.	Asian	5	2.66%
C.	Black or African American	2	1.06%
D.	Native Hawaiian or Other Pacific Islander	2	1.06%
E.	White	170	90.43%
	TOTALS	188	100.00%

	TOTALS	182	100.00%
F.	Always	99	54.40%
E.	Most of the time	31	17.03%
D.	Sometimes	13	7.14%
C.	Rarely	10	5.49%
В.	Never	6	3.30%
A.	I do not drive a car	23	12.64%
Q-10. How often do	you wear a seat belt when driving a car?		
	TOTALS	181	100.00%
	6 or more times	2	1.10%
	4 or 5 times	7	3.87%
	2 or 3 times	13	7.18%
	1 time	16	8.84%
A.	0 times	143	79.01%
Q-9. During the pa	st 30 days, how many times did you ride in a car or other vehicle driven by someone who had	been drinking alcohol?	
	TOTALS	183	100.00%
	Always	88	48.09%
D.	Most of the time	59	32.249
C.	Sometimes	23	12.57%
B.	Rarely	6	3.28%
	Never	7	3.839
Q-8. How often do	you wear a seat belt when riding in a car driven by someone else?	100	200.007
<u> </u>	TOTALS	185	100.00%
G.	140 lbs +	107	57.849
F.	130-139 lbs	27	14.59%
D. E.	120-129 lbs	23	12.43%
C.	110-119lbs	15	8.11%
В.	90-99 lbs 100-109 lbs	9	0.009 4.869
Α.	Less than 90 lbs	4	2.169
	you weigh without your shoes on?		
3.7. Hannanda da	TOTALS	185	100.009
E.	Over 5ft, 6in	76	41.089
D.	5ft, 1in to 5ft, 6in	86	46.49%
C.	4ft, 7in to 5 ft	21	11.35%
В.	4ft to 4 ft, 6 in	0	0.009
A.	Less than 4 ft	2	1.08%

A.	I did not drive a car or other vehicle during the past 30 days	52	28.11%
	0 times	120	64.86%
C.	1 time	4	2.16%
D.	2 or 3 times	3	1.62%
E.	4 or 5 times	3	1.62%
F.	6 or more times	3	1.62%
	TOTALS	185	100.00%
Q-12. During the p	ast 30 days, on how many days did you text or e-mail while driving a car or other vel	nicle?	
A.	I did not drive a car or other vehicle during the past 30 days	37	20.00%
B.	0 days	71	38.38%
C.	1 or 2 days	27	14.59%
D.	3 to 5 days	11	5.95%
E.	6 to 9 days	5	2.70%
F.	10 to 19 days	9	4.86%
G.	20 to 29 days	10	5.41%
H.	All 30 days	15	8.11%
	TOTALS	185	100.00%
Q-13. During the p while driving a car	ast 30 days, on how many days did you use the Internet or apps on your cell phone or other vehicle? (Do not count using your cell phone to get driving directions or to d	(such as YouTube, Instagram, or etermine your location.)	Facebook)
A.	I did not drive a car or other vehicle during the past 30 days	38	20.65%
B.	0 days	81	44.02%
C.	1 or 2 days	17	9.24%
D.	3 to 5 days	9	4.89%
E.	6 to 9 days	8	4.35%
F.	10 to 19 days	7	3.80%
G.	20 to 29 days	10	5.43%
H.	All 30 days	14	7.61%
	TOTALS	184	100.00%
Q-14. During the p	ast 30 days, on how many days did you carry a weapon such as a gun, knife, or club	on school property?	
A.	0 days	163	88.11%
B.	1 day	4	2.16%
C.	2 or 3 days	4	2.16%
D.	4 or 5 days	1	0.54%
E.	6 or more days	13	7.03%
	TOTALS	185	100.00%

A.	0 days	169	91.85%
В.		4	2.17%
C.	2 or 3 days	4	2.17%
D.	4 or 5 days	2	1.09%
E.	6 or more days	5	2.72%
	TOTALS	184	100.00%
Q-16. During the prom school?	last 30 days, on how many days did you not go to school because you felt you w	would be unsafe at school or on your w	ay to or
A.	0 days	168	91.80%
B.	1 day	8	4.37%
C.	2 or 3 days	3	1.64%
D.	4 or 5 days	3	1.64%
E.	6 or more days	1	0.55%
	TOTALS	183	100.00%
Q-17. During the poroperty?	ast 12 months, how many times has someone threatened or injured you with a	weapon such as a gun, knife, or club o	on school
A.	0 times	171	92.43%
B.	1 time	7	3.78%
C.	2 or 3 times	3	1.62%
D.	4 or 5 times	3	1.62%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	1	0.54%
	TOTALS	185	100.00%
Q-18. During the p	ast 12 months, how many times were you in a physical fight?		
A.	0 times	148	80.00%
B.	1 time	19	10.27%
C.	2 or 3 times	13	7.03%
	4 or 5 times	4	2.16%
D.	6 or 7 times	1	0.54%
D. E.			0.549
	8 or 9 times	0	
E.		0	0.00%
E. F.	10 or 11 times		0.00% 0.00% 0.00%

	TOTALS	185	100.00%
F.	6 or more times	3	1.62%
E.	4 or 5 times	0	0.00%
D.	2 or 3 times	3	1.62%
C.	1 time	4	2.16%
B.	0 times	96	51.89%
	I did not date or go out with anyone during the past 12 months	79	42.70%
Q-23. During the path things as being hit,	ist 12 months, how many times did someone you were dating or going out with physically hurt you or slammed into something, or injured with an object or weapon.)	n purpose? (Co	unt such
	TOTALS	184	100.00%
F.	6 or more times	1	0.54%
E.	4 or 5 times	0	0.00%
	2 or 3 times	2	1.09%
C.	1 time	10	5.43%
B.	0 times	92	50.00%
A.	I did not date or go out with anyone during the past 12 months	79	42.93%
	such things as kissing, touching, or being physically forced to have sexual intercourse.)	ii tiiiigs tilat yo	a dia riot
O-22 During the p	TOTALS ist 12 months, how many times did someone you were dating or going out with force you to do sexual	185	100.00%
E.	6 or more times	1	0.54%
	4 or 5 times	2	1.08%
	2 or 3 times	7	3.78%
	1 time	13	7.03%
	0 times	162	87.57%
kissing, touching, o	st 12 months, how many times did anyone force you to do sexual things that you did not want to do? being physically forced to have sexual intercourse.)		
	TOTALS	185	100.00%
B.	No	165	89.19%
A.	Yes	20	10.81%
Q-20. Have you eve	r been physically forced to have sexual intercourse when you did not want to?		
	TOTALS	183	100.00%
H.	12 or more times	0	0.00%
G.	10 or 11 times	0	0.00%
F.	8 or 9 times	0	0.00%
E.	6 or 7 times	0	0.00%
D.	4 or 5 times	1	0.55%
C.	2 or 3 times	5	2.73%
B.	1 time	8	4.37%
A.	0 times	169	92.35%

Α.	Never	149	80.98%
B.	Rarely	19	10.33%
C.	Sometimes	12	6.52%
D.	Most of the time	3	1.63%
E.	Always	1	0.54%
	TOTALS	184	100.00%
Q-25. During the p	past 12 months, have you ever been bullied on school property?		
A.	Yes	45	24.86%
B.	No	136	75.149
	TOTALS	181	100.00%
Q-26. During the p social media.)	bast 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Fac	ebook,	or other
A.	Yes	29	15.85%
В.	No	154	84.15%
	TOTALS	183	100.00%
Q-27. During the p bisexual?	past 12 months, have you ever been the victim of teasing or name calling because someone thought you were	gay, les	bian, or
A.	Yes	31	16.76%
B.	No	1 - 1	02.240
υ.	NO	154	83.249
D.	TOTALS	185	83.24% 100.00 %
Q-28. During the p	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you	185	100.00%
Q-28. During the p some usual activiti	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es?	185	100.00 % d doing
Q-28. During the p some usual activiti A.	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes	185 stoppe	100.00%
Q-28. During the p some usual activiti	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No	185 stoppe 60 122	100.00% d doing 32.97% 67.03%
Q-28. During the psome usual activiti A. B.	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes	185 stoppe	100.00 % d doing 32.97%
Q-28. During the psome usual activiti A. B.	TOTALS Dast 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No TOTALS Dast 12 months, did you ever seriously consider attempting suicide?	185 stoppe 60 122	100.00% d doing 32.97% 67.03% 100.00%
Q-28. During the posome usual activiti A. B. Q-29. During the p	TOTALS Dast 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No TOTALS Dast 12 months, did you ever seriously consider attempting suicide?	185 stoppe 60 122 182	100.00% d doing 32.97% 67.03%
Q-28. During the psome usual activiti A. B. Q-29. During the p	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No TOTALS past 12 months, did you ever seriously consider attempting suicide? Yes	185 stoppe 60 122 182	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70%
Q-28. During the psome usual activiti A. B. Q-29. During the p A. B.	TOTALS Dast 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No TOTALS Dast 12 months, did you ever seriously consider attempting suicide? Yes No	185 stoppe 60 122 182 32 153	100.00% d doing 32.97% 67.03% 100.00%
Q-28. During the psome usual activiti A. B. Q-29. During the p A. B.	TOTALS Dast 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you ese? Yes No TOTALS Dast 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS Dast 12 months, did you make a plan about how you would attempt suicide?	185 stoppe 60 122 182 32 153	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70%
Q-28. During the psome usual activiti A. B. Q-29. During the p A. B.	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No TOTALS past 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS No TOTALS No TOTALS Past 12 months, did you make a plan about how you would attempt suicide? Yes	185 stoppe 60 122 182 32 153 185	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70% 100.00%
Q-28. During the psome usual activiti A. B. Q-29. During the p A. B. Q-30. During the p	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No TOTALS past 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS No TOTALS No TOTALS Past 12 months, did you make a plan about how you would attempt suicide? Yes	185 stoppe 60 122 182 32 153 185	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70%
Q-28. During the prome usual activition A.B. Q-29. During the p. A.B. Q-30. During the p. A.B.	TOTALS Past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No TOTALS Past 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS Past 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS Past 12 months, did you make a plan about how you would attempt suicide? Yes No	185 stoppe 60 122 182 32 153 185	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70% 100.00%
Q-28. During the psome usual activiti A.B. Q-29. During the pA.B. Q-30. During the pA.B.	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you ees? Yes No TOTALS past 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS past 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS past 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS past 12 months, how many times did you actually attempt suicide?	185 stoppe 60 122 182 32 153 185	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70% 100.00%
Q-28. During the psome usual activities A.B. Q-29. During the part A.B. Q-30. During the part A.B. Q-31. During the part A.B.	TOTALS asat 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you ese? Yes No TOTALS asat 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS asat 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS asat 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS asat 12 months, how many times did you actually attempt suicide?	185 stoppe 60 122 182 32 153 185 29 156 185	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70% 100.00% 84.32% 100.00%
Q-28. During the psome usual activiti A. B. Q-29. During the p. A. B. Q-30. During the p. A. B. Q-31. During the p. A. A. A. A. B. Q-31. During the p. A.	TOTALS asat 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you ese? Yes No TOTALS asat 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS asat 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS asat 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS asat 12 months, how many times did you actually attempt suicide?	185 stoppe 60 122 182 32 153 185 29 156 185	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70% 100.00% 84.32% 100.00%
Q-28. During the psome usual activities A.B. Q-29. During the part A.B. Q-30. During the part A.B. A.B. A.B. A.B.	TOTALS past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you ese? Yes No TOTALS past 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS past 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS past 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS obst 12 months, how many times did you actually attempt suicide? 1 time	185 stoppe 60 122 182 32 153 185 29 156 185	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70% 100.00%
Q-28. During the psome usual activiti A. B. Q-29. During the p. A. B. Q-30. During the p. A. B. Q-31. During the p. A. B. C.	TOTALS Jast 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you es? Yes No TOTALS Jast 12 months, did you ever seriously consider attempting suicide? Yes No TOTALS Jast 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS Jast 12 months, did you make a plan about how you would attempt suicide? Yes No TOTALS Jost 12 months, how many times did you actually attempt suicide? O times 1 time 2 or 3 times 4 or 5 times	185 stoppe 60 122 182 32 153 185 29 156 185 164 14 4	100.00% d doing 32.97% 67.03% 100.00% 17.30% 82.70% 100.00% 15.68% 84.32% 100.00%

A.	I did not attempt suicide during the past 12 months	167	90.27%
B.	Yes	3	1.62%
C.	No	15	8.11%
	TOTALS	185	100.00%
Q-33. Have you ev	er tried cigarette smoking, even one or two puffs?		
A.	Yes	38	20.54%
В.	No	147	79.46%
	TOTALS	185	100.00%
Q-34. How old wer	e you when you first tried cigarette smoking, even one or two puffs?		
A.	I have never tried cigarette smoking, not even one or two puffs	146	80.22%
В.	8 years old or younger	8	4.40%
C.	9 or 10 years old	4	2.20%
D.	11 or 12 years old	7	3.85%
E.	13 or 14 years old	10	5.49%
F.	15 or 16 years old	5	2.75%
G.	17 years old or older	2	1.10%
	TOTALS	182	100.00%
Q-35. During the p	ast 30 days, on how many days did you smoke cigarettes?		
A.	0 days	172	92.97%
B.	1 or 2 days	5	2.70%
C.	3 to 5 days	3	1.62%
D.	6 to 9 days	0	0.00%
E.	10 to 19 days	0	0.00%
F.	20 to 29 days	1	0.54%
G.	All 30 days	4	2.16%
	TOTALS	185	100.00%
Q-36. During the p	ast 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
A.	I did not smoke cigarettes during the past 30 days	169	92.35%
B.	Less than 1 cigarette per day	6	3.28%
C.	1 cigarette per day	4	2.19%
D.	2 to 5 cigarettes per day	3	1.64%
E.	6 to 10 cigarettes per day	1	0.55%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	0	0.00%
	TOTALS	183	100.00%
Q-37. Have you ev	er used an electronic vapor product?		
A.	Yes	53	29.12%
В.	No	129	70.88%
	TOTALS	182	100.00%

Δ	0 days	158	85.41%
	1 or 2 days	10	5.41%
	3 to 5 days	2	1.08%
	6 to 9 days	2	1.08%
E.		4	2.16%
	20 to 29 days	0	0.00%
	All 30 days	9	4.86%
	TOTALS	185	100.00%
Q-39. During the p	ast 30 days, on how many days did you use an electronic vapor product on school property?		
Α.	0 days	170	91.89%
	1 or 2 days	4	2.16%
	3 to 5 days	0	0.00%
	6 to 9 days	3	1.62%
E.		3	1.62%
	20 to 29 days	0	0.00%
	All 30 days	5	2.70%
	TOTALS	185	100.00%
Q-40. During the p	ast 30 days, how did you usually get your own electronic vapor products? (Select only one response.)		
Α.	I did not use any electronic vapor products during the past 30 days	160	86.49%
B.		14	7.57%
C.	I bought them myself in a vape shop or tobacco shop	4	2.16%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	0	0.00%
E.	I bought them myself at a mall or shopping center kiosk or stand	0	0.00%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	0	0.00%
G.	I took them from a store or another person	0	0.00%
H.	I got them in some other way	7	3.78%
	TOTALS	185	100.00%
Q-41. During the p	ast 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)		
A.	I did not use an electronic vapor product during the past 30 days	160	86.49%
В.	Alcoholic drinks (such as wine, margarita, or other cocktails)	1	0.54%
C.	Chocolate, candy, desserts, or other sweets	0	0.00%
D.	Fruit	12	6.49%
E.	Menthol	8	4.32%
F.	Mint	0	0.00%
G.	Tobacco	0	0.00%
H.	Some other flavor	4	2.16%
			100.00%

	TOTALS	185	100.00%
C.	No	14	7.57%
B.	Yes	21	11.35%
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	150	81.08%
2-45. During the p	ast 12 months, did you ever try to quit using all tobacco products?		
	TOTALS	185	100.00%
G.	All 30 days	0	0.00%
F.	20 to 29 days	0	0.00%
E.	10 to 19 days	0	0.00%
D.	6 to 9 days	1	0.54%
C.	3 to 5 days	2	1.089
B.	1 or 2 days	5	2.70%
A.	0 days	177	95.68%
)-44. During the p	ast 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
	TOTALS	184	100.00%
G.	All 30 days	3	1.639
F.	20 to 29 days	0	0.00%
Ε.	10 to 19 days	0	0.00%
D.	6 to 9 days	2	1.09%
C.	3 to 5 days	2	1.099
В.	1 or 2 days	1	0.549
A.	0 days	176	95.659
	ast 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco y, Skoal, or Camel Snus? (Do not count any electronic vapor products.)	products, such a	is
	TOTALS	185	100.00%
Н.	I used them for some other reason	3	1.62%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	1	0.549
	They are less harmful than other forms of tobacco	1	0.549
E.	I was curious about them	10	5.419
D.	I was feeling anxious. stressed, or depressed	10	5.419
C.	To get a high or buzz from nicotine	11	5.95%
	Friend or family member used them	11	5.95%
Δ	I have never used an electronic vapor product	138	74.59%

Q-46. How old wer	e you when you had your first drink of alcohol other than a few sips?		
A.	I have never had a drink of alcohol other than a few sips	93	50.27%
B.	8 years old or younger	11	5.95%
C.	9 or 10 years old	4	2.16%
D.	11 or 12 years old	21	11.35%
E.	13 or 14 years old	27	14.59%
F.	15 or 16 years old	26	14.05%
G.	17 years old or older	3	1.62%
	TOTALS	185	100.00%
Q-47. During the p	ast 30 days, on how many days did you have at least one drink of alcohol?		
A.	0 days	152	82.16%
B.	1 or 2 days	16	8.65%
C.	3 to 5 days	12	6.49%
D.	6 to 9 days	2	1.08%
E.	10 to 19 days	2	1.08%
F.	20 to 29 days	1	0.54%
G.	All 30 days	0	0.00%
	TOTALS	185	100.00%
	ast 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a coure drinks of alcohol in a row, that is, within a couple of hours (if you are male)?	uple of hours (if	you are
A.	0 days	162	88.04%
В.	1 day	9	4.89%
C.	2 days	6	3.26%
D.	3 to 5 days	5	2.72%
E.	6 to 9 days	0	0.00%
F.	10 to 19 days	1	0.54%
G.	20 or more days	1	0.54%
	TOTALS	184	100.00%
Q-49. During the p	ast 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of	f hours?	
A.	I did not drink alcohol during the past 30 days	152	83.06%
B.	1 or 2 drinks	13	7.10%
C.	3 drinks	2	1.09%
D.	4 drinks	0	0.00%
E.	5 drinks	4	2.19%
F.	6 or 7 drinks	2	1.09%
G.	8 or 9 drinks	3	1.64%
H.	10 or more drinks	7	3.83%
	TOTALS	183	100.00%

	TOTALS	185	100.00%
G.	17 years old or older	2	1.08%
F.	15 or 16 years old	15	8.11%
E.	13 or 14 years old	13	7.03%
D.	11 or 12 years old	1	0.54%
C.	9 or 10 years old	4	2.16%
B.	8 years old or younger	1	0.54%
Α.	I have never tried marijuana	149	80.54%
)-53. How old were	e you when you tried marijuana for the first time?		
G.	TOTALS	183	100.00%
G.	100 or more times	10	5.46%
	40 to 99 times	2	1.09%
E.	20 to 39 times	1	0.559
D.	10 to 19 times	5	2.739
C.	3 to 9 times	6	3.289
A. B.	1 or 2 times	15	8.209
	0 times	144	78.699
)-52. During vour l	ife, how many times have you used marijuana?	103	100.00%
G.	Some other type of alcohol TOTALS	0 185	0.009
	Four Loko, or hard apple cider		
E. F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade,	11	5.95%
	Vodka Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	5	2.169
C.	Wine	1	0.549
B.	Beer	15	8.119
	I did not drink alcohol during the past 30 days	149	80.549
	ast 30 days, what type of alcohol did you drink most often? (Select only one response.)		
	TOTALS	185	100.00%
H.	I got it some other way	4	2.169
G.	I took it from a store or family member	4	2.16
F.	Someone gave it to me	18	9.73°
E.	I gave someone else money to buy it for me	3	1.629
D.	I bought it at a public event such as a concert or sporting event	0	0.00
C.	I bought it at a restaurant, bar, or club	2	1.080
В.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	5	2.70°
A.	I did not drink alcohol during the past 30 days	149	80.549

Q-54. During the p	ast 30 days, how many times did you use marijuana?		
A.	0 times	166	89.73%
B.	1 or 2 times	7	3.78%
C.	3 to 9 times	1	0.54%
D.	10 to 19 times	2	1.08%
E.	20 to 39 times	3	1.62%
F.	40 or more times	6	3.24%
	TOTALS	185	100.00%
Q-55. During your told you to use it?	ife, how many times have you taken prescription pain medicine without a doctor's prescription	n or differently than how	a doctor
A.	0 times	165	90.66%
B.	1 or 2 times	13	7.14%
C.	3 to 9 times	4	2.20%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	0	0.00%
	TOTALS	182	100.00%
Q-56. During your	ife, how many times have you used any form of cocaine, including powder, crack, or freebase	?	
A.	0 times	180	97.30%
B.	1 or 2 times	2	1.08%
C.	3 to 9 times	3	1.62%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	0	0.00%
	TOTALS	185	100.00%
Q-57. During your high?	ife, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or in	haled any paints or spra	ys to get
A.	0 times	169	91.35%
B.	1 or 2 times	11	5.95%
C.	3 to 9 times	2	1.08%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	1	0.54%
F.	40 or more times	2	1.08%
	TOTALS	185	100.00%
Q-58. During your	ife, how many times have you used heroin (also called smack, junk, or China White)?		
A.	0 times	183	98.92%
B.	1 or 2 times	2	1.08%
C.	3 to 9 times	0	0.00%
D.	10 to 19 times	0	0.00%
	20 to 20 there	0	0.00%
E.	20 to 39 times	0	0.00%
E.	40 or more times	0	0.00%

A.	0 times	182	98.38%
В.	1 or 2 times	2	1.08%
C.	3 to 9 times	1	0.54%
D.	10 to 19 times	0	0.00%
	20 to 39 times	0	0.00%
	40 or more times	0	0.00%
	TOTALS	185	100.00%
Q-60. During your	life, how many times have you used ecstasy (also called MDMA or Molly)?		
A.	0 times	182	98.38%
В.	1 or 2 times	2	1.08%
C.	3 to 9 times	1	0.54%
D.	10 to 19 times	0	0.00%
	20 to 39 times	0	0.00%
		0	0.00%
1.	TOTALS	185	100.00%
Q-61. During your	life, how many times have you used a needle to inject any illegal drug into your body?		
A.	0 times	180	97.30%
В.	1 time	5	2.70%
C.		0	0.00%
<u> </u>	TOTALS	185	100.00%
Q-62. During the p	ast 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
Α.		36	19.46%
B.		149	80.54%
D.	TOTALS	185	100.00%
Q-63. Have you ev	er had sexual intercourse?	100	200100 //
A.	Yes	56	30.43%
A.		128	69.57%
D	INO .	120	
В.		19/	TAN MAU
	TOTALS	184	100.00%
Q-64. How old wer	TOTALS e you when you had sexual intercourse for the first time?		
Q-64. How old wer	TOTALS e you when you had sexual intercourse for the first time? I have never had sexual intercourse	127	69.02%
Q-64. How old wer A. B.	TOTALS e you when you had sexual intercourse for the first time? I have never had sexual intercourse 11 years old or younger	127	69.02% 2.17%
Q-64. How old wer A. B. C.	TOTALS e you when you had sexual intercourse for the first time? I have never had sexual intercourse 11 years old or younger 12 years old	127 4 1	69.02% 2.17% 0.54%
Q-64. How old wer A. B. C. D.	TOTALS e you when you had sexual intercourse for the first time? I have never had sexual intercourse 11 years old or younger 12 years old 13 years old	127 4 1 5	69.02% 2.17% 0.54% 2.72%
Q-64. How old wer A. B. C. D. E.	TOTALS e you when you had sexual intercourse for the first time? I have never had sexual intercourse 11 years old or younger 12 years old 13 years old 14 years old	127 4 1 5	69.02% 2.17% 0.54% 2.72% 5.43%
Q-64. How old wer A. B. C. D. E.	TOTALS e you when you had sexual intercourse for the first time? I have never had sexual intercourse 11 years old or younger 12 years old 13 years old 14 years old 15 years old	127 4 1 5 10 22	69.02% 2.17% 0.54% 2.72% 5.43% 11.96%
Q-64. How old wer A. B. C. D. E.	TOTALS e you when you had sexual intercourse for the first time? I have never had sexual intercourse 11 years old or younger 12 years old 13 years old 14 years old 15 years old 16 years old	127 4 1 5	69.02% 2.17% 0.54%

Q-65. During your	life, with how many people have you had sexual intercourse?		
A.	I have never had sexual intercourse	132	71.35%
B.	1 person	25	13.51%
C.	2 people	7	3.78%
D.	3 people	8	4.32%
E.	4 people	3	1.62%
F.	5 people	1	0.54%
G.	6 or more people	9	4.86%
	TOTALS	185	100.00%
Q-66. During the p	ast 3 months, with how many people did you have sexual intercourse?		
A.	I have never had sexual intercourse	128	69.19%
B.	I have had sexual intercourse, but not during the past 3 months	20	10.81%
C.	1 person	29	15.68%
D.	2 people	5	2.70%
E.	3 people	1	0.54%
F.	4 people	0	0.00%
G.	5 people	1	0.54%
H.	6 or more people	1	0.54%
	TOTALS	185	100.00%
Q-67. Did you drink	c alcohol or use drugs before you had sexual intercourse the last time?		
A.	I have never had sexual intercourse	123	66.49%
B.	Yes	17	9.19%
C.	No	45	24.32%
	TOTALS	185	100.00%
Q-68. The last time	you had sexual intercourse, did you or your partner use a condom?		
A.	I have never had sexual intercourse	127	68.65%
B.	Yes	35	18.92%
C.	No	23	12.43%
	TOTALS	185	100.00%
Q-69. The last time (Select only one re	e you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use sponse.)	to prevent pr	regnancy?
A.	I have never had sexual intercourse with an opposite-sex partner	129	69.73%
B.	No method was used to prevent pregnancy	4	2.16%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	14	7.57%
D.	Condoms	26	14.05%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	4	2.16%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	2	1.08%
G.	Withdrawal or some other method	5	2.70%
H.	Not sure	1	0.54%
	TOTALS	185	100.00%

Q-70. How do you	describe your weight?		
A.	Very underweight	5	2.70%
B.	Slightly underweight	23	12.43%
C.	About the right weight	99	53.51%
D.	Slightly overweight	52	28.11%
E.	Very overweight	6	3.24%
	TOTALS	185	100.00%
Q-71. Which of the	following are you trying to do about your weight?		
A.	Lose weight	72	39.13%
B.	Gain weight	42	22.83%
C.	Stay the same weight	27	14.67%
D.	I am not trying to do anything about my weight	43	23.37%
	TOTALS	184	100.00%
Q-72. During the paper punch, Kool-Aid, sp	ast 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or orts drinks, or other fruit-flavored drinks.)	grape juice? (Do not	count
A.	I did not drink 100% fruit juice during the past 7 days	57	30.98%
B.	1 to 3 times during the past 7 days	78	42.39%
C.	4 to 6 times during the past 7 days	25	13.59%
D.	1 time per day	13	7.07%
E.	2 times per day	8	4.35%
F.	3 times per day	1	0.54%
G.	4 or more times per day	2	1.09%
	TOTALS	184	100.00%
Q-73. During the pa	ast 7 days, how many times did you eat fruit? (Do not count fruit juice.)		
A.	I did not eat fruit during the past 7 days	25	13.74%
B.	1 to 3 times during the past 7 days	57	31.32%
C.	4 to 6 times during the past 7 days	45	24.73%
D.	1 time per day	28	15.38%
E.	2 times per day	17	9.34%
F.	3 times per day	5	2.75%
G.	4 or more times per day	5	2.75%
	TOTALS	182	100.00%
Q-74. During the pa	ast 7 days, how many times did you eat green salad?		
A.	I did not eat green salad during the past 7 days	50	27.47%
B.	1 to 3 times during the past 7 days	82	45.05%
C.	4 to 6 times during the past 7 days	33	18.13%
D.	1 time per day	14	7.69%
E.	2 times per day	0	0.00%
F.	3 times per day	2	1.10%
G.	4 or more times per day	1	0.55%
	TOTALS	182	100.00%

A.	I did not eat potatoes during the past 7 days	60	32.61%
B.	1 to 3 times during the past 7 days	93	50.54%
C.	4 to 6 times during the past 7 days	21	11.41%
D.	1 time per day	8	4.35%
E.	2 times per day	0	0.00%
F.	3 times per day	2	1.09%
G.	4 or more times per day	0	0.00%
	TOTALS	184	100.00%
Q-76. During the p	ast 7 days, how many times did you eat carrots?		
A.	I did not eat carrots during the past 7 days	61	33.33%
B.	1 to 3 times during the past 7 days	99	54.10%
C.	4 to 6 times during the past 7 days	17	9.29%
D.	1 time per day	3	1.64%
E.	2 times per day	1	0.55%
F.	3 times per day	2	1.09%
G.	4 or more times per day	0	0.00%
	TOTALS	183	100.00%
Q-77. During the p	ast 7 days, how many times did you eat other vegetables? (Do not count green salad,	potatoes, or carrots.)	
A.	I did not eat other vegetables during the past 7 days	22	11.96%
B.	1 to 3 times during the past 7 days	88	47.83%
C.	4 to 6 times during the past 7 days	43	23.37%
D.	1 time per day	14	7.61%
E.	2 times per day	14	7.61%
F.	3 times per day	0	0.00%
G.	4 or more times per day	3	1.63%
	TOTALS	184	100.00%
Q-78. During the p diet soda or diet po	ast 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such a op.)	as Coke, Pepsi, or Sprite? (Do n	ot count
A.	I did not drink soda or pop during the past 7 days	50	27.32%
B.	1 to 3 times during the past 7 days	85	46.45%
C.	4 to 6 times during the past 7 days	24	13.11%
D.	1 time per day	12	6.56%
E.	2 times per day	5	2.73%
F.	3 times per day	3	1.64%
G.	4 or more times per day	4	2.19%
	TOTALS	183	100.00%

A.	0 days	24	13.11%
	1 day	14	7.65%
В.	2 days	16	8.749
C.		14	7.65%
D.	3 days		7.10%
E.	4 days	13	
F.	5 days	16	8.749
G.	6 days	18	9.849
H.	7 days	68	37.169
000 Danis - H	TOTALS	183	100.00%
	ast 7 days, on how many days were you physically active for a total of at least 60 minute f physical activity that increased your heart rate and made you breathe hard some of the		ne you
A.	0 days	16	8.74%
В.	1 day	3	1.64%
C.	2 days	11	6.019
D.	3 days	15	8.209
E.	4 days	15	8.209
F.	5 days	35	19.139
G.	6 days	22	12.029
H.	7 days	66	36.079
	TOTALS	183	100.00%
Q-81. On an averager videos, playing o	ge school day, how many hours do you spend in front of a TV, computer, smart phone, o games, accessing the Internet, or using social media (also called "screen time")? (Do not	r other electronic device watc count time spent doing scho	ching shows olwork.)
A.	Less than 1 hour per day	10	5.49%
B.	1 hour per day	20	10.999
C.	2 hours per day	37	20.339
D.	3 hours per day	47	25.829
E.	4 hours per day	29	15.939
F.	5 or more hours per day	39	21.43%
	TOTALS	182	100.00%
)-82. In an averag	e week when you are in school, on how many days do you go to physical education (PE)	classes?	
A.	0 days	48	26.239
В.	1 day	4	2.199
C.	2 days	13	7.10
D.	3 days	7	3.839
E.	4 days	15	8.20
	5 days	96	52.46°

A.	0 teams	57	30.98%
В.	1 team	45	24.46%
C.	2 teams	39	21.20%
D.	3 or more teams	43	23.37%
	TOTALS	184	100.00%
Q-84. During the p	ast 12 months, how many times did you have a concussion from playing a sport or being ph	ysically active?	
A.	0 times	159	87.85%
В.	1 time	12	6.63%
C.	2 times	6	3.31%
D.	3 times	1	0.55%
E.	4 or more times	3	1.66%
	TOTALS	181	100.00%
Q-85. How often d	o you use social media?		
A.	I do not use social media	19	10.50%
B.	A few times a month	4	2.21%
C.	About once a week	3	1.66%
D.	A few times a week	8	4.42%
E.	About once a day	16	8.84%
F.	Several times a day	78	43.09%
G.	About once an hour	10	5.52%
H.	More than once an hour	43	23.76%
	TOTALS	181	100.00%
Q-86. Has a doctor	or nurse ever told you that you have asthma?		
A.	Yes	37	20.11%
B.	No	134	72.83%
C.	Not sure	13	7.07%
	TOTALS	184	100.00%
Q-87. Do you still h	nave asthma?		
A.	I have never had asthma	105	57.07%
В.	Yes	25	13.59%
C.	No	44	23.91%
D.	Not sure	10	5.43%
	TOTALS	184	100.00%

Q-88. During the p	ast 30 days, how many days of school did you miss because of your asthma?		
A.	I do not have asthma	138	75.82%
B.	0 days	41	22.53%
C.	1 day	2	1.10%
D.	2 days	0	0.00%
E.	3 days	0	0.00%
F.	4 days	0	0.00%
G.	5 or more days	1	0.55%
	TOTALS	182	100.00%
Q-89. When was th	e last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
A.	During the past 12 months	146	79.35%
B.	Between 12 and 24 months ago	15	8.15%
C.	More than 24 months ago	9	4.89%
D.	Never	3	1.63%
E.	Not sure	11	5.98%
	TOTALS	184	100.00%
Q-90. During the p	ast 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety,	and depression	า.)
A.	Never	39	21.67%
B.	Rarely	47	26.11%
C.	Sometimes	52	28.89%
D.	Most of the time	32	17.78%
E.	Always	10	5.56%
	TOTALS	180	100.00%
Q-91. On an averag	ge school night, how many hours of sleep do you get?		
A.	4 or less hours	12	6.86%
B.	5 hours	14	8.00%
C.	6 hours	26	14.86%
D.	7 hours	51	29.14%
E.	8 hours	55	31.43%
F.	9 hours	16	9.14%
G.	10 or more hours	1	0.57%
	TOTALS	175	100.00%
Q-92. During the p	ast 30 days, where did you usually sleep?		
A.	In my parent's or guardian's home	171	93.96%
В.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	6	3.30%
C.	In a shelter or emergency housing	2	1.10%
D.	In a motel or hotel	2	1.10%
E.	In a car, park, campground, or other public place	1	0.55%
F.	I do not have a usual place to sleep	0	0.00%
G.	Somewhere else	0	0.00%
	TOTALS	182	100.00%

A.	Yes	13	7.14%
В.	No	169	92.86%
	TOTALS	182	100.00%
Q-94. During the p	ast 12 months, how would you describe your grades in school?		
A.	Mostly A's	92	51.11%
B.	Mostly B's	64	35.56%
C.	Mostly C's	15	8.33%
D.	Mostly D's	2	1.11%
E.	Mostly F's	3	1.67%
F.	None of these grades	0	0.00%
G.	Not sure	4	2.22%
	TOTALS	180	100.00%
Q-95. During the poount getting a spi	past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sun gray-on tan.)	nbed, or tanning booth? ((Do not
A.	0 times	168	92.31%
B.	1 or 2 times	11	6.04%
C.	3 to 9 times	1	0.55%
D.	10 to 19 times	0	0.00%
٠.	20 to 39 times		0.550
E.	20 to 39 times	1	0.55%
		1	
E.			0.55% 0.55% 100.00%
E. F.	40 or more times	1 182	0.55% 100.00%
E. F.	40 or more times TOTALS	1 182	0.55% 100.00 % chool?
E. F. Q-96. During the p	40 or more times TOTALS aast 12 months, did you receive help from a resource teacher, speech therapist or other special Yes	1 182 all education teacher at so	0.55% 100.00 %