

2023 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 624 high school students in Hi Line Region during February of 2023. Frequency distributions may not total 624 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	4	0.64%
B.	13 years old	0	0.00%
C.	14 years old	64	10.29%
D.	15 years old	172	27.65%
E.	16 years old	166	26.69%
F.	17 years old	140	22.51%
G.	18 years old or older	76	12.22%
	TOTALS	622	100.00%
Q-2. What is your sex?			
A.	Female	321	52.03%
B.	Male	296	47.97%
	TOTALS	617	100.00%
Q-3. In what grade are you?			
A.	9th grade	196	31.87%
B.	10th grade	150	24.39%
C.	11th grade	158	25.69%
D.	12th grade	110	17.89%
E.	Ungraded or other grade	1	0.16%
	TOTALS	615	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	39	6.28%
B.	No	582	93.72%
	TOTALS	621	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	234	34.01%
B.	Asian	21	3.05%
C.	Black or African American	20	2.91%
D.	Native Hawaiian or Other Pacific Islander	9	1.31%
E.	White	404	58.72%
	TOTALS	688	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	8	1.28%
B.	4ft to 4 ft, 6 in	2	0.32%
C.	4ft, 7in to 5 ft	41	6.57%
D.	5ft, 1in to 5ft, 6in	272	43.59%
E.	Over 5ft, 6in	301	48.24%
TOTALS		624	100.00%

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	13	2.08%
B.	90-99 lbs	4	0.64%
C.	100-109 lbs	20	3.21%
D.	110-119lbs	45	7.21%
E.	120-129 lbs	70	11.22%
F.	130-139 lbs	96	15.38%
G.	140 lbs +	376	60.26%
TOTALS		624	100.00%

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	31	4.98%
B.	Rarely	63	10.11%
C.	Sometimes	140	22.47%
D.	Most of the time	213	34.19%
E.	Always	176	28.25%
TOTALS		623	100.00%

Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	483	78.03%
B.	1 time	50	8.08%
C.	2 or 3 times	52	8.40%
D.	4 or 5 times	13	2.10%
E.	6 or more times	21	3.39%
TOTALS		619	100.00%

Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	88	14.19%
B.	Never	27	4.35%
C.	Rarely	66	10.65%
D.	Sometimes	85	13.71%
E.	Most of the time	128	20.65%
F.	Always	226	36.45%
TOTALS		620	100.00%

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	171	27.45%
B.	0 times	407	65.33%
C.	1 time	26	4.17%
D.	2 or 3 times	11	1.77%
E.	4 or 5 times	5	0.80%
F.	6 or more times	3	0.48%
TOTALS		623	100.00%

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	143	22.99%
B.	0 days	177	28.46%
C.	1 or 2 days	85	13.67%
D.	3 to 5 days	58	9.32%
E.	6 to 9 days	29	4.66%
F.	10 to 19 days	40	6.43%
G.	20 to 29 days	24	3.86%
H.	All 30 days	66	10.61%
TOTALS		622	100.00%

Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)			
A.	I did not drive a car or other vehicle during the past 30 days	147	23.71%
B.	0 days	206	33.23%
C.	1 or 2 days	81	13.06%
D.	3 to 5 days	35	5.65%
E.	6 to 9 days	23	3.71%
F.	10 to 19 days	36	5.81%
G.	20 to 29 days	23	3.71%
H.	All 30 days	69	11.13%
TOTALS		620	100.00%

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	571	91.80%
B.	1 day	8	1.29%
C.	2 or 3 days	12	1.93%
D.	4 or 5 days	4	0.64%
E.	6 or more days	27	4.34%
TOTALS		622	100.00%

Q-15. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	558	89.86%
B.	1 day	10	1.61%
C.	2 or 3 days	17	2.74%
D.	4 or 5 days	9	1.45%
E.	6 or more days	27	4.35%
TOTALS		621	100.00%

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	546	88.64%
B.	1 day	39	6.33%
C.	2 or 3 days	18	2.92%
D.	4 or 5 days	7	1.14%
E.	6 or more days	6	0.97%
TOTALS		616	100.00%

Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	565	90.54%
B.	1 time	28	4.49%
C.	2 or 3 times	14	2.24%
D.	4 or 5 times	6	0.96%
E.	6 or 7 times	2	0.32%
F.	8 or 9 times	1	0.16%
G.	10 or 11 times	0	0.00%
H.	12 or more times	8	1.28%
TOTALS		624	100.00%

Q-18. During the past 12 months, how many times were you in a physical fight?

A.	0 times	476	76.28%
B.	1 time	68	10.90%
C.	2 or 3 times	50	8.01%
D.	4 or 5 times	13	2.08%
E.	6 or 7 times	4	0.64%
F.	8 or 9 times	1	0.16%
G.	10 or 11 times	2	0.32%
H.	12 or more times	10	1.60%
TOTALS		624	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-19. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	557	89.69%
B.	1 time	35	5.64%
C.	2 or 3 times	16	2.58%
D.	4 or 5 times	4	0.64%
E.	6 or 7 times	3	0.48%
F.	8 or 9 times	2	0.32%
G.	10 or 11 times	2	0.32%
H.	12 or more times	2	0.32%
TOTALS		621	100.00%

Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	87	13.99%
B.	No	535	86.01%
TOTALS		622	100.00%

Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	543	87.44%
B.	1 time	43	6.92%
C.	2 or 3 times	21	3.38%
D.	4 or 5 times	5	0.81%
E.	6 or more times	9	1.45%
TOTALS		621	100.00%

Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	256	41.56%
B.	0 times	319	51.79%
C.	1 time	13	2.11%
D.	2 or 3 times	19	3.08%
E.	4 or 5 times	2	0.32%
F.	6 or more times	7	1.14%
TOTALS		616	100.00%

Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	244	39.10%
B.	0 times	337	54.01%
C.	1 time	18	2.88%
D.	2 or 3 times	13	2.08%
E.	4 or 5 times	6	0.96%
F.	6 or more times	6	0.96%
TOTALS		624	100.00%

Q-24. During your life, how often have you felt that you were treated badly or unfairly in school because of your race or ethnicity?			
A.	Never	434	70.23%
B.	Rarely	92	14.89%
C.	Sometimes	64	10.36%
D.	Most of the time	14	2.27%
E.	Always	14	2.27%
TOTALS		618	100.00%
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	159	25.90%
B.	No	455	74.10%
TOTALS		614	100.00%
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	125	20.23%
B.	No	493	79.77%
TOTALS		618	100.00%
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	84	13.59%
B.	No	534	86.41%
TOTALS		618	100.00%
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	250	41.25%
B.	No	356	58.75%
TOTALS		606	100.00%
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	160	25.93%
B.	No	457	74.07%
TOTALS		617	100.00%
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	141	22.78%
B.	No	478	77.22%
TOTALS		619	100.00%
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	519	84.94%
B.	1 time	60	9.82%
C.	2 or 3 times	23	3.76%
D.	4 or 5 times	3	0.49%
E.	6 or more times	6	0.98%
TOTALS		611	100.00%

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	523	84.63%
B.	Yes	33	5.34%
C.	No	62	10.03%
TOTALS		618	100.00%

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	228	37.13%
B.	No	386	62.87%
TOTALS		614	100.00%

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	395	63.71%
B.	8 years old or younger	38	6.13%
C.	9 or 10 years old	31	5.00%
D.	11 or 12 years old	26	4.19%
E.	13 or 14 years old	63	10.16%
F.	15 or 16 years old	55	8.87%
G.	17 years old or older	12	1.94%
TOTALS		620	100.00%

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	539	86.38%
B.	1 or 2 days	41	6.57%
C.	3 to 5 days	13	2.08%
D.	6 to 9 days	8	1.28%
E.	10 to 19 days	10	1.60%
F.	20 to 29 days	4	0.64%
G.	All 30 days	9	1.44%
TOTALS		624	100.00%

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	536	86.59%
B.	Less than 1 cigarette per day	43	6.95%
C.	1 cigarette per day	13	2.10%
D.	2 to 5 cigarettes per day	21	3.39%
E.	6 to 10 cigarettes per day	3	0.48%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	3	0.48%
TOTALS		619	100.00%

Q-37. Have you ever used an electronic vapor product?

A.	Yes	303	49.59%
B.	No	308	50.41%
TOTALS		611	100.00%

Q-38. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	407	65.65%
B.	1 or 2 days	68	10.97%
C.	3 to 5 days	15	2.42%
D.	6 to 9 days	20	3.23%
E.	10 to 19 days	20	3.23%
F.	20 to 29 days	32	5.16%
G.	All 30 days	58	9.35%
TOTALS		620	100.00%

Q-39. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	499	80.35%
B.	1 or 2 days	35	5.64%
C.	3 to 5 days	13	2.09%
D.	6 to 9 days	10	1.61%
E.	10 to 19 days	25	4.03%
F.	20 to 29 days	16	2.58%
G.	All 30 days	23	3.70%
TOTALS		621	100.00%

Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	426	68.60%
B.	I got or bought them from a friend, family member, or someone else	105	16.91%
C.	I bought them myself in a vape shop or tobacco shop	18	2.90%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	10	1.61%
E.	I bought them myself at a mall or shopping center kiosk or stand	2	0.32%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	3	0.48%
G.	I took them from a store or another person	6	0.97%
H.	I got them in some other way	51	8.21%
TOTALS		621	100.00%

Q-41. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)			
A.	I did not use an electronic vapor product during the past 30 days	425	68.44%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	9	1.45%
C.	Chocolate, candy, desserts, or other sweets	14	2.25%
D.	Fruit	81	13.04%
E.	Menthol	57	9.18%
F.	Mint	5	0.81%
G.	Tobacco	3	0.48%
H.	Some other flavor	27	4.35%
TOTALS		621	100.00%

Q-42. What is the main reason you have used electronic vapor products? (Select only one response.)			
A.	I have never used an electronic vapor product	336	54.19%
B.	Friend or family member used them	59	9.52%
C.	To get a high or buzz from nicotine	43	6.94%
D.	I was feeling anxious, stressed, or depressed	78	12.58%
E.	I was curious about them	70	11.29%
F.	They are less harmful than other forms of tobacco	2	0.32%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	7	1.13%
H.	I used them for some other reason	25	4.03%
TOTALS		620	100.00%

Q-43. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)			
A.	0 days	550	89.87%
B.	1 or 2 days	27	4.41%
C.	3 to 5 days	13	2.12%
D.	6 to 9 days	10	1.63%
E.	10 to 19 days	6	0.98%
F.	20 to 29 days	2	0.33%
G.	All 30 days	4	0.65%
TOTALS		612	100.00%

Q-44. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	583	94.03%
B.	1 or 2 days	16	2.58%
C.	3 to 5 days	11	1.77%
D.	6 to 9 days	2	0.32%
E.	10 to 19 days	3	0.48%
F.	20 to 29 days	1	0.16%
G.	All 30 days	4	0.65%
TOTALS		620	100.00%

Q-45. During the past 12 months, did you ever try to quit using all tobacco products?			
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	406	66.02%
B.	Yes	128	20.81%
C.	No	81	13.17%
TOTALS		615	100.00%

Q-46. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	258	42.30%
B.	8 years old or younger	50	8.20%
C.	9 or 10 years old	34	5.57%
D.	11 or 12 years old	56	9.18%
E.	13 or 14 years old	105	17.21%
F.	15 or 16 years old	94	15.41%
G.	17 years old or older	13	2.13%
TOTALS		610	100.00%

Q-47. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	447	72.21%
B.	1 or 2 days	83	13.41%
C.	3 to 5 days	42	6.79%
D.	6 to 9 days	21	3.39%
E.	10 to 19 days	15	2.42%
F.	20 to 29 days	6	0.97%
G.	All 30 days	5	0.81%
TOTALS		619	100.00%

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
A.	0 days	504	81.16%
B.	1 day	37	5.96%
C.	2 days	32	5.15%
D.	3 to 5 days	23	3.70%
E.	6 to 9 days	11	1.77%
F.	10 to 19 days	6	0.97%
G.	20 or more days	8	1.29%
TOTALS		621	100.00%

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	449	73.01%
B.	1 or 2 drinks	56	9.11%
C.	3 drinks	15	2.44%
D.	4 drinks	11	1.79%
E.	5 drinks	16	2.60%
F.	6 or 7 drinks	23	3.74%
G.	8 or 9 drinks	14	2.28%
H.	10 or more drinks	31	5.04%
TOTALS		615	100.00%

Q-50. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	455	73.39%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	10	1.61%
C.	I bought it at a restaurant, bar, or club	4	0.65%
D.	I bought it at a public event such as a concert or sporting event	4	0.65%
E.	I gave someone else money to buy it for me	36	5.81%
F.	Someone gave it to me	71	11.45%
G.	I took it from a store or family member	13	2.10%
H.	I got it some other way	27	4.35%
TOTALS		620	100.00%

Q-51. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)			
A.	I did not drink alcohol during the past 30 days	456	73.55%
B.	Beer	62	10.00%
C.	Wine	2	0.32%
D.	Vodka	16	2.58%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	35	5.65%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	42	6.77%
G.	Some other type of alcohol	7	1.13%
TOTALS		620	100.00%

Q-52. During your life, how many times have you used marijuana?			
A.	0 times	383	62.38%
B.	1 or 2 times	57	9.28%
C.	3 to 9 times	54	8.79%
D.	10 to 19 times	23	3.75%
E.	20 to 39 times	21	3.42%
F.	40 to 99 times	19	3.09%
G.	100 or more times	57	9.28%
TOTALS		614	100.00%

Q-53. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	382	61.61%
B.	8 years old or younger	20	3.23%
C.	9 or 10 years old	19	3.06%
D.	11 or 12 years old	37	5.97%
E.	13 or 14 years old	67	10.81%
F.	15 or 16 years old	78	12.58%
G.	17 years old or older	16	2.58%
TOTALS		620	100.00%

Q-54. During the past 30 days, how many times did you use marijuana?		
A.	0 times	485 78.35%
B.	1 or 2 times	44 7.11%
C.	3 to 9 times	25 4.04%
D.	10 to 19 times	13 2.10%
E.	20 to 39 times	17 2.75%
F.	40 or more times	35 5.65%
TOTALS		619 100.00%

Q-55. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
A.	0 times	519 84.94%
B.	1 or 2 times	46 7.53%
C.	3 to 9 times	20 3.27%
D.	10 to 19 times	12 1.96%
E.	20 to 39 times	8 1.31%
F.	40 or more times	6 0.98%
TOTALS		611 100.00%

Q-56. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
A.	0 times	594 95.96%
B.	1 or 2 times	10 1.62%
C.	3 to 9 times	4 0.65%
D.	10 to 19 times	2 0.32%
E.	20 to 39 times	3 0.48%
F.	40 or more times	6 0.97%
TOTALS		619 100.00%

Q-57. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
A.	0 times	557 90.13%
B.	1 or 2 times	25 4.05%
C.	3 to 9 times	18 2.91%
D.	10 to 19 times	5 0.81%
E.	20 to 39 times	5 0.81%
F.	40 or more times	8 1.29%
TOTALS		618 100.00%

Q-58. During your life, how many times have you used heroin (also called smack, junk, or China White)?		
A.	0 times	600 97.72%
B.	1 or 2 times	3 0.49%
C.	3 to 9 times	4 0.65%
D.	10 to 19 times	1 0.16%
E.	20 to 39 times	1 0.16%
F.	40 or more times	5 0.81%
TOTALS		614 100.00%

Q-59. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?			
A.	0 times	603	97.10%
B.	1 or 2 times	5	0.81%
C.	3 to 9 times	4	0.64%
D.	10 to 19 times	2	0.32%
E.	20 to 39 times	1	0.16%
F.	40 or more times	6	0.97%
TOTALS		621	100.00%
Q-60. During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
A.	0 times	585	94.66%
B.	1 or 2 times	12	1.94%
C.	3 to 9 times	8	1.29%
D.	10 to 19 times	5	0.81%
E.	20 to 39 times	1	0.16%
F.	40 or more times	7	1.13%
TOTALS		618	100.00%
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	593	96.90%
B.	1 time	11	1.80%
C.	2 or more times	8	1.31%
TOTALS		612	100.00%
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	127	20.72%
B.	No	486	79.28%
TOTALS		613	100.00%
Q-63. Have you ever had sexual intercourse?			
A.	Yes	253	41.61%
B.	No	355	58.39%
TOTALS		608	100.00%
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	375	61.27%
B.	11 years old or younger	25	4.08%
C.	12 years old	11	1.80%
D.	13 years old	24	3.92%
E.	14 years old	45	7.35%
F.	15 years old	73	11.93%
G.	16 years old	42	6.86%
H.	17 years old or older	17	2.78%
TOTALS		612	100.00%

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	387	63.24%
B.	1 person	86	14.05%
C.	2 people	58	9.48%
D.	3 people	29	4.74%
E.	4 people	12	1.96%
F.	5 people	16	2.61%
G.	6 or more people	24	3.92%
TOTALS		612	100.00%

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	387	63.24%
B.	I have had sexual intercourse, but not during the past 3 months	79	12.91%
C.	1 person	124	20.26%
D.	2 people	10	1.63%
E.	3 people	6	0.98%
F.	4 people	2	0.33%
G.	5 people	2	0.33%
H.	6 or more people	2	0.33%
TOTALS		612	100.00%

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	372	61.18%
B.	Yes	50	8.22%
C.	No	186	30.59%
TOTALS		608	100.00%

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	382	62.62%
B.	Yes	124	20.33%
C.	No	104	17.05%
TOTALS		610	100.00%

Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse with an opposite-sex partner	381	62.05%
B.	No method was used to prevent pregnancy	41	6.68%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	40	6.51%
D.	Condoms	83	13.52%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	26	4.23%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	9	1.47%
G.	Withdrawal or some other method	23	3.75%
H.	Not sure	11	1.79%
TOTALS		614	100.00%

Q-70. How do you describe your weight?			
A.	Very underweight	34	5.64%
B.	Slightly underweight	93	15.42%
C.	About the right weight	281	46.60%
D.	Slightly overweight	153	25.37%
E.	Very overweight	42	6.97%
TOTALS		603	100.00%

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	242	39.61%
B.	Gain weight	140	22.91%
C.	Stay the same weight	111	18.17%
D.	I am not trying to do anything about my weight	118	19.31%
TOTALS		611	100.00%

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	182	29.59%
B.	1 to 3 times during the past 7 days	263	42.76%
C.	4 to 6 times during the past 7 days	84	13.66%
D.	1 time per day	25	4.07%
E.	2 times per day	30	4.88%
F.	3 times per day	8	1.30%
G.	4 or more times per day	23	3.74%
TOTALS		615	100.00%

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	75	12.20%
B.	1 to 3 times during the past 7 days	245	39.84%
C.	4 to 6 times during the past 7 days	122	19.84%
D.	1 time per day	67	10.89%
E.	2 times per day	58	9.43%
F.	3 times per day	14	2.28%
G.	4 or more times per day	34	5.53%
TOTALS		615	100.00%

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	231	37.62%
B.	1 to 3 times during the past 7 days	266	43.32%
C.	4 to 6 times during the past 7 days	67	10.91%
D.	1 time per day	27	4.40%
E.	2 times per day	9	1.47%
F.	3 times per day	4	0.65%
G.	4 or more times per day	10	1.63%
TOTALS		614	100.00%

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	205	33.50%
B.	1 to 3 times during the past 7 days	290	47.39%
C.	4 to 6 times during the past 7 days	68	11.11%
D.	1 time per day	26	4.25%
E.	2 times per day	12	1.96%
F.	3 times per day	3	0.49%
G.	4 or more times per day	8	1.31%
TOTALS		612	100.00%

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	308	50.57%
B.	1 to 3 times during the past 7 days	232	38.10%
C.	4 to 6 times during the past 7 days	34	5.58%
D.	1 time per day	18	2.96%
E.	2 times per day	5	0.82%
F.	3 times per day	4	0.66%
G.	4 or more times per day	8	1.31%
TOTALS		609	100.00%

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	141	23.08%
B.	1 to 3 times during the past 7 days	269	44.03%
C.	4 to 6 times during the past 7 days	112	18.33%
D.	1 time per day	44	7.20%
E.	2 times per day	28	4.58%
F.	3 times per day	8	1.31%
G.	4 or more times per day	9	1.47%
TOTALS		611	100.00%

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	135	22.24%
B.	1 to 3 times during the past 7 days	264	43.49%
C.	4 to 6 times during the past 7 days	117	19.28%
D.	1 time per day	39	6.43%
E.	2 times per day	21	3.46%
F.	3 times per day	11	1.81%
G.	4 or more times per day	20	3.29%
TOTALS		607	100.00%

Q-79. During the past 7 days, on how many days did you eat breakfast?			
A.	0 days	121	19.71%
B.	1 day	67	10.91%
C.	2 days	66	10.75%
D.	3 days	67	10.91%
E.	4 days	47	7.65%
F.	5 days	54	8.79%
G.	6 days	34	5.54%
H.	7 days	158	25.73%
TOTALS		614	100.00%

Q-80. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)			
A.	0 days	63	10.26%
B.	1 day	46	7.49%
C.	2 days	55	8.96%
D.	3 days	68	11.07%
E.	4 days	54	8.79%
F.	5 days	114	18.57%
G.	6 days	49	7.98%
H.	7 days	165	26.87%
TOTALS		614	100.00%

Q-81. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)			
A.	Less than 1 hour per day	43	7.13%
B.	1 hour per day	60	9.95%
C.	2 hours per day	90	14.93%
D.	3 hours per day	123	20.40%
E.	4 hours per day	109	18.08%
F.	5 or more hours per day	178	29.52%
TOTALS		603	100.00%

Q-82. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	253	41.48%
B.	1 day	15	2.46%
C.	2 days	27	4.43%
D.	3 days	30	4.92%
E.	4 days	32	5.25%
F.	5 days	253	41.48%
TOTALS		610	100.00%

Q-83. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	190	31.25%
B.	1 team	136	22.37%
C.	2 teams	149	24.51%
D.	3 or more teams	133	21.88%
TOTALS		608	100.00%
Q-84. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	478	78.62%
B.	1 time	61	10.03%
C.	2 times	38	6.25%
D.	3 times	13	2.14%
E.	4 or more times	18	2.96%
TOTALS		608	100.00%
Q-85. How often do you use social media?			
A.	I do not use social media	43	7.07%
B.	A few times a month	26	4.28%
C.	About once a week	16	2.63%
D.	A few times a week	17	2.80%
E.	About once a day	42	6.91%
F.	Several times a day	218	35.86%
G.	About once an hour	54	8.88%
H.	More than once an hour	192	31.58%
TOTALS		608	100.00%
Q-86. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	121	19.87%
B.	No	441	72.41%
C.	Not sure	47	7.72%
TOTALS		609	100.00%
Q-87. Do you still have asthma?			
A.	I have never had asthma	342	56.62%
B.	Yes	86	14.24%
C.	No	122	20.20%
D.	Not sure	54	8.94%
TOTALS		604	100.00%

Q-88. During the past 30 days, how many days of school did you miss because of your asthma?		
A.	I do not have asthma	458 75.83%
B.	0 days	115 19.04%
C.	1 day	14 2.32%
D.	2 days	11 1.82%
E.	3 days	4 0.66%
F.	4 days	1 0.17%
G.	5 or more days	1 0.17%
TOTALS		604 100.00%

Q-89. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
A.	During the past 12 months	456 74.75%
B.	Between 12 and 24 months ago	60 9.84%
C.	More than 24 months ago	33 5.41%
D.	Never	10 1.64%
E.	Not sure	51 8.36%
TOTALS		610 100.00%

Q-90. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)		
A.	Never	129 21.50%
B.	Rarely	108 18.00%
C.	Sometimes	168 28.00%
D.	Most of the time	140 23.33%
E.	Always	55 9.17%
TOTALS		600 100.00%

Q-91. On an average school night, how many hours of sleep do you get?		
A.	4 or less hours	58 9.73%
B.	5 hours	82 13.76%
C.	6 hours	138 23.15%
D.	7 hours	179 30.03%
E.	8 hours	103 17.28%
F.	9 hours	29 4.87%
G.	10 or more hours	7 1.17%
TOTALS		596 100.00%

Q-92. During the past 30 days, where did you usually sleep?		
A.	In my parent's or guardian's home	564 93.22%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	21 3.47%
C.	In a shelter or emergency housing	5 0.83%
D.	In a motel or hotel	6 0.99%
E.	In a car, park, campground, or other public place	3 0.50%
F.	I do not have a usual place to sleep	1 0.17%
G.	Somewhere else	5 0.83%
TOTALS		605 100.00%

Q-93. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
A.	Yes	46 7.71%
B.	No	551 92.29%
TOTALS		597 100.00%
Q-94. During the past 12 months, how would you describe your grades in school?		
A.	Mostly A's	290 48.17%
B.	Mostly B's	156 25.91%
C.	Mostly C's	89 14.78%
D.	Mostly D's	32 5.32%
E.	Mostly F's	17 2.82%
F.	None of these grades	2 0.33%
G.	Not sure	16 2.66%
TOTALS		602 100.00%
Q-95. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	548 90.73%
B.	1 or 2 times	19 3.15%
C.	3 to 9 times	13 2.15%
D.	10 to 19 times	13 2.15%
E.	20 to 39 times	7 1.16%
F.	40 or more times	4 0.66%
TOTALS		604 100.00%
Q-96. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	113 18.83%
B.	No	487 81.17%
TOTALS		600 100.00%