

2023 NORTH EAST REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 857 high school students in North East Region during February of 2023. Frequency distributions may not total 857 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	1	0.12%
B.	13 years old	1	0.12%
C.	14 years old	70	8.19%
D.	15 years old	214	25.03%
E.	16 years old	223	26.08%
F.	17 years old	207	24.21%
G.	18 years old or older	139	16.26%
	TOTALS	855	100.00%
Q-2. What is your sex?			
A.	Female	397	46.71%
B.	Male	453	53.29%
	TOTALS	850	100.00%
Q-3. In what grade are you?			
A.	9th grade	206	24.49%
B.	10th grade	208	24.73%
C.	11th grade	254	30.20%
D.	12th grade	171	20.33%
E.	Ungraded or other grade	2	0.24%
	TOTALS	841	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	86	10.20%
B.	No	757	89.80%
	TOTALS	843	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	153	17.02%
B.	Asian	24	2.67%
C.	Black or African American	21	2.34%
D.	Native Hawaiian or Other Pacific Islander	6	0.67%
E.	White	695	77.31%
	TOTALS	899	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	13	1.52%
B.	4ft to 4 ft, 6 in	0	0.00%
C.	4ft, 7in to 5 ft	70	8.17%
D.	5ft, 1in to 5ft, 6in	316	36.87%
E.	Over 5ft, 6in	458	53.44%
TOTALS		857	100.00%

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	19	2.22%
B.	90-99 lbs	5	0.58%
C.	100-109 lbs	30	3.50%
D.	110-119lbs	57	6.65%
E.	120-129 lbs	97	11.32%
F.	130-139 lbs	115	13.42%
G.	140 lbs +	534	62.31%
TOTALS		857	100.00%

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	31	3.62%
B.	Rarely	78	9.11%
C.	Sometimes	136	15.89%
D.	Most of the time	321	37.50%
E.	Always	290	33.88%
TOTALS		856	100.00%

Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	665	78.14%
B.	1 time	66	7.76%
C.	2 or 3 times	72	8.46%
D.	4 or 5 times	17	2.00%
E.	6 or more times	31	3.64%
TOTALS		851	100.00%

Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	110	12.90%
B.	Never	32	3.75%
C.	Rarely	72	8.44%
D.	Sometimes	87	10.20%
E.	Most of the time	170	19.93%
F.	Always	382	44.78%
TOTALS		853	100.00%

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	206	24.18%
B.	0 times	570	66.90%
C.	1 time	39	4.58%
D.	2 or 3 times	21	2.46%
E.	4 or 5 times	9	1.06%
F.	6 or more times	7	0.82%
TOTALS		852	100.00%

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	167	19.72%
B.	0 days	255	30.11%
C.	1 or 2 days	106	12.51%
D.	3 to 5 days	65	7.67%
E.	6 to 9 days	38	4.49%
F.	10 to 19 days	56	6.61%
G.	20 to 29 days	37	4.37%
H.	All 30 days	123	14.52%
TOTALS		847	100.00%

Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)			
A.	I did not drive a car or other vehicle during the past 30 days	169	19.91%
B.	0 days	292	34.39%
C.	1 or 2 days	89	10.48%
D.	3 to 5 days	52	6.12%
E.	6 to 9 days	47	5.54%
F.	10 to 19 days	45	5.30%
G.	20 to 29 days	34	4.00%
H.	All 30 days	121	14.25%
TOTALS		849	100.00%

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	790	92.72%
B.	1 day	20	2.35%
C.	2 or 3 days	14	1.64%
D.	4 or 5 days	4	0.47%
E.	6 or more days	24	2.82%
TOTALS		852	100.00%

Q-15. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	774	90.95%
B.	1 day	20	2.35%
C.	2 or 3 days	20	2.35%
D.	4 or 5 days	8	0.94%
E.	6 or more days	29	3.41%
TOTALS		851	100.00%

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	772	91.15%
B.	1 day	32	3.78%
C.	2 or 3 days	23	2.72%
D.	4 or 5 days	12	1.42%
E.	6 or more days	8	0.94%
TOTALS		847	100.00%

Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	778	91.10%
B.	1 time	38	4.45%
C.	2 or 3 times	20	2.34%
D.	4 or 5 times	6	0.70%
E.	6 or 7 times	2	0.23%
F.	8 or 9 times	2	0.23%
G.	10 or 11 times	1	0.12%
H.	12 or more times	7	0.82%
TOTALS		854	100.00%

Q-18. During the past 12 months, how many times were you in a physical fight?

A.	0 times	686	80.42%
B.	1 time	73	8.56%
C.	2 or 3 times	64	7.50%
D.	4 or 5 times	17	1.99%
E.	6 or 7 times	5	0.59%
F.	8 or 9 times	1	0.12%
G.	10 or 11 times	2	0.23%
H.	12 or more times	5	0.59%
TOTALS		853	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-19. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	789	92.82%
B.	1 time	35	4.12%
C.	2 or 3 times	20	2.35%
D.	4 or 5 times	3	0.35%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	3	0.35%
TOTALS		850	100.00%

Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	114	13.41%
B.	No	736	86.59%
TOTALS		850	100.00%

Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	733	86.24%
B.	1 time	63	7.41%
C.	2 or 3 times	29	3.41%
D.	4 or 5 times	10	1.18%
E.	6 or more times	15	1.76%
TOTALS		850	100.00%

Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	300	35.50%
B.	0 times	490	57.99%
C.	1 time	25	2.96%
D.	2 or 3 times	17	2.01%
E.	4 or 5 times	6	0.71%
F.	6 or more times	7	0.83%
TOTALS		845	100.00%

Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	301	35.29%
B.	0 times	509	59.67%
C.	1 time	21	2.46%
D.	2 or 3 times	14	1.64%
E.	4 or 5 times	4	0.47%
F.	6 or more times	4	0.47%
TOTALS		853	100.00%

Q-24. During your life, how often have you felt that you were treated badly or unfairly in school because of your race or ethnicity?			
A.	Never	631	73.97%
B.	Rarely	116	13.60%
C.	Sometimes	66	7.74%
D.	Most of the time	20	2.34%
E.	Always	20	2.34%
TOTALS		853	100.00%
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	232	27.29%
B.	No	618	72.71%
TOTALS		850	100.00%
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	163	19.09%
B.	No	691	80.91%
TOTALS		854	100.00%
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	122	14.32%
B.	No	730	85.68%
TOTALS		852	100.00%
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	334	39.39%
B.	No	514	60.61%
TOTALS		848	100.00%
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	199	23.38%
B.	No	652	76.62%
TOTALS		851	100.00%
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	173	20.33%
B.	No	678	79.67%
TOTALS		851	100.00%
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	722	86.05%
B.	1 time	72	8.58%
C.	2 or 3 times	30	3.58%
D.	4 or 5 times	8	0.95%
E.	6 or more times	7	0.83%
TOTALS		839	100.00%

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	725	85.19%
B.	Yes	37	4.35%
C.	No	89	10.46%
TOTALS		851	100.00%

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	282	33.10%
B.	No	570	66.90%
TOTALS		852	100.00%

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	572	67.37%
B.	8 years old or younger	28	3.30%
C.	9 or 10 years old	24	2.83%
D.	11 or 12 years old	47	5.54%
E.	13 or 14 years old	85	10.01%
F.	15 or 16 years old	73	8.60%
G.	17 years old or older	20	2.36%
TOTALS		849	100.00%

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	769	90.15%
B.	1 or 2 days	43	5.04%
C.	3 to 5 days	11	1.29%
D.	6 to 9 days	7	0.82%
E.	10 to 19 days	9	1.06%
F.	20 to 29 days	4	0.47%
G.	All 30 days	10	1.17%
TOTALS		853	100.00%

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	769	90.15%
B.	Less than 1 cigarette per day	48	5.63%
C.	1 cigarette per day	12	1.41%
D.	2 to 5 cigarettes per day	16	1.88%
E.	6 to 10 cigarettes per day	4	0.47%
F.	11 to 20 cigarettes per day	1	0.12%
G.	More than 20 cigarettes per day	3	0.35%
TOTALS		853	100.00%

Q-37. Have you ever used an electronic vapor product?

A.	Yes	408	48.06%
B.	No	441	51.94%
TOTALS		849	100.00%

Q-38. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	607	71.16%
B.	1 or 2 days	67	7.85%
C.	3 to 5 days	30	3.52%
D.	6 to 9 days	13	1.52%
E.	10 to 19 days	36	4.22%
F.	20 to 29 days	28	3.28%
G.	All 30 days	72	8.44%
TOTALS		853	100.00%

Q-39. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	715	83.92%
B.	1 or 2 days	36	4.23%
C.	3 to 5 days	18	2.11%
D.	6 to 9 days	9	1.06%
E.	10 to 19 days	22	2.58%
F.	20 to 29 days	12	1.41%
G.	All 30 days	40	4.69%
TOTALS		852	100.00%

Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	613	72.37%
B.	I got or bought them from a friend, family member, or someone else	140	16.53%
C.	I bought them myself in a vape shop or tobacco shop	13	1.53%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	11	1.30%
E.	I bought them myself at a mall or shopping center kiosk or stand	1	0.12%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	5	0.59%
G.	I took them from a store or another person	4	0.47%
H.	I got them in some other way	60	7.08%
TOTALS		847	100.00%

Q-41. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)			
A.	I did not use an electronic vapor product during the past 30 days	612	71.66%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	6	0.70%
C.	Chocolate, candy, desserts, or other sweets	12	1.41%
D.	Fruit	84	9.84%
E.	Menthol	104	12.18%
F.	Mint	7	0.82%
G.	Tobacco	6	0.70%
H.	Some other flavor	23	2.69%
TOTALS		854	100.00%

Q-42. What is the main reason you have used electronic vapor products? (Select only one response.)			
A.	I have never used an electronic vapor product	466	54.76%
B.	Friend or family member used them	59	6.93%
C.	To get a high or buzz from nicotine	71	8.34%
D.	I was feeling anxious, stressed, or depressed	95	11.16%
E.	I was curious about them	109	12.81%
F.	They are less harmful than other forms of tobacco	4	0.47%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	9	1.06%
H.	I used them for some other reason	38	4.47%
TOTALS		851	100.00%

Q-43. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)			
A.	0 days	788	92.82%
B.	1 or 2 days	25	2.94%
C.	3 to 5 days	13	1.53%
D.	6 to 9 days	3	0.35%
E.	10 to 19 days	2	0.24%
F.	20 to 29 days	5	0.59%
G.	All 30 days	13	1.53%
TOTALS		849	100.00%

Q-44. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	807	94.50%
B.	1 or 2 days	32	3.75%
C.	3 to 5 days	7	0.82%
D.	6 to 9 days	2	0.23%
E.	10 to 19 days	3	0.35%
F.	20 to 29 days	0	0.00%
G.	All 30 days	3	0.35%
TOTALS		854	100.00%

Q-45. During the past 12 months, did you ever try to quit using all tobacco products?			
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	561	65.85%
B.	Yes	188	22.07%
C.	No	103	12.09%
TOTALS		852	100.00%

Q-46. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	340	40.05%
B.	8 years old or younger	59	6.95%
C.	9 or 10 years old	40	4.71%
D.	11 or 12 years old	68	8.01%
E.	13 or 14 years old	152	17.90%
F.	15 or 16 years old	174	20.49%
G.	17 years old or older	16	1.88%
TOTALS		849	100.00%

Q-47. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	583	68.43%
B.	1 or 2 days	133	15.61%
C.	3 to 5 days	65	7.63%
D.	6 to 9 days	42	4.93%
E.	10 to 19 days	19	2.23%
F.	20 to 29 days	3	0.35%
G.	All 30 days	7	0.82%
TOTALS		852	100.00%

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
A.	0 days	689	80.87%
B.	1 day	53	6.22%
C.	2 days	32	3.76%
D.	3 to 5 days	52	6.10%
E.	6 to 9 days	18	2.11%
F.	10 to 19 days	5	0.59%
G.	20 or more days	3	0.35%
TOTALS		852	100.00%

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	588	69.59%
B.	1 or 2 drinks	96	11.36%
C.	3 drinks	18	2.13%
D.	4 drinks	19	2.25%
E.	5 drinks	28	3.31%
F.	6 or 7 drinks	38	4.50%
G.	8 or 9 drinks	18	2.13%
H.	10 or more drinks	40	4.73%
TOTALS		845	100.00%

Q-50. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	589	69.46%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	12	1.42%
C.	I bought it at a restaurant, bar, or club	8	0.94%
D.	I bought it at a public event such as a concert or sporting event	0	0.00%
E.	I gave someone else money to buy it for me	60	7.08%
F.	Someone gave it to me	104	12.26%
G.	I took it from a store or family member	21	2.48%
H.	I got it some other way	54	6.37%
TOTALS		848	100.00%

Q-51. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)			
A.	I did not drink alcohol during the past 30 days	581	68.76%
B.	Beer	103	12.19%
C.	Wine	16	1.89%
D.	Vodka	31	3.67%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	42	4.97%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	68	8.05%
G.	Some other type of alcohol	4	0.47%
TOTALS		845	100.00%

Q-52. During your life, how many times have you used marijuana?			
A.	0 times	559	66.23%
B.	1 or 2 times	62	7.35%
C.	3 to 9 times	58	6.87%
D.	10 to 19 times	34	4.03%
E.	20 to 39 times	22	2.61%
F.	40 to 99 times	36	4.27%
G.	100 or more times	73	8.65%
TOTALS		844	100.00%

Q-53. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	549	64.74%
B.	8 years old or younger	12	1.42%
C.	9 or 10 years old	14	1.65%
D.	11 or 12 years old	37	4.36%
E.	13 or 14 years old	104	12.26%
F.	15 or 16 years old	111	13.09%
G.	17 years old or older	21	2.48%
TOTALS		848	100.00%

Q-54. During the past 30 days, how many times did you use marijuana?		
A.	0 times	695 81.76%
B.	1 or 2 times	47 5.53%
C.	3 to 9 times	33 3.88%
D.	10 to 19 times	19 2.24%
E.	20 to 39 times	12 1.41%
F.	40 or more times	44 5.18%
TOTALS		850 100.00%

Q-55. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
A.	0 times	738 87.23%
B.	1 or 2 times	51 6.03%
C.	3 to 9 times	30 3.55%
D.	10 to 19 times	11 1.30%
E.	20 to 39 times	6 0.71%
F.	40 or more times	10 1.18%
TOTALS		846 100.00%

Q-56. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
A.	0 times	827 97.18%
B.	1 or 2 times	13 1.53%
C.	3 to 9 times	3 0.35%
D.	10 to 19 times	2 0.24%
E.	20 to 39 times	1 0.12%
F.	40 or more times	5 0.59%
TOTALS		851 100.00%

Q-57. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
A.	0 times	769 90.47%
B.	1 or 2 times	48 5.65%
C.	3 to 9 times	14 1.65%
D.	10 to 19 times	6 0.71%
E.	20 to 39 times	5 0.59%
F.	40 or more times	8 0.94%
TOTALS		850 100.00%

Q-58. During your life, how many times have you used heroin (also called smack, junk, or China White)?		
A.	0 times	835 98.93%
B.	1 or 2 times	5 0.59%
C.	3 to 9 times	1 0.12%
D.	10 to 19 times	0 0.00%
E.	20 to 39 times	0 0.00%
F.	40 or more times	3 0.36%
TOTALS		844 100.00%

Q-59. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?			
A.	0 times	826	97.06%
B.	1 or 2 times	13	1.53%
C.	3 to 9 times	4	0.47%
D.	10 to 19 times	3	0.35%
E.	20 to 39 times	1	0.12%
F.	40 or more times	4	0.47%
TOTALS		851	100.00%
Q-60. During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
A.	0 times	820	96.36%
B.	1 or 2 times	18	2.12%
C.	3 to 9 times	4	0.47%
D.	10 to 19 times	5	0.59%
E.	20 to 39 times	1	0.12%
F.	40 or more times	3	0.35%
TOTALS		851	100.00%
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	832	98.23%
B.	1 time	9	1.06%
C.	2 or more times	6	0.71%
TOTALS		847	100.00%
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	186	21.91%
B.	No	663	78.09%
TOTALS		849	100.00%
Q-63. Have you ever had sexual intercourse?			
A.	Yes	370	43.84%
B.	No	474	56.16%
TOTALS		844	100.00%
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	481	57.19%
B.	11 years old or younger	22	2.62%
C.	12 years old	19	2.26%
D.	13 years old	33	3.92%
E.	14 years old	71	8.44%
F.	15 years old	106	12.60%
G.	16 years old	87	10.34%
H.	17 years old or older	22	2.62%
TOTALS		841	100.00%

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	493	58.48%
B.	1 person	163	19.34%
C.	2 people	62	7.35%
D.	3 people	51	6.05%
E.	4 people	31	3.68%
F.	5 people	12	1.42%
G.	6 or more people	31	3.68%
TOTALS		843	100.00%

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	491	58.31%
B.	I have had sexual intercourse, but not during the past 3 months	109	12.95%
C.	1 person	203	24.11%
D.	2 people	24	2.85%
E.	3 people	10	1.19%
F.	4 people	2	0.24%
G.	5 people	1	0.12%
H.	6 or more people	2	0.24%
TOTALS		842	100.00%

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	477	56.58%
B.	Yes	67	7.95%
C.	No	299	35.47%
TOTALS		843	100.00%

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	486	57.86%
B.	Yes	174	20.71%
C.	No	180	21.43%
TOTALS		840	100.00%

Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse with an opposite-sex partner	497	59.38%
B.	No method was used to prevent pregnancy	44	5.26%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	88	10.51%
D.	Condoms	112	13.38%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	34	4.06%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	11	1.31%
G.	Withdrawal or some other method	37	4.42%
H.	Not sure	14	1.67%
TOTALS		837	100.00%

Q-70. How do you describe your weight?			
A.	Very underweight	28	3.35%
B.	Slightly underweight	128	15.29%
C.	About the right weight	414	49.46%
D.	Slightly overweight	214	25.57%
E.	Very overweight	53	6.33%
TOTALS		837	100.00%

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	351	41.59%
B.	Gain weight	178	21.09%
C.	Stay the same weight	134	15.88%
D.	I am not trying to do anything about my weight	181	21.45%
TOTALS		844	100.00%

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	269	31.83%
B.	1 to 3 times during the past 7 days	370	43.79%
C.	4 to 6 times during the past 7 days	113	13.37%
D.	1 time per day	33	3.91%
E.	2 times per day	27	3.20%
F.	3 times per day	17	2.01%
G.	4 or more times per day	16	1.89%
TOTALS		845	100.00%

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	96	11.40%
B.	1 to 3 times during the past 7 days	347	41.21%
C.	4 to 6 times during the past 7 days	206	24.47%
D.	1 time per day	79	9.38%
E.	2 times per day	72	8.55%
F.	3 times per day	22	2.61%
G.	4 or more times per day	20	2.38%
TOTALS		842	100.00%

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	301	35.66%
B.	1 to 3 times during the past 7 days	367	43.48%
C.	4 to 6 times during the past 7 days	89	10.55%
D.	1 time per day	54	6.40%
E.	2 times per day	17	2.01%
F.	3 times per day	5	0.59%
G.	4 or more times per day	11	1.30%
TOTALS		844	100.00%

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	271	32.15%
B.	1 to 3 times during the past 7 days	433	51.36%
C.	4 to 6 times during the past 7 days	93	11.03%
D.	1 time per day	20	2.37%
E.	2 times per day	7	0.83%
F.	3 times per day	7	0.83%
G.	4 or more times per day	12	1.42%
TOTALS		843	100.00%

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	443	52.93%
B.	1 to 3 times during the past 7 days	293	35.01%
C.	4 to 6 times during the past 7 days	53	6.33%
D.	1 time per day	26	3.11%
E.	2 times per day	3	0.36%
F.	3 times per day	8	0.96%
G.	4 or more times per day	11	1.31%
TOTALS		837	100.00%

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	165	19.55%
B.	1 to 3 times during the past 7 days	340	40.28%
C.	4 to 6 times during the past 7 days	204	24.17%
D.	1 time per day	62	7.35%
E.	2 times per day	45	5.33%
F.	3 times per day	12	1.42%
G.	4 or more times per day	16	1.90%
TOTALS		844	100.00%

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	203	24.11%
B.	1 to 3 times during the past 7 days	349	41.45%
C.	4 to 6 times during the past 7 days	163	19.36%
D.	1 time per day	49	5.82%
E.	2 times per day	46	5.46%
F.	3 times per day	17	2.02%
G.	4 or more times per day	15	1.78%
TOTALS		842	100.00%

Q-79. During the past 7 days, on how many days did you eat breakfast?			
A.	0 days	140	16.69%
B.	1 day	67	7.99%
C.	2 days	76	9.06%
D.	3 days	96	11.44%
E.	4 days	82	9.77%
F.	5 days	75	8.94%
G.	6 days	54	6.44%
H.	7 days	249	29.68%
TOTALS		839	100.00%

Q-80. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)			
A.	0 days	104	12.35%
B.	1 day	45	5.34%
C.	2 days	55	6.53%
D.	3 days	73	8.67%
E.	4 days	98	11.64%
F.	5 days	132	15.68%
G.	6 days	101	12.00%
H.	7 days	234	27.79%
TOTALS		842	100.00%

Q-81. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)			
A.	Less than 1 hour per day	50	5.94%
B.	1 hour per day	63	7.48%
C.	2 hours per day	139	16.51%
D.	3 hours per day	178	21.14%
E.	4 hours per day	179	21.26%
F.	5 or more hours per day	233	27.67%
TOTALS		842	100.00%

Q-82. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	385	45.94%
B.	1 day	13	1.55%
C.	2 days	12	1.43%
D.	3 days	59	7.04%
E.	4 days	183	21.84%
F.	5 days	186	22.20%
TOTALS		838	100.00%

Q-83. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	269	31.99%
B.	1 team	200	23.78%
C.	2 teams	164	19.50%
D.	3 or more teams	208	24.73%
TOTALS		841	100.00%
Q-84. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	705	83.63%
B.	1 time	85	10.08%
C.	2 times	30	3.56%
D.	3 times	12	1.42%
E.	4 or more times	11	1.30%
TOTALS		843	100.00%
Q-85. How often do you use social media?			
A.	I do not use social media	62	7.34%
B.	A few times a month	31	3.67%
C.	About once a week	13	1.54%
D.	A few times a week	21	2.49%
E.	About once a day	65	7.69%
F.	Several times a day	341	40.36%
G.	About once an hour	74	8.76%
H.	More than once an hour	238	28.17%
TOTALS		845	100.00%
Q-86. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	169	20.10%
B.	No	629	74.79%
C.	Not sure	43	5.11%
TOTALS		841	100.00%
Q-87. Do you still have asthma?			
A.	I have never had asthma	491	58.24%
B.	Yes	113	13.40%
C.	No	157	18.62%
D.	Not sure	82	9.73%
TOTALS		843	100.00%

Q-88. During the past 30 days, how many days of school did you miss because of your asthma?			
A.	I do not have asthma	636	75.71%
B.	0 days	186	22.14%
C.	1 day	7	0.83%
D.	2 days	6	0.71%
E.	3 days	1	0.12%
F.	4 days	0	0.00%
G.	5 or more days	4	0.48%
TOTALS		840	100.00%

Q-89. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	622	73.44%
B.	Between 12 and 24 months ago	90	10.63%
C.	More than 24 months ago	56	6.61%
D.	Never	14	1.65%
E.	Not sure	65	7.67%
TOTALS		847	100.00%

Q-90. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)			
A.	Never	169	20.14%
B.	Rarely	175	20.86%
C.	Sometimes	232	27.65%
D.	Most of the time	188	22.41%
E.	Always	75	8.94%
TOTALS		839	100.00%

Q-91. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	77	9.18%
B.	5 hours	91	10.85%
C.	6 hours	182	21.69%
D.	7 hours	256	30.51%
E.	8 hours	182	21.69%
F.	9 hours	36	4.29%
G.	10 or more hours	15	1.79%
TOTALS		839	100.00%

Q-92. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	813	96.33%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	18	2.13%
C.	In a shelter or emergency housing	2	0.24%
D.	In a motel or hotel	3	0.36%
E.	In a car, park, campground, or other public place	4	0.47%
F.	I do not have a usual place to sleep	2	0.24%
G.	Somewhere else	2	0.24%
TOTALS		844	100.00%

Q-93. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
A.	Yes	57 6.77%
B.	No	785 93.23%
TOTALS		842 100.00%
Q-94. During the past 12 months, how would you describe your grades in school?		
A.	Mostly A's	400 47.79%
B.	Mostly B's	254 30.35%
C.	Mostly C's	108 12.90%
D.	Mostly D's	32 3.82%
E.	Mostly F's	17 2.03%
F.	None of these grades	3 0.36%
G.	Not sure	23 2.75%
TOTALS		837 100.00%
Q-95. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	803 95.14%
B.	1 or 2 times	21 2.49%
C.	3 to 9 times	10 1.18%
D.	10 to 19 times	4 0.47%
E.	20 to 39 times	0 0.00%
F.	40 or more times	5 0.59%
TOTALS		844 100.00%
Q-96. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	113 13.42%
B.	No	729 86.58%
TOTALS		842 100.00%