

2023 NORTH WEST REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 609 high school students in North West Region during February of 2023. Frequency distributions may not total 609 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	2	0.33%
B.	13 years old	0	0.00%
C.	14 years old	49	8.05%
D.	15 years old	168	27.59%
E.	16 years old	200	32.84%
F.	17 years old	138	22.66%
G.	18 years old or older	52	8.54%
	TOTALS	609	100.00%
Q-2. What is your sex?			
A.	Female	258	42.64%
B.	Male	347	57.36%
	TOTALS	605	100.00%
Q-3. In what grade are you?			
A.	9th grade	135	22.61%
B.	10th grade	222	37.19%
C.	11th grade	152	25.46%
D.	12th grade	82	13.74%
E.	Ungraded or other grade	6	1.01%
	TOTALS	597	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	52	8.61%
B.	No	552	91.39%
	TOTALS	604	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	31	4.90%
B.	Asian	26	4.11%
C.	Black or African American	25	3.95%
D.	Native Hawaiian or Other Pacific Islander	7	1.11%
E.	White	544	85.94%
	TOTALS	633	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	8	1.31%
B.	4ft to 4 ft, 6 in	5	0.82%
C.	4ft, 7in to 5 ft	31	5.09%
D.	5ft, 1in to 5ft, 6in	234	38.42%
E.	Over 5ft, 6in	331	54.35%
TOTALS		609	100.00%

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	14	2.30%
B.	90-99 lbs	2	0.33%
C.	100-109 lbs	14	2.30%
D.	110-119lbs	59	9.69%
E.	120-129 lbs	81	13.30%
F.	130-139 lbs	79	12.97%
G.	140 lbs +	360	59.11%
TOTALS		609	100.00%

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	29	4.76%
B.	Rarely	26	4.27%
C.	Sometimes	45	7.39%
D.	Most of the time	195	32.02%
E.	Always	314	51.56%
TOTALS		609	100.00%

Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	469	77.78%
B.	1 time	40	6.63%
C.	2 or 3 times	57	9.45%
D.	4 or 5 times	12	1.99%
E.	6 or more times	25	4.15%
TOTALS		603	100.00%

Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	131	21.72%
B.	Never	18	2.99%
C.	Rarely	14	2.32%
D.	Sometimes	24	3.98%
E.	Most of the time	77	12.77%
F.	Always	339	56.22%
TOTALS		603	100.00%

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	194	31.91%
B.	0 times	384	63.16%
C.	1 time	13	2.14%
D.	2 or 3 times	9	1.48%
E.	4 or 5 times	1	0.16%
F.	6 or more times	7	1.15%
TOTALS		608	100.00%

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	169	27.84%
B.	0 days	208	34.27%
C.	1 or 2 days	64	10.54%
D.	3 to 5 days	35	5.77%
E.	6 to 9 days	23	3.79%
F.	10 to 19 days	28	4.61%
G.	20 to 29 days	19	3.13%
H.	All 30 days	61	10.05%
TOTALS		607	100.00%

Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)			
A.	I did not drive a car or other vehicle during the past 30 days	165	27.32%
B.	0 days	235	38.91%
C.	1 or 2 days	57	9.44%
D.	3 to 5 days	34	5.63%
E.	6 to 9 days	16	2.65%
F.	10 to 19 days	16	2.65%
G.	20 to 29 days	28	4.64%
H.	All 30 days	53	8.77%
TOTALS		604	100.00%

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	530	87.31%
B.	1 day	17	2.80%
C.	2 or 3 days	12	1.98%
D.	4 or 5 days	6	0.99%
E.	6 or more days	42	6.92%
TOTALS		607	100.00%

Q-15. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	548	90.28%
B.	1 day	6	0.99%
C.	2 or 3 days	17	2.80%
D.	4 or 5 days	10	1.65%
E.	6 or more days	26	4.28%
TOTALS		607	100.00%

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	525	87.50%
B.	1 day	30	5.00%
C.	2 or 3 days	26	4.33%
D.	4 or 5 days	4	0.67%
E.	6 or more days	15	2.50%
TOTALS		600	100.00%

Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	547	89.97%
B.	1 time	21	3.45%
C.	2 or 3 times	17	2.80%
D.	4 or 5 times	2	0.33%
E.	6 or 7 times	5	0.82%
F.	8 or 9 times	2	0.33%
G.	10 or 11 times	0	0.00%
H.	12 or more times	14	2.30%
TOTALS		608	100.00%

Q-18. During the past 12 months, how many times were you in a physical fight?

A.	0 times	455	74.96%
B.	1 time	71	11.70%
C.	2 or 3 times	44	7.25%
D.	4 or 5 times	11	1.81%
E.	6 or 7 times	4	0.66%
F.	8 or 9 times	4	0.66%
G.	10 or 11 times	1	0.16%
H.	12 or more times	17	2.80%
TOTALS		607	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-19. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	545	90.08%
B.	1 time	27	4.46%
C.	2 or 3 times	21	3.47%
D.	4 or 5 times	3	0.50%
E.	6 or 7 times	1	0.17%
F.	8 or 9 times	2	0.33%
G.	10 or 11 times	0	0.00%
H.	12 or more times	6	0.99%
TOTALS		605	100.00%

Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	90	14.80%
B.	No	518	85.20%
TOTALS		608	100.00%

Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	512	84.21%
B.	1 time	44	7.24%
C.	2 or 3 times	32	5.26%
D.	4 or 5 times	10	1.64%
E.	6 or more times	10	1.64%
TOTALS		608	100.00%

Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	220	36.24%
B.	0 times	327	53.87%
C.	1 time	24	3.95%
D.	2 or 3 times	18	2.97%
E.	4 or 5 times	7	1.15%
F.	6 or more times	11	1.81%
TOTALS		607	100.00%

Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	224	36.84%
B.	0 times	342	56.25%
C.	1 time	16	2.63%
D.	2 or 3 times	15	2.47%
E.	4 or 5 times	3	0.49%
F.	6 or more times	8	1.32%
TOTALS		608	100.00%

Q-24. During your life, how often have you felt that you were treated badly or unfairly in school because of your race or ethnicity?			
A.	Never	441	72.65%
B.	Rarely	72	11.86%
C.	Sometimes	53	8.73%
D.	Most of the time	17	2.80%
E.	Always	24	3.95%
TOTALS		607	100.00%
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	209	34.78%
B.	No	392	65.22%
TOTALS		601	100.00%
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	164	27.06%
B.	No	442	72.94%
TOTALS		606	100.00%
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	132	21.89%
B.	No	471	78.11%
TOTALS		603	100.00%
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	274	45.74%
B.	No	325	54.26%
TOTALS		599	100.00%
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	174	28.81%
B.	No	430	71.19%
TOTALS		604	100.00%
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	144	23.84%
B.	No	460	76.16%
TOTALS		604	100.00%
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	495	83.19%
B.	1 time	55	9.24%
C.	2 or 3 times	31	5.21%
D.	4 or 5 times	3	0.50%
E.	6 or more times	11	1.85%
TOTALS		595	100.00%

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	503	82.87%
B.	Yes	41	6.75%
C.	No	63	10.38%
TOTALS		607	100.00%

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	190	31.56%
B.	No	412	68.44%
TOTALS		602	100.00%

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	418	68.75%
B.	8 years old or younger	32	5.26%
C.	9 or 10 years old	16	2.63%
D.	11 or 12 years old	35	5.76%
E.	13 or 14 years old	47	7.73%
F.	15 or 16 years old	46	7.57%
G.	17 years old or older	14	2.30%
TOTALS		608	100.00%

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	557	91.61%
B.	1 or 2 days	17	2.80%
C.	3 to 5 days	9	1.48%
D.	6 to 9 days	5	0.82%
E.	10 to 19 days	6	0.99%
F.	20 to 29 days	3	0.49%
G.	All 30 days	11	1.81%
TOTALS		608	100.00%

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	553	90.80%
B.	Less than 1 cigarette per day	24	3.94%
C.	1 cigarette per day	10	1.64%
D.	2 to 5 cigarettes per day	12	1.97%
E.	6 to 10 cigarettes per day	4	0.66%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	6	0.99%
TOTALS		609	100.00%

Q-37. Have you ever used an electronic vapor product?

A.	Yes	278	46.33%
B.	No	322	53.67%
TOTALS		600	100.00%

Q-38. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	432	71.05%
B.	1 or 2 days	37	6.09%
C.	3 to 5 days	16	2.63%
D.	6 to 9 days	16	2.63%
E.	10 to 19 days	27	4.44%
F.	20 to 29 days	19	3.13%
G.	All 30 days	61	10.03%
TOTALS		608	100.00%

Q-39. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	502	82.57%
B.	1 or 2 days	29	4.77%
C.	3 to 5 days	11	1.81%
D.	6 to 9 days	10	1.64%
E.	10 to 19 days	16	2.63%
F.	20 to 29 days	12	1.97%
G.	All 30 days	28	4.61%
TOTALS		608	100.00%

Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	439	72.44%
B.	I got or bought them from a friend, family member, or someone else	93	15.35%
C.	I bought them myself in a vape shop or tobacco shop	11	1.82%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	4	0.66%
E.	I bought them myself at a mall or shopping center kiosk or stand	0	0.00%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	5	0.83%
G.	I took them from a store or another person	8	1.32%
H.	I got them in some other way	46	7.59%
TOTALS		606	100.00%

Q-41. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)			
A.	I did not use an electronic vapor product during the past 30 days	440	72.49%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	6	0.99%
C.	Chocolate, candy, desserts, or other sweets	10	1.65%
D.	Fruit	89	14.66%
E.	Menthol	31	5.11%
F.	Mint	7	1.15%
G.	Tobacco	2	0.33%
H.	Some other flavor	22	3.62%
TOTALS		607	100.00%

Q-42. What is the main reason you have used electronic vapor products? (Select only one response.)			
A.	I have never used an electronic vapor product	347	57.26%
B.	Friend or family member used them	32	5.28%
C.	To get a high or buzz from nicotine	46	7.59%
D.	I was feeling anxious, stressed, or depressed	66	10.89%
E.	I was curious about them	76	12.54%
F.	They are less harmful than other forms of tobacco	3	0.50%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	1	0.17%
H.	I used them for some other reason	35	5.78%
TOTALS		606	100.00%

Q-43. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)			
A.	0 days	562	93.20%
B.	1 or 2 days	17	2.82%
C.	3 to 5 days	8	1.33%
D.	6 to 9 days	3	0.50%
E.	10 to 19 days	1	0.17%
F.	20 to 29 days	2	0.33%
G.	All 30 days	10	1.66%
TOTALS		603	100.00%

Q-44. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	570	93.90%
B.	1 or 2 days	18	2.97%
C.	3 to 5 days	10	1.65%
D.	6 to 9 days	0	0.00%
E.	10 to 19 days	1	0.16%
F.	20 to 29 days	0	0.00%
G.	All 30 days	8	1.32%
TOTALS		607	100.00%

Q-45. During the past 12 months, did you ever try to quit using all tobacco products?			
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	423	69.80%
B.	Yes	98	16.17%
C.	No	85	14.03%
TOTALS		606	100.00%

Q-46. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	252	41.52%
B.	8 years old or younger	48	7.91%
C.	9 or 10 years old	36	5.93%
D.	11 or 12 years old	54	8.90%
E.	13 or 14 years old	105	17.30%
F.	15 or 16 years old	98	16.14%
G.	17 years old or older	14	2.31%
TOTALS		607	100.00%

Q-47. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	433	71.33%
B.	1 or 2 days	70	11.53%
C.	3 to 5 days	41	6.75%
D.	6 to 9 days	33	5.44%
E.	10 to 19 days	16	2.64%
F.	20 to 29 days	6	0.99%
G.	All 30 days	8	1.32%
TOTALS		607	100.00%

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
A.	0 days	491	81.02%
B.	1 day	38	6.27%
C.	2 days	26	4.29%
D.	3 to 5 days	25	4.13%
E.	6 to 9 days	11	1.82%
F.	10 to 19 days	8	1.32%
G.	20 or more days	7	1.16%
TOTALS		606	100.00%

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	434	72.21%
B.	1 or 2 drinks	53	8.82%
C.	3 drinks	8	1.33%
D.	4 drinks	16	2.66%
E.	5 drinks	23	3.83%
F.	6 or 7 drinks	28	4.66%
G.	8 or 9 drinks	15	2.50%
H.	10 or more drinks	24	3.99%
TOTALS		601	100.00%

Q-50. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	435	71.90%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	6	0.99%
C.	I bought it at a restaurant, bar, or club	3	0.50%
D.	I bought it at a public event such as a concert or sporting event	3	0.50%
E.	I gave someone else money to buy it for me	25	4.13%
F.	Someone gave it to me	67	11.07%
G.	I took it from a store or family member	32	5.29%
H.	I got it some other way	34	5.62%
TOTALS		605	100.00%

Q-51. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)			
A.	I did not drink alcohol during the past 30 days	428	71.10%
B.	Beer	45	7.48%
C.	Wine	8	1.33%
D.	Vodka	15	2.49%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	38	6.31%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	56	9.30%
G.	Some other type of alcohol	12	1.99%
TOTALS		602	100.00%

Q-52. During your life, how many times have you used marijuana?			
A.	0 times	360	60.10%
B.	1 or 2 times	58	9.68%
C.	3 to 9 times	40	6.68%
D.	10 to 19 times	22	3.67%
E.	20 to 39 times	23	3.84%
F.	40 to 99 times	34	5.68%
G.	100 or more times	62	10.35%
TOTALS		599	100.00%

Q-53. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	364	60.07%
B.	8 years old or younger	16	2.64%
C.	9 or 10 years old	6	0.99%
D.	11 or 12 years old	31	5.12%
E.	13 or 14 years old	94	15.51%
F.	15 or 16 years old	81	13.37%
G.	17 years old or older	14	2.31%
TOTALS		606	100.00%

Q-54. During the past 30 days, how many times did you use marijuana?			
A.	0 times	462	76.36%
B.	1 or 2 times	40	6.61%
C.	3 to 9 times	32	5.29%
D.	10 to 19 times	19	3.14%
E.	20 to 39 times	11	1.82%
F.	40 or more times	41	6.78%
TOTALS		605	100.00%

Q-55. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
A.	0 times	513	85.64%
B.	1 or 2 times	44	7.35%
C.	3 to 9 times	17	2.84%
D.	10 to 19 times	9	1.50%
E.	20 to 39 times	3	0.50%
F.	40 or more times	13	2.17%
TOTALS		599	100.00%

Q-56. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
A.	0 times	573	94.87%
B.	1 or 2 times	16	2.65%
C.	3 to 9 times	2	0.33%
D.	10 to 19 times	2	0.33%
E.	20 to 39 times	2	0.33%
F.	40 or more times	9	1.49%
TOTALS		604	100.00%

Q-57. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
A.	0 times	546	90.25%
B.	1 or 2 times	29	4.79%
C.	3 to 9 times	9	1.49%
D.	10 to 19 times	7	1.16%
E.	20 to 39 times	1	0.17%
F.	40 or more times	13	2.15%
TOTALS		605	100.00%

Q-58. During your life, how many times have you used heroin (also called smack, junk, or China White)?			
A.	0 times	575	95.99%
B.	1 or 2 times	4	0.67%
C.	3 to 9 times	5	0.83%
D.	10 to 19 times	3	0.50%
E.	20 to 39 times	1	0.17%
F.	40 or more times	11	1.84%
TOTALS		599	100.00%

Q-59. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?			
A.	0 times	578	95.70%
B.	1 or 2 times	9	1.49%
C.	3 to 9 times	2	0.33%
D.	10 to 19 times	3	0.50%
E.	20 to 39 times	1	0.17%
F.	40 or more times	11	1.82%
TOTALS		604	100.00%
Q-60. During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
A.	0 times	574	94.72%
B.	1 or 2 times	12	1.98%
C.	3 to 9 times	3	0.50%
D.	10 to 19 times	4	0.66%
E.	20 to 39 times	3	0.50%
F.	40 or more times	10	1.65%
TOTALS		606	100.00%
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	583	96.52%
B.	1 time	8	1.32%
C.	2 or more times	13	2.15%
TOTALS		604	100.00%
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	144	23.96%
B.	No	457	76.04%
TOTALS		601	100.00%
Q-63. Have you ever had sexual intercourse?			
A.	Yes	270	45.00%
B.	No	330	55.00%
TOTALS		600	100.00%
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	346	57.76%
B.	11 years old or younger	24	4.01%
C.	12 years old	10	1.67%
D.	13 years old	25	4.17%
E.	14 years old	55	9.18%
F.	15 years old	69	11.52%
G.	16 years old	57	9.52%
H.	17 years old or older	13	2.17%
TOTALS		599	100.00%

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	349	57.88%
B.	1 person	96	15.92%
C.	2 people	48	7.96%
D.	3 people	36	5.97%
E.	4 people	27	4.48%
F.	5 people	11	1.82%
G.	6 or more people	36	5.97%
TOTALS		603	100.00%

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	347	57.55%
B.	I have had sexual intercourse, but not during the past 3 months	82	13.60%
C.	1 person	137	22.72%
D.	2 people	13	2.16%
E.	3 people	3	0.50%
F.	4 people	6	1.00%
G.	5 people	2	0.33%
H.	6 or more people	13	2.16%
TOTALS		603	100.00%

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	340	56.67%
B.	Yes	57	9.50%
C.	No	203	33.83%
TOTALS		600	100.00%

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	349	58.07%
B.	Yes	136	22.63%
C.	No	116	19.30%
TOTALS		601	100.00%

Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse with an opposite-sex partner	347	58.03%
B.	No method was used to prevent pregnancy	31	5.18%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	58	9.70%
D.	Condoms	87	14.55%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	32	5.35%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	16	2.68%
G.	Withdrawal or some other method	13	2.17%
H.	Not sure	14	2.34%
TOTALS		598	100.00%

Q-70. How do you describe your weight?			
A.	Very underweight	21	3.52%
B.	Slightly underweight	87	14.57%
C.	About the right weight	315	52.76%
D.	Slightly overweight	140	23.45%
E.	Very overweight	34	5.70%
TOTALS		597	100.00%

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	236	39.20%
B.	Gain weight	149	24.75%
C.	Stay the same weight	89	14.78%
D.	I am not trying to do anything about my weight	128	21.26%
TOTALS		602	100.00%

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	206	34.22%
B.	1 to 3 times during the past 7 days	252	41.86%
C.	4 to 6 times during the past 7 days	79	13.12%
D.	1 time per day	26	4.32%
E.	2 times per day	17	2.82%
F.	3 times per day	6	1.00%
G.	4 or more times per day	16	2.66%
TOTALS		602	100.00%

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	81	13.48%
B.	1 to 3 times during the past 7 days	186	30.95%
C.	4 to 6 times during the past 7 days	133	22.13%
D.	1 time per day	83	13.81%
E.	2 times per day	65	10.82%
F.	3 times per day	26	4.33%
G.	4 or more times per day	27	4.49%
TOTALS		601	100.00%

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	211	34.99%
B.	1 to 3 times during the past 7 days	245	40.63%
C.	4 to 6 times during the past 7 days	82	13.60%
D.	1 time per day	33	5.47%
E.	2 times per day	19	3.15%
F.	3 times per day	3	0.50%
G.	4 or more times per day	10	1.66%
TOTALS		603	100.00%

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	205	34.05%
B.	1 to 3 times during the past 7 days	292	48.50%
C.	4 to 6 times during the past 7 days	66	10.96%
D.	1 time per day	15	2.49%
E.	2 times per day	8	1.33%
F.	3 times per day	7	1.16%
G.	4 or more times per day	9	1.50%
TOTALS		602	100.00%

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	263	43.91%
B.	1 to 3 times during the past 7 days	254	42.40%
C.	4 to 6 times during the past 7 days	51	8.51%
D.	1 time per day	12	2.00%
E.	2 times per day	9	1.50%
F.	3 times per day	3	0.50%
G.	4 or more times per day	7	1.17%
TOTALS		599	100.00%

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	112	18.64%
B.	1 to 3 times during the past 7 days	239	39.77%
C.	4 to 6 times during the past 7 days	142	23.63%
D.	1 time per day	51	8.49%
E.	2 times per day	31	5.16%
F.	3 times per day	13	2.16%
G.	4 or more times per day	13	2.16%
TOTALS		601	100.00%

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	166	27.81%
B.	1 to 3 times during the past 7 days	235	39.36%
C.	4 to 6 times during the past 7 days	99	16.58%
D.	1 time per day	51	8.54%
E.	2 times per day	20	3.35%
F.	3 times per day	8	1.34%
G.	4 or more times per day	18	3.02%
TOTALS		597	100.00%

Q-79. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	128	21.37%
B.	1 day	67	11.19%
C.	2 days	60	10.02%
D.	3 days	53	8.85%
E.	4 days	43	7.18%
F.	5 days	48	8.01%
G.	6 days	41	6.84%
H.	7 days	159	26.54%
TOTALS		599	100.00%

Q-80. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	74	12.33%
B.	1 day	41	6.83%
C.	2 days	47	7.83%
D.	3 days	70	11.67%
E.	4 days	51	8.50%
F.	5 days	72	12.00%
G.	6 days	64	10.67%
H.	7 days	181	30.17%
TOTALS		600	100.00%

Q-81. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)

A.	Less than 1 hour per day	33	5.57%
B.	1 hour per day	40	6.76%
C.	2 hours per day	77	13.01%
D.	3 hours per day	151	25.51%
E.	4 hours per day	109	18.41%
F.	5 or more hours per day	182	30.74%
TOTALS		592	100.00%

Q-82. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	239	40.24%
B.	1 day	18	3.03%
C.	2 days	33	5.56%
D.	3 days	137	23.06%
E.	4 days	35	5.89%
F.	5 days	132	22.22%
TOTALS		594	100.00%

Q-83. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	255	42.79%
B.	1 team	133	22.32%
C.	2 teams	85	14.26%
D.	3 or more teams	123	20.64%
TOTALS		596	100.00%
Q-84. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	463	78.08%
B.	1 time	68	11.47%
C.	2 times	30	5.06%
D.	3 times	10	1.69%
E.	4 or more times	22	3.71%
TOTALS		593	100.00%
Q-85. How often do you use social media?			
A.	I do not use social media	59	9.85%
B.	A few times a month	25	4.17%
C.	About once a week	13	2.17%
D.	A few times a week	31	5.18%
E.	About once a day	45	7.51%
F.	Several times a day	217	36.23%
G.	About once an hour	48	8.01%
H.	More than once an hour	161	26.88%
TOTALS		599	100.00%
Q-86. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	123	20.60%
B.	No	430	72.03%
C.	Not sure	44	7.37%
TOTALS		597	100.00%
Q-87. Do you still have asthma?			
A.	I have never had asthma	333	55.87%
B.	Yes	96	16.11%
C.	No	109	18.29%
D.	Not sure	58	9.73%
TOTALS		596	100.00%

Q-88. During the past 30 days, how many days of school did you miss because of your asthma?			
A.	I do not have asthma	434	72.82%
B.	0 days	139	23.32%
C.	1 day	10	1.68%
D.	2 days	4	0.67%
E.	3 days	4	0.67%
F.	4 days	2	0.34%
G.	5 or more days	3	0.50%
TOTALS		596	100.00%

Q-89. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	470	78.33%
B.	Between 12 and 24 months ago	56	9.33%
C.	More than 24 months ago	26	4.33%
D.	Never	10	1.67%
E.	Not sure	38	6.33%
TOTALS		600	100.00%

Q-90. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)			
A.	Never	110	18.55%
B.	Rarely	111	18.72%
C.	Sometimes	148	24.96%
D.	Most of the time	150	25.30%
E.	Always	74	12.48%
TOTALS		593	100.00%

Q-91. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	55	9.31%
B.	5 hours	95	16.07%
C.	6 hours	116	19.63%
D.	7 hours	176	29.78%
E.	8 hours	112	18.95%
F.	9 hours	28	4.74%
G.	10 or more hours	9	1.52%
TOTALS		591	100.00%

Q-92. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	553	92.94%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	20	3.36%
C.	In a shelter or emergency housing	4	0.67%
D.	In a motel or hotel	3	0.50%
E.	In a car, park, campground, or other public place	3	0.50%
F.	I do not have a usual place to sleep	6	1.01%
G.	Somewhere else	6	1.01%
TOTALS		595	100.00%

Q-93. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
A.	Yes	48 8.14%
B.	No	542 91.86%
TOTALS		590 100.00%
Q-94. During the past 12 months, how would you describe your grades in school?		
A.	Mostly A's	260 43.84%
B.	Mostly B's	167 28.16%
C.	Mostly C's	101 17.03%
D.	Mostly D's	28 4.72%
E.	Mostly F's	21 3.54%
F.	None of these grades	1 0.17%
G.	Not sure	15 2.53%
TOTALS		593 100.00%
Q-95. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	547 92.09%
B.	1 or 2 times	21 3.54%
C.	3 to 9 times	13 2.19%
D.	10 to 19 times	5 0.84%
E.	20 to 39 times	1 0.17%
F.	40 or more times	7 1.18%
TOTALS		594 100.00%
Q-96. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	118 19.93%
B.	No	474 80.07%
TOTALS		592 100.00%