

2023 SOUTH CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,381 high school students in South Central Region during February of 2023. Frequency distributions may not total 1,381 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	9	0.65%
B.	13 years old	8	0.58%
C.	14 years old	154	11.16%
D.	15 years old	374	27.10%
E.	16 years old	382	27.68%
F.	17 years old	275	19.93%
G.	18 years old or older	178	12.90%
	TOTALS	1,380	100.00%
Q-2. What is your sex?			
A.	Female	650	47.34%
B.	Male	723	52.66%
	TOTALS	1,373	100.00%
Q-3. In what grade are you?			
A.	9th grade	394	28.93%
B.	10th grade	364	26.73%
C.	11th grade	298	21.88%
D.	12th grade	289	21.22%
E.	Ungraded or other grade	17	1.25%
	TOTALS	1,362	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	157	11.44%
B.	No	1215	88.56%
	TOTALS	1,372	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	262	17.88%
B.	Asian	37	2.53%
C.	Black or African American	49	3.34%
D.	Native Hawaiian or Other Pacific Islander	37	2.53%
E.	White	1080	73.72%
	TOTALS	1,465	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	28	2.03%
B.	4ft to 4 ft, 6 in	5	0.36%
C.	4ft, 7in to 5 ft	93	6.73%
D.	5ft, 1in to 5ft, 6in	563	40.77%
E.	Over 5ft, 6in	692	50.11%
TOTALS		1,381	100.00%

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	38	2.75%
B.	90-99 lbs	7	0.51%
C.	100-109 lbs	68	4.92%
D.	110-119lbs	138	9.99%
E.	120-129 lbs	173	12.53%
F.	130-139 lbs	186	13.47%
G.	140 lbs +	771	55.83%
TOTALS		1,381	100.00%

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	57	4.15%
B.	Rarely	85	6.18%
C.	Sometimes	168	12.22%
D.	Most of the time	424	30.84%
E.	Always	641	46.62%
TOTALS		1,375	100.00%

Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	1065	77.68%
B.	1 time	115	8.39%
C.	2 or 3 times	98	7.15%
D.	4 or 5 times	21	1.53%
E.	6 or more times	72	5.25%
TOTALS		1,371	100.00%

Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	245	17.82%
B.	Never	50	3.64%
C.	Rarely	72	5.24%
D.	Sometimes	83	6.04%
E.	Most of the time	209	15.20%
F.	Always	716	52.07%
TOTALS		1,375	100.00%

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	423	30.67%
B.	0 times	860	62.36%
C.	1 time	43	3.12%
D.	2 or 3 times	28	2.03%
E.	4 or 5 times	10	0.73%
F.	6 or more times	15	1.09%
TOTALS		1,379	100.00%

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	358	26.07%
B.	0 days	431	31.39%
C.	1 or 2 days	155	11.29%
D.	3 to 5 days	72	5.24%
E.	6 to 9 days	55	4.01%
F.	10 to 19 days	88	6.41%
G.	20 to 29 days	55	4.01%
H.	All 30 days	159	11.58%
TOTALS		1,373	100.00%

Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)			
A.	I did not drive a car or other vehicle during the past 30 days	354	25.78%
B.	0 days	460	33.50%
C.	1 or 2 days	160	11.65%
D.	3 to 5 days	71	5.17%
E.	6 to 9 days	44	3.20%
F.	10 to 19 days	63	4.59%
G.	20 to 29 days	55	4.01%
H.	All 30 days	166	12.09%
TOTALS		1,373	100.00%

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	1200	87.02%
B.	1 day	24	1.74%
C.	2 or 3 days	33	2.39%
D.	4 or 5 days	16	1.16%
E.	6 or more days	106	7.69%
TOTALS		1,379	100.00%

Q-15. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	1243	90.40%
B.	1 day	27	1.96%
C.	2 or 3 days	39	2.84%
D.	4 or 5 days	14	1.02%
E.	6 or more days	52	3.78%
TOTALS		1,375	100.00%

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	1189	86.60%
B.	1 day	85	6.19%
C.	2 or 3 days	60	4.37%
D.	4 or 5 days	14	1.02%
E.	6 or more days	25	1.82%
TOTALS		1,373	100.00%

Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	1238	89.78%
B.	1 time	55	3.99%
C.	2 or 3 times	37	2.68%
D.	4 or 5 times	17	1.23%
E.	6 or 7 times	8	0.58%
F.	8 or 9 times	3	0.22%
G.	10 or 11 times	3	0.22%
H.	12 or more times	18	1.31%
TOTALS		1,379	100.00%

Q-18. During the past 12 months, how many times were you in a physical fight?

A.	0 times	1058	76.78%
B.	1 time	138	10.01%
C.	2 or 3 times	114	8.27%
D.	4 or 5 times	25	1.81%
E.	6 or 7 times	13	0.94%
F.	8 or 9 times	6	0.44%
G.	10 or 11 times	2	0.15%
H.	12 or more times	22	1.60%
TOTALS		1,378	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-19. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	1240	90.51%
B.	1 time	81	5.91%
C.	2 or 3 times	23	1.68%
D.	4 or 5 times	8	0.58%
E.	6 or 7 times	5	0.36%
F.	8 or 9 times	6	0.44%
G.	10 or 11 times	0	0.00%
H.	12 or more times	7	0.51%
TOTALS		1,370	100.00%

Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	210	15.27%
B.	No	1165	84.73%
TOTALS		1,375	100.00%

Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	1149	83.69%
B.	1 time	105	7.65%
C.	2 or 3 times	67	4.88%
D.	4 or 5 times	20	1.46%
E.	6 or more times	32	2.33%
TOTALS		1,373	100.00%

Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	502	36.70%
B.	0 times	751	54.90%
C.	1 time	41	3.00%
D.	2 or 3 times	34	2.49%
E.	4 or 5 times	15	1.10%
F.	6 or more times	25	1.83%
TOTALS		1,368	100.00%

Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	501	36.41%
B.	0 times	768	55.81%
C.	1 time	43	3.13%
D.	2 or 3 times	37	2.69%
E.	4 or 5 times	9	0.65%
F.	6 or more times	18	1.31%
TOTALS		1,376	100.00%

Q-24. During your life, how often have you felt that you were treated badly or unfairly in school because of your race or ethnicity?			
A.	Never	931	67.71%
B.	Rarely	209	15.20%
C.	Sometimes	151	10.98%
D.	Most of the time	45	3.27%
E.	Always	39	2.84%
TOTALS		1,375	100.00%
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	347	25.37%
B.	No	1021	74.63%
TOTALS		1,368	100.00%
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	248	18.04%
B.	No	1127	81.96%
TOTALS		1,375	100.00%
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	241	17.53%
B.	No	1134	82.47%
TOTALS		1,375	100.00%
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	590	43.16%
B.	No	777	56.84%
TOTALS		1,367	100.00%
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	396	28.84%
B.	No	977	71.16%
TOTALS		1,373	100.00%
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	327	23.82%
B.	No	1046	76.18%
TOTALS		1,373	100.00%
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	1156	85.13%
B.	1 time	107	7.88%
C.	2 or 3 times	65	4.79%
D.	4 or 5 times	9	0.66%
E.	6 or more times	21	1.55%
TOTALS		1,358	100.00%

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	1148	83.80%
B.	Yes	68	4.96%
C.	No	154	11.24%
TOTALS		1,370	100.00%

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	431	31.46%
B.	No	939	68.54%
TOTALS		1,370	100.00%

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	937	68.39%
B.	8 years old or younger	85	6.20%
C.	9 or 10 years old	43	3.14%
D.	11 or 12 years old	64	4.67%
E.	13 or 14 years old	122	8.91%
F.	15 or 16 years old	94	6.86%
G.	17 years old or older	25	1.82%
TOTALS		1,370	100.00%

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	1265	92.00%
B.	1 or 2 days	51	3.71%
C.	3 to 5 days	16	1.16%
D.	6 to 9 days	8	0.58%
E.	10 to 19 days	8	0.58%
F.	20 to 29 days	8	0.58%
G.	All 30 days	19	1.38%
TOTALS		1,375	100.00%

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	1253	91.26%
B.	Less than 1 cigarette per day	57	4.15%
C.	1 cigarette per day	25	1.82%
D.	2 to 5 cigarettes per day	26	1.89%
E.	6 to 10 cigarettes per day	2	0.15%
F.	11 to 20 cigarettes per day	2	0.15%
G.	More than 20 cigarettes per day	8	0.58%
TOTALS		1,373	100.00%

Q-37. Have you ever used an electronic vapor product?

A.	Yes	670	49.23%
B.	No	691	50.77%
TOTALS		1,361	100.00%

Q-38. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	944	68.85%
B.	1 or 2 days	115	8.39%
C.	3 to 5 days	33	2.41%
D.	6 to 9 days	36	2.63%
E.	10 to 19 days	47	3.43%
F.	20 to 29 days	56	4.08%
G.	All 30 days	140	10.21%
TOTALS		1,371	100.00%

Q-39. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	1145	83.82%
B.	1 or 2 days	56	4.10%
C.	3 to 5 days	35	2.56%
D.	6 to 9 days	18	1.32%
E.	10 to 19 days	23	1.68%
F.	20 to 29 days	31	2.27%
G.	All 30 days	58	4.25%
TOTALS		1,366	100.00%

Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	950	69.60%
B.	I got or bought them from a friend, family member, or someone else	216	15.82%
C.	I bought them myself in a vape shop or tobacco shop	54	3.96%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	14	1.03%
E.	I bought them myself at a mall or shopping center kiosk or stand	2	0.15%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	7	0.51%
G.	I took them from a store or another person	7	0.51%
H.	I got them in some other way	115	8.42%
TOTALS		1,365	100.00%

Q-41. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)			
A.	I did not use an electronic vapor product during the past 30 days	945	68.93%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	8	0.58%
C.	Chocolate, candy, desserts, or other sweets	41	2.99%
D.	Fruit	241	17.58%
E.	Menthol	43	3.14%
F.	Mint	27	1.97%
G.	Tobacco	5	0.36%
H.	Some other flavor	61	4.45%
TOTALS		1,371	100.00%

Q-42. What is the main reason you have used electronic vapor products? (Select only one response.)			
A.	I have never used an electronic vapor product	753	55.08%
B.	Friend or family member used them	88	6.44%
C.	To get a high or buzz from nicotine	87	6.36%
D.	I was feeling anxious, stressed, or depressed	168	12.29%
E.	I was curious about them	159	11.63%
F.	They are less harmful than other forms of tobacco	10	0.73%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	16	1.17%
H.	I used them for some other reason	86	6.29%
TOTALS		1,367	100.00%

Q-43. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)			
A.	0 days	1261	93.27%
B.	1 or 2 days	31	2.29%
C.	3 to 5 days	14	1.04%
D.	6 to 9 days	8	0.59%
E.	10 to 19 days	12	0.89%
F.	20 to 29 days	7	0.52%
G.	All 30 days	19	1.41%
TOTALS		1,352	100.00%

Q-44. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	1276	93.14%
B.	1 or 2 days	44	3.21%
C.	3 to 5 days	20	1.46%
D.	6 to 9 days	11	0.80%
E.	10 to 19 days	7	0.51%
F.	20 to 29 days	2	0.15%
G.	All 30 days	10	0.73%
TOTALS		1,370	100.00%

Q-45. During the past 12 months, did you ever try to quit using all tobacco products?			
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	894	65.35%
B.	Yes	277	20.25%
C.	No	197	14.40%
TOTALS		1,368	100.00%

Q-46. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	565	41.64%
B.	8 years old or younger	116	8.55%
C.	9 or 10 years old	78	5.75%
D.	11 or 12 years old	122	8.99%
E.	13 or 14 years old	253	18.64%
F.	15 or 16 years old	190	14.00%
G.	17 years old or older	33	2.43%
TOTALS		1,357	100.00%

Q-47. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	942	68.81%
B.	1 or 2 days	198	14.46%
C.	3 to 5 days	99	7.23%
D.	6 to 9 days	70	5.11%
E.	10 to 19 days	33	2.41%
F.	20 to 29 days	15	1.10%
G.	All 30 days	12	0.88%
TOTALS		1,369	100.00%

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
A.	0 days	1096	80.23%
B.	1 day	78	5.71%
C.	2 days	70	5.12%
D.	3 to 5 days	64	4.69%
E.	6 to 9 days	25	1.83%
F.	10 to 19 days	16	1.17%
G.	20 or more days	17	1.24%
TOTALS		1,366	100.00%

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	935	69.62%
B.	1 or 2 drinks	136	10.13%
C.	3 drinks	43	3.20%
D.	4 drinks	36	2.68%
E.	5 drinks	32	2.38%
F.	6 or 7 drinks	49	3.65%
G.	8 or 9 drinks	37	2.76%
H.	10 or more drinks	75	5.58%
TOTALS		1,343	100.00%

Q-50. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	948	69.45%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	21	1.54%
C.	I bought it at a restaurant, bar, or club	7	0.51%
D.	I bought it at a public event such as a concert or sporting event	7	0.51%
E.	I gave someone else money to buy it for me	69	5.05%
F.	Someone gave it to me	152	11.14%
G.	I took it from a store or family member	57	4.18%
H.	I got it some other way	104	7.62%
TOTALS		1,365	100.00%

Q-51. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)			
A.	I did not drink alcohol during the past 30 days	943	69.24%
B.	Beer	120	8.81%
C.	Wine	19	1.40%
D.	Vodka	63	4.63%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	81	5.95%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	119	8.74%
G.	Some other type of alcohol	13	0.95%
TOTALS		1,362	100.00%

Q-52. During your life, how many times have you used marijuana?			
A.	0 times	851	63.22%
B.	1 or 2 times	104	7.73%
C.	3 to 9 times	91	6.76%
D.	10 to 19 times	49	3.64%
E.	20 to 39 times	50	3.71%
F.	40 to 99 times	47	3.49%
G.	100 or more times	154	11.44%
TOTALS		1,346	100.00%

Q-53. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	860	63.10%
B.	8 years old or younger	31	2.27%
C.	9 or 10 years old	33	2.42%
D.	11 or 12 years old	93	6.82%
E.	13 or 14 years old	168	12.33%
F.	15 or 16 years old	147	10.79%
G.	17 years old or older	31	2.27%
TOTALS		1,363	100.00%

Q-54. During the past 30 days, how many times did you use marijuana?			
A.	0 times	1055	77.57%
B.	1 or 2 times	90	6.62%
C.	3 to 9 times	57	4.19%
D.	10 to 19 times	36	2.65%
E.	20 to 39 times	44	3.24%
F.	40 or more times	78	5.74%
TOTALS		1,360	100.00%

Q-55. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
A.	0 times	1167	86.13%
B.	1 or 2 times	89	6.57%
C.	3 to 9 times	46	3.39%
D.	10 to 19 times	23	1.70%
E.	20 to 39 times	14	1.03%
F.	40 or more times	16	1.18%
TOTALS		1,355	100.00%

Q-56. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
A.	0 times	1297	95.02%
B.	1 or 2 times	32	2.34%
C.	3 to 9 times	14	1.03%
D.	10 to 19 times	7	0.51%
E.	20 to 39 times	2	0.15%
F.	40 or more times	13	0.95%
TOTALS		1,365	100.00%

Q-57. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
A.	0 times	1243	91.13%
B.	1 or 2 times	52	3.81%
C.	3 to 9 times	28	2.05%
D.	10 to 19 times	12	0.88%
E.	20 to 39 times	6	0.44%
F.	40 or more times	23	1.69%
TOTALS		1,364	100.00%

Q-58. During your life, how many times have you used heroin (also called smack, junk, or China White)?			
A.	0 times	1315	97.12%
B.	1 or 2 times	15	1.11%
C.	3 to 9 times	8	0.59%
D.	10 to 19 times	4	0.30%
E.	20 to 39 times	6	0.44%
F.	40 or more times	6	0.44%
TOTALS		1,354	100.00%

Q-59. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?			
A.	0 times	1325	97.14%
B.	1 or 2 times	19	1.39%
C.	3 to 9 times	5	0.37%
D.	10 to 19 times	3	0.22%
E.	20 to 39 times	4	0.29%
F.	40 or more times	8	0.59%
TOTALS		1,364	100.00%
Q-60. During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
A.	0 times	1293	94.79%
B.	1 or 2 times	33	2.42%
C.	3 to 9 times	17	1.25%
D.	10 to 19 times	4	0.29%
E.	20 to 39 times	6	0.44%
F.	40 or more times	11	0.81%
TOTALS		1,364	100.00%
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	1324	97.21%
B.	1 time	16	1.17%
C.	2 or more times	22	1.62%
TOTALS		1,362	100.00%
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	319	23.53%
B.	No	1037	76.47%
TOTALS		1,356	100.00%
Q-63. Have you ever had sexual intercourse?			
A.	Yes	599	44.34%
B.	No	752	55.66%
TOTALS		1,351	100.00%
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	763	56.60%
B.	11 years old or younger	54	4.01%
C.	12 years old	24	1.78%
D.	13 years old	55	4.08%
E.	14 years old	132	9.79%
F.	15 years old	153	11.35%
G.	16 years old	115	8.53%
H.	17 years old or older	52	3.86%
TOTALS		1,348	100.00%

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	789	58.23%
B.	1 person	225	16.61%
C.	2 people	97	7.16%
D.	3 people	78	5.76%
E.	4 people	37	2.73%
F.	5 people	38	2.80%
G.	6 or more people	91	6.72%
TOTALS		1,355	100.00%

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	776	57.23%
B.	I have had sexual intercourse, but not during the past 3 months	176	12.98%
C.	1 person	304	22.42%
D.	2 people	44	3.24%
E.	3 people	23	1.70%
F.	4 people	13	0.96%
G.	5 people	5	0.37%
H.	6 or more people	15	1.11%
TOTALS		1,356	100.00%

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	739	54.86%
B.	Yes	127	9.43%
C.	No	481	35.71%
TOTALS		1,347	100.00%

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	770	57.12%
B.	Yes	315	23.37%
C.	No	263	19.51%
TOTALS		1,348	100.00%

Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse with an opposite-sex partner	774	57.59%
B.	No method was used to prevent pregnancy	80	5.95%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	124	9.23%
D.	Condoms	208	15.48%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	59	4.39%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	22	1.64%
G.	Withdrawal or some other method	38	2.83%
H.	Not sure	39	2.90%
TOTALS		1,344	100.00%

Q-70. How do you describe your weight?			
A.	Very underweight	65	4.85%
B.	Slightly underweight	230	17.16%
C.	About the right weight	649	48.43%
D.	Slightly overweight	331	24.70%
E.	Very overweight	65	4.85%
TOTALS		1,340	100.00%

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	577	42.46%
B.	Gain weight	283	20.82%
C.	Stay the same weight	222	16.34%
D.	I am not trying to do anything about my weight	277	20.38%
TOTALS		1,359	100.00%

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	471	34.76%
B.	1 to 3 times during the past 7 days	549	40.52%
C.	4 to 6 times during the past 7 days	160	11.81%
D.	1 time per day	68	5.02%
E.	2 times per day	51	3.76%
F.	3 times per day	20	1.48%
G.	4 or more times per day	36	2.66%
TOTALS		1,355	100.00%

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	209	15.47%
B.	1 to 3 times during the past 7 days	530	39.23%
C.	4 to 6 times during the past 7 days	278	20.58%
D.	1 time per day	126	9.33%
E.	2 times per day	110	8.14%
F.	3 times per day	45	3.33%
G.	4 or more times per day	53	3.92%
TOTALS		1,351	100.00%

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	536	39.47%
B.	1 to 3 times during the past 7 days	540	39.76%
C.	4 to 6 times during the past 7 days	165	12.15%
D.	1 time per day	70	5.15%
E.	2 times per day	24	1.77%
F.	3 times per day	5	0.37%
G.	4 or more times per day	18	1.33%
TOTALS		1,358	100.00%

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	495	36.64%
B.	1 to 3 times during the past 7 days	644	47.67%
C.	4 to 6 times during the past 7 days	138	10.21%
D.	1 time per day	31	2.29%
E.	2 times per day	18	1.33%
F.	3 times per day	5	0.37%
G.	4 or more times per day	20	1.48%
TOTALS		1,351	100.00%

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	735	54.61%
B.	1 to 3 times during the past 7 days	445	33.06%
C.	4 to 6 times during the past 7 days	94	6.98%
D.	1 time per day	31	2.30%
E.	2 times per day	16	1.19%
F.	3 times per day	5	0.37%
G.	4 or more times per day	20	1.49%
TOTALS		1,346	100.00%

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	300	22.14%
B.	1 to 3 times during the past 7 days	556	41.03%
C.	4 to 6 times during the past 7 days	292	21.55%
D.	1 time per day	110	8.12%
E.	2 times per day	59	4.35%
F.	3 times per day	16	1.18%
G.	4 or more times per day	22	1.62%
TOTALS		1,355	100.00%

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	273	20.27%
B.	1 to 3 times during the past 7 days	575	42.69%
C.	4 to 6 times during the past 7 days	276	20.49%
D.	1 time per day	89	6.61%
E.	2 times per day	67	4.97%
F.	3 times per day	24	1.78%
G.	4 or more times per day	43	3.19%
TOTALS		1,347	100.00%

Q-79. During the past 7 days, on how many days did you eat breakfast?			
A.	0 days	284	21.15%
B.	1 day	156	11.62%
C.	2 days	158	11.76%
D.	3 days	142	10.57%
E.	4 days	130	9.68%
F.	5 days	104	7.74%
G.	6 days	70	5.21%
H.	7 days	299	22.26%
TOTALS		1,343	100.00%

Q-80. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)			
A.	0 days	175	12.91%
B.	1 day	92	6.78%
C.	2 days	117	8.63%
D.	3 days	138	10.18%
E.	4 days	149	10.99%
F.	5 days	206	15.19%
G.	6 days	120	8.85%
H.	7 days	359	26.47%
TOTALS		1,356	100.00%

Q-81. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)			
A.	Less than 1 hour per day	86	6.43%
B.	1 hour per day	108	8.07%
C.	2 hours per day	213	15.92%
D.	3 hours per day	254	18.98%
E.	4 hours per day	236	17.64%
F.	5 or more hours per day	441	32.96%
TOTALS		1,338	100.00%

Q-82. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	558	41.61%
B.	1 day	35	2.61%
C.	2 days	32	2.39%
D.	3 days	90	6.71%
E.	4 days	148	11.04%
F.	5 days	478	35.65%
TOTALS		1,341	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-83. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	587	43.61%
B.	1 team	298	22.14%
C.	2 teams	216	16.05%
D.	3 or more teams	245	18.20%
TOTALS		1,346	100.00%
Q-84. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	1068	79.82%
B.	1 time	146	10.91%
C.	2 times	63	4.71%
D.	3 times	36	2.69%
E.	4 or more times	25	1.87%
TOTALS		1,338	100.00%
Q-85. How often do you use social media?			
A.	I do not use social media	117	8.74%
B.	A few times a month	47	3.51%
C.	About once a week	27	2.02%
D.	A few times a week	67	5.00%
E.	About once a day	104	7.77%
F.	Several times a day	438	32.71%
G.	About once an hour	110	8.22%
H.	More than once an hour	429	32.04%
TOTALS		1,339	100.00%
Q-86. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	337	25.06%
B.	No	930	69.14%
C.	Not sure	78	5.80%
TOTALS		1,345	100.00%
Q-87. Do you still have asthma?			
A.	I have never had asthma	739	54.99%
B.	Yes	225	16.74%
C.	No	236	17.56%
D.	Not sure	144	10.71%
TOTALS		1,344	100.00%

Q-88. During the past 30 days, how many days of school did you miss because of your asthma?			
A.	I do not have asthma	952	71.04%
B.	0 days	336	25.07%
C.	1 day	24	1.79%
D.	2 days	13	0.97%
E.	3 days	5	0.37%
F.	4 days	1	0.07%
G.	5 or more days	9	0.67%
TOTALS		1,340	100.00%

Q-89. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	1026	76.06%
B.	Between 12 and 24 months ago	126	9.34%
C.	More than 24 months ago	72	5.34%
D.	Never	22	1.63%
E.	Not sure	103	7.64%
TOTALS		1,349	100.00%

Q-90. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)			
A.	Never	232	17.31%
B.	Rarely	275	20.52%
C.	Sometimes	379	28.28%
D.	Most of the time	301	22.46%
E.	Always	153	11.42%
TOTALS		1,340	100.00%

Q-91. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	153	11.44%
B.	5 hours	159	11.89%
C.	6 hours	304	22.74%
D.	7 hours	373	27.90%
E.	8 hours	246	18.40%
F.	9 hours	76	5.68%
G.	10 or more hours	26	1.94%
TOTALS		1,337	100.00%

Q-92. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	1261	94.17%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	41	3.06%
C.	In a shelter or emergency housing	9	0.67%
D.	In a motel or hotel	5	0.37%
E.	In a car, park, campground, or other public place	7	0.52%
F.	I do not have a usual place to sleep	6	0.45%
G.	Somewhere else	9	0.67%
TOTALS		1,339	100.00%

Q-93. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
A.	Yes	92 6.91%
B.	No	1240 93.09%
TOTALS		1,332 100.00%
Q-94. During the past 12 months, how would you describe your grades in school?		
A.	Mostly A's	557 42.01%
B.	Mostly B's	392 29.56%
C.	Mostly C's	219 16.52%
D.	Mostly D's	65 4.90%
E.	Mostly F's	34 2.56%
F.	None of these grades	11 0.83%
G.	Not sure	48 3.62%
TOTALS		1,326 100.00%
Q-95. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	1252 93.64%
B.	1 or 2 times	34 2.54%
C.	3 to 9 times	26 1.94%
D.	10 to 19 times	6 0.45%
E.	20 to 39 times	9 0.67%
F.	40 or more times	7 0.52%
TOTALS		1,337 100.00%
Q-96. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	232 17.43%
B.	No	1099 82.57%
TOTALS		1,331 100.00%