

2023 SOUTH EAST REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 655 high school students in South East Region during February of 2023. Frequency distributions may not total 655 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	2	0.31%
B.	13 years old	2	0.31%
C.	14 years old	88	13.54%
D.	15 years old	200	30.77%
E.	16 years old	154	23.69%
F.	17 years old	118	18.15%
G.	18 years old or older	86	13.23%
	TOTALS	650	100.00%
Q-2. What is your sex?			
A.	Female	315	48.61%
B.	Male	333	51.39%
	TOTALS	648	100.00%
Q-3. In what grade are you?			
A.	9th grade	235	36.83%
B.	10th grade	155	24.29%
C.	11th grade	124	19.44%
D.	12th grade	122	19.12%
E.	Ungraded or other grade	2	0.31%
	TOTALS	638	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	67	10.45%
B.	No	574	89.55%
	TOTALS	641	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	167	24.38%
B.	Asian	18	2.63%
C.	Black or African American	14	2.04%
D.	Native Hawaiian or Other Pacific Islander	4	0.58%
E.	White	482	70.36%
	TOTALS	685	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	18	2.75%
B.	4ft to 4 ft, 6 in	5	0.76%
C.	4ft, 7in to 5 ft	50	7.63%
D.	5ft, 1in to 5ft, 6in	275	41.98%
E.	Over 5ft, 6in	307	46.87%
TOTALS		655	100.00%

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	22	3.36%
B.	90-99 lbs	0	0.00%
C.	100-109 lbs	26	3.97%
D.	110-119lbs	59	9.01%
E.	120-129 lbs	103	15.73%
F.	130-139 lbs	76	11.60%
G.	140 lbs +	369	56.34%
TOTALS		655	100.00%

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	16	2.45%
B.	Rarely	62	9.48%
C.	Sometimes	107	16.36%
D.	Most of the time	236	36.09%
E.	Always	233	35.63%
TOTALS		654	100.00%

Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	507	77.52%
B.	1 time	52	7.95%
C.	2 or 3 times	59	9.02%
D.	4 or 5 times	8	1.22%
E.	6 or more times	28	4.28%
TOTALS		654	100.00%

Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	107	16.41%
B.	Never	24	3.68%
C.	Rarely	45	6.90%
D.	Sometimes	65	9.97%
E.	Most of the time	120	18.40%
F.	Always	291	44.63%
TOTALS		652	100.00%

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	184	28.09%
B.	0 times	427	65.19%
C.	1 time	20	3.05%
D.	2 or 3 times	11	1.68%
E.	4 or 5 times	6	0.92%
F.	6 or more times	7	1.07%
TOTALS		655	100.00%

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	156	23.85%
B.	0 days	225	34.40%
C.	1 or 2 days	81	12.39%
D.	3 to 5 days	42	6.42%
E.	6 to 9 days	26	3.98%
F.	10 to 19 days	22	3.36%
G.	20 to 29 days	31	4.74%
H.	All 30 days	71	10.86%
TOTALS		654	100.00%

Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)			
A.	I did not drive a car or other vehicle during the past 30 days	163	25.04%
B.	0 days	230	35.33%
C.	1 or 2 days	77	11.83%
D.	3 to 5 days	34	5.22%
E.	6 to 9 days	21	3.23%
F.	10 to 19 days	29	4.45%
G.	20 to 29 days	19	2.92%
H.	All 30 days	78	11.98%
TOTALS		651	100.00%

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	586	89.47%
B.	1 day	16	2.44%
C.	2 or 3 days	14	2.14%
D.	4 or 5 days	5	0.76%
E.	6 or more days	34	5.19%
TOTALS		655	100.00%

Q-15. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	577	88.23%
B.	1 day	18	2.75%
C.	2 or 3 days	23	3.52%
D.	4 or 5 days	4	0.61%
E.	6 or more days	32	4.89%
TOTALS		654	100.00%

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	580	88.96%
B.	1 day	37	5.67%
C.	2 or 3 days	25	3.83%
D.	4 or 5 days	4	0.61%
E.	6 or more days	6	0.92%
TOTALS		652	100.00%

Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	601	91.76%
B.	1 time	27	4.12%
C.	2 or 3 times	9	1.37%
D.	4 or 5 times	4	0.61%
E.	6 or 7 times	3	0.46%
F.	8 or 9 times	1	0.15%
G.	10 or 11 times	1	0.15%
H.	12 or more times	9	1.37%
TOTALS		655	100.00%

Q-18. During the past 12 months, how many times were you in a physical fight?

A.	0 times	508	77.79%
B.	1 time	63	9.65%
C.	2 or 3 times	46	7.04%
D.	4 or 5 times	14	2.14%
E.	6 or 7 times	5	0.77%
F.	8 or 9 times	2	0.31%
G.	10 or 11 times	0	0.00%
H.	12 or more times	15	2.30%
TOTALS		653	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-19. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	595	91.82%
B.	1 time	31	4.78%
C.	2 or 3 times	12	1.85%
D.	4 or 5 times	1	0.15%
E.	6 or 7 times	2	0.31%
F.	8 or 9 times	1	0.15%
G.	10 or 11 times	0	0.00%
H.	12 or more times	6	0.93%
TOTALS		648	100.00%

Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	85	12.98%
B.	No	570	87.02%
TOTALS		655	100.00%

Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	565	86.39%
B.	1 time	47	7.19%
C.	2 or 3 times	25	3.82%
D.	4 or 5 times	7	1.07%
E.	6 or more times	10	1.53%
TOTALS		654	100.00%

Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	266	41.18%
B.	0 times	331	51.24%
C.	1 time	19	2.94%
D.	2 or 3 times	13	2.01%
E.	4 or 5 times	8	1.24%
F.	6 or more times	9	1.39%
TOTALS		646	100.00%

Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	250	38.17%
B.	0 times	374	57.10%
C.	1 time	17	2.60%
D.	2 or 3 times	5	0.76%
E.	4 or 5 times	2	0.31%
F.	6 or more times	7	1.07%
TOTALS		655	100.00%

Q-24. During your life, how often have you felt that you were treated badly or unfairly in school because of your race or ethnicity?			
A.	Never	462	70.86%
B.	Rarely	91	13.96%
C.	Sometimes	66	10.12%
D.	Most of the time	20	3.07%
E.	Always	13	1.99%
TOTALS		652	100.00%
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	160	24.50%
B.	No	493	75.50%
TOTALS		653	100.00%
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	99	15.11%
B.	No	556	84.89%
TOTALS		655	100.00%
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	101	15.51%
B.	No	550	84.49%
TOTALS		651	100.00%
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	247	38.12%
B.	No	401	61.88%
TOTALS		648	100.00%
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	151	23.05%
B.	No	504	76.95%
TOTALS		655	100.00%
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	125	19.11%
B.	No	529	80.89%
TOTALS		654	100.00%
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	561	87.79%
B.	1 time	51	7.98%
C.	2 or 3 times	22	3.44%
D.	4 or 5 times	3	0.47%
E.	6 or more times	2	0.31%
TOTALS		639	100.00%

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	558	85.32%
B.	Yes	26	3.98%
C.	No	70	10.70%
TOTALS		654	100.00%

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	238	36.56%
B.	No	413	63.44%
TOTALS		651	100.00%

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	417	64.15%
B.	8 years old or younger	33	5.08%
C.	9 or 10 years old	21	3.23%
D.	11 or 12 years old	38	5.85%
E.	13 or 14 years old	67	10.31%
F.	15 or 16 years old	54	8.31%
G.	17 years old or older	20	3.08%
TOTALS		650	100.00%

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	597	91.28%
B.	1 or 2 days	36	5.50%
C.	3 to 5 days	6	0.92%
D.	6 to 9 days	9	1.38%
E.	10 to 19 days	3	0.46%
F.	20 to 29 days	0	0.00%
G.	All 30 days	3	0.46%
TOTALS		654	100.00%

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	591	90.51%
B.	Less than 1 cigarette per day	31	4.75%
C.	1 cigarette per day	17	2.60%
D.	2 to 5 cigarettes per day	7	1.07%
E.	6 to 10 cigarettes per day	4	0.61%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	3	0.46%
TOTALS		653	100.00%

Q-37. Have you ever used an electronic vapor product?

A.	Yes	283	43.74%
B.	No	364	56.26%
TOTALS		647	100.00%

Q-38. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	483	73.85%
B.	1 or 2 days	43	6.57%
C.	3 to 5 days	14	2.14%
D.	6 to 9 days	16	2.45%
E.	10 to 19 days	26	3.98%
F.	20 to 29 days	21	3.21%
G.	All 30 days	51	7.80%
TOTALS		654	100.00%

Q-39. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	539	82.54%
B.	1 or 2 days	32	4.90%
C.	3 to 5 days	12	1.84%
D.	6 to 9 days	9	1.38%
E.	10 to 19 days	20	3.06%
F.	20 to 29 days	10	1.53%
G.	All 30 days	31	4.75%
TOTALS		653	100.00%

Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	484	74.01%
B.	I got or bought them from a friend, family member, or someone else	90	13.76%
C.	I bought them myself in a vape shop or tobacco shop	11	1.68%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	8	1.22%
E.	I bought them myself at a mall or shopping center kiosk or stand	0	0.00%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	6	0.92%
G.	I took them from a store or another person	2	0.31%
H.	I got them in some other way	53	8.10%
TOTALS		654	100.00%

Q-41. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)			
A.	I did not use an electronic vapor product during the past 30 days	483	73.85%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	5	0.76%
C.	Chocolate, candy, desserts, or other sweets	9	1.38%
D.	Fruit	84	12.84%
E.	Menthol	42	6.42%
F.	Mint	2	0.31%
G.	Tobacco	1	0.15%
H.	Some other flavor	28	4.28%
TOTALS		654	100.00%

Q-42. What is the main reason you have used electronic vapor products? (Select only one response.)			
A.	I have never used an electronic vapor product	382	58.50%
B.	Friend or family member used them	36	5.51%
C.	To get a high or buzz from nicotine	48	7.35%
D.	I was feeling anxious, stressed, or depressed	81	12.40%
E.	I was curious about them	61	9.34%
F.	They are less harmful than other forms of tobacco	4	0.61%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	11	1.68%
H.	I used them for some other reason	30	4.59%
TOTALS		653	100.00%

Q-43. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)			
A.	0 days	599	92.72%
B.	1 or 2 days	10	1.55%
C.	3 to 5 days	9	1.39%
D.	6 to 9 days	9	1.39%
E.	10 to 19 days	6	0.93%
F.	20 to 29 days	3	0.46%
G.	All 30 days	10	1.55%
TOTALS		646	100.00%

Q-44. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	616	94.19%
B.	1 or 2 days	24	3.67%
C.	3 to 5 days	6	0.92%
D.	6 to 9 days	4	0.61%
E.	10 to 19 days	2	0.31%
F.	20 to 29 days	0	0.00%
G.	All 30 days	2	0.31%
TOTALS		654	100.00%

Q-45. During the past 12 months, did you ever try to quit using all tobacco products?			
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	441	67.64%
B.	Yes	120	18.40%
C.	No	91	13.96%
TOTALS		652	100.00%

Q-46. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	297	45.76%
B.	8 years old or younger	61	9.40%
C.	9 or 10 years old	37	5.70%
D.	11 or 12 years old	59	9.09%
E.	13 or 14 years old	97	14.95%
F.	15 or 16 years old	89	13.71%
G.	17 years old or older	9	1.39%
TOTALS		649	100.00%

Q-47. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	476	72.78%
B.	1 or 2 days	99	15.14%
C.	3 to 5 days	36	5.50%
D.	6 to 9 days	20	3.06%
E.	10 to 19 days	13	1.99%
F.	20 to 29 days	4	0.61%
G.	All 30 days	6	0.92%
TOTALS		654	100.00%

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
A.	0 days	541	82.72%
B.	1 day	41	6.27%
C.	2 days	35	5.35%
D.	3 to 5 days	17	2.60%
E.	6 to 9 days	8	1.22%
F.	10 to 19 days	6	0.92%
G.	20 or more days	6	0.92%
TOTALS		654	100.00%

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	471	73.02%
B.	1 or 2 drinks	66	10.23%
C.	3 drinks	13	2.02%
D.	4 drinks	11	1.71%
E.	5 drinks	18	2.79%
F.	6 or 7 drinks	19	2.95%
G.	8 or 9 drinks	13	2.02%
H.	10 or more drinks	34	5.27%
TOTALS		645	100.00%

Q-50. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	475	72.74%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	14	2.14%
C.	I bought it at a restaurant, bar, or club	4	0.61%
D.	I bought it at a public event such as a concert or sporting event	1	0.15%
E.	I gave someone else money to buy it for me	36	5.51%
F.	Someone gave it to me	60	9.19%
G.	I took it from a store or family member	14	2.14%
H.	I got it some other way	49	7.50%
TOTALS		653	100.00%

Q-51. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)			
A.	I did not drink alcohol during the past 30 days	472	73.29%
B.	Beer	65	10.09%
C.	Wine	10	1.55%
D.	Vodka	20	3.11%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	33	5.12%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	36	5.59%
G.	Some other type of alcohol	7	1.09%
TOTALS		644	100.00%

Q-52. During your life, how many times have you used marijuana?			
A.	0 times	435	67.34%
B.	1 or 2 times	55	8.51%
C.	3 to 9 times	37	5.73%
D.	10 to 19 times	24	3.72%
E.	20 to 39 times	15	2.32%
F.	40 to 99 times	25	3.87%
G.	100 or more times	55	8.51%
TOTALS		646	100.00%

Q-53. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	437	66.92%
B.	8 years old or younger	21	3.22%
C.	9 or 10 years old	10	1.53%
D.	11 or 12 years old	34	5.21%
E.	13 or 14 years old	77	11.79%
F.	15 or 16 years old	63	9.65%
G.	17 years old or older	10	1.53%
TOTALS		653	100.00%

Q-54. During the past 30 days, how many times did you use marijuana?

A.	0 times	522	80.31%
B.	1 or 2 times	41	6.31%
C.	3 to 9 times	25	3.85%
D.	10 to 19 times	23	3.54%
E.	20 to 39 times	15	2.31%
F.	40 or more times	24	3.69%
TOTALS		650	100.00%

Q-55. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?

A.	0 times	558	86.38%
B.	1 or 2 times	41	6.35%
C.	3 to 9 times	20	3.10%
D.	10 to 19 times	12	1.86%
E.	20 to 39 times	2	0.31%
F.	40 or more times	13	2.01%
TOTALS		646	100.00%

Q-56. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	625	95.71%
B.	1 or 2 times	15	2.30%
C.	3 to 9 times	6	0.92%
D.	10 to 19 times	4	0.61%
E.	20 to 39 times	0	0.00%
F.	40 or more times	3	0.46%
TOTALS		653	100.00%

Q-57. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	600	91.88%
B.	1 or 2 times	28	4.29%
C.	3 to 9 times	7	1.07%
D.	10 to 19 times	7	1.07%
E.	20 to 39 times	3	0.46%
F.	40 or more times	8	1.23%
TOTALS		653	100.00%

Q-58. During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	634	97.99%
B.	1 or 2 times	4	0.62%
C.	3 to 9 times	5	0.77%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	4	0.62%
TOTALS		647	100.00%

Q-59. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?			
A.	0 times	628	96.32%
B.	1 or 2 times	10	1.53%
C.	3 to 9 times	6	0.92%
D.	10 to 19 times	2	0.31%
E.	20 to 39 times	3	0.46%
F.	40 or more times	3	0.46%
TOTALS		652	100.00%
Q-60. During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
A.	0 times	622	95.40%
B.	1 or 2 times	13	1.99%
C.	3 to 9 times	8	1.23%
D.	10 to 19 times	6	0.92%
E.	20 to 39 times	1	0.15%
F.	40 or more times	2	0.31%
TOTALS		652	100.00%
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	633	97.38%
B.	1 time	13	2.00%
C.	2 or more times	4	0.62%
TOTALS		650	100.00%
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	141	21.63%
B.	No	511	78.37%
TOTALS		652	100.00%
Q-63. Have you ever had sexual intercourse?			
A.	Yes	252	38.95%
B.	No	395	61.05%
TOTALS		647	100.00%
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	405	62.40%
B.	11 years old or younger	21	3.24%
C.	12 years old	12	1.85%
D.	13 years old	37	5.70%
E.	14 years old	46	7.09%
F.	15 years old	65	10.02%
G.	16 years old	38	5.86%
H.	17 years old or older	25	3.85%
TOTALS		649	100.00%

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	411	63.13%
B.	1 person	94	14.44%
C.	2 people	47	7.22%
D.	3 people	31	4.76%
E.	4 people	19	2.92%
F.	5 people	14	2.15%
G.	6 or more people	35	5.38%
TOTALS		651	100.00%

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	411	63.23%
B.	I have had sexual intercourse, but not during the past 3 months	78	12.00%
C.	1 person	123	18.92%
D.	2 people	20	3.08%
E.	3 people	7	1.08%
F.	4 people	2	0.31%
G.	5 people	2	0.31%
H.	6 or more people	7	1.08%
TOTALS		650	100.00%

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	400	61.54%
B.	Yes	54	8.31%
C.	No	196	30.15%
TOTALS		650	100.00%

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	405	62.21%
B.	Yes	120	18.43%
C.	No	126	19.35%
TOTALS		651	100.00%

Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse with an opposite-sex partner	412	63.58%
B.	No method was used to prevent pregnancy	41	6.33%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	45	6.94%
D.	Condoms	86	13.27%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	16	2.47%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	14	2.16%
G.	Withdrawal or some other method	21	3.24%
H.	Not sure	13	2.01%
TOTALS		648	100.00%

Q-70. How do you describe your weight?			
A.	Very underweight	15	2.34%
B.	Slightly underweight	108	16.88%
C.	About the right weight	326	50.94%
D.	Slightly overweight	162	25.31%
E.	Very overweight	29	4.53%
TOTALS		640	100.00%

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	259	39.78%
B.	Gain weight	138	21.20%
C.	Stay the same weight	117	17.97%
D.	I am not trying to do anything about my weight	137	21.04%
TOTALS		651	100.00%

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	238	36.56%
B.	1 to 3 times during the past 7 days	267	41.01%
C.	4 to 6 times during the past 7 days	76	11.67%
D.	1 time per day	26	3.99%
E.	2 times per day	24	3.69%
F.	3 times per day	7	1.08%
G.	4 or more times per day	13	2.00%
TOTALS		651	100.00%

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	97	14.92%
B.	1 to 3 times during the past 7 days	284	43.69%
C.	4 to 6 times during the past 7 days	131	20.15%
D.	1 time per day	60	9.23%
E.	2 times per day	40	6.15%
F.	3 times per day	16	2.46%
G.	4 or more times per day	22	3.38%
TOTALS		650	100.00%

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	256	39.38%
B.	1 to 3 times during the past 7 days	273	42.00%
C.	4 to 6 times during the past 7 days	76	11.69%
D.	1 time per day	29	4.46%
E.	2 times per day	8	1.23%
F.	3 times per day	2	0.31%
G.	4 or more times per day	6	0.92%
TOTALS		650	100.00%

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A.	I did not eat potatoes during the past 7 days	212	32.72%
B.	1 to 3 times during the past 7 days	297	45.83%
C.	4 to 6 times during the past 7 days	94	14.51%
D.	1 time per day	28	4.32%
E.	2 times per day	8	1.23%
F.	3 times per day	3	0.46%
G.	4 or more times per day	6	0.93%
TOTALS		648	100.00%

Q-76. During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	355	54.95%
B.	1 to 3 times during the past 7 days	212	32.82%
C.	4 to 6 times during the past 7 days	51	7.89%
D.	1 time per day	12	1.86%
E.	2 times per day	6	0.93%
F.	3 times per day	5	0.77%
G.	4 or more times per day	5	0.77%
TOTALS		646	100.00%

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days	134	20.65%
B.	1 to 3 times during the past 7 days	268	41.29%
C.	4 to 6 times during the past 7 days	157	24.19%
D.	1 time per day	55	8.47%
E.	2 times per day	22	3.39%
F.	3 times per day	4	0.62%
G.	4 or more times per day	9	1.39%
TOTALS		649	100.00%

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	139	21.45%
B.	1 to 3 times during the past 7 days	273	42.13%
C.	4 to 6 times during the past 7 days	128	19.75%
D.	1 time per day	43	6.64%
E.	2 times per day	35	5.40%
F.	3 times per day	11	1.70%
G.	4 or more times per day	19	2.93%
TOTALS		648	100.00%

Q-79. During the past 7 days, on how many days did you eat breakfast?		
A.	0 days	107 16.51%
B.	1 day	61 9.41%
C.	2 days	95 14.66%
D.	3 days	61 9.41%
E.	4 days	54 8.33%
F.	5 days	56 8.64%
G.	6 days	48 7.41%
H.	7 days	166 25.62%
TOTALS		648 100.00%

Q-80. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)		
A.	0 days	69 10.66%
B.	1 day	33 5.10%
C.	2 days	58 8.96%
D.	3 days	68 10.51%
E.	4 days	63 9.74%
F.	5 days	108 16.69%
G.	6 days	85 13.14%
H.	7 days	163 25.19%
TOTALS		647 100.00%

Q-81. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)		
A.	Less than 1 hour per day	38 5.91%
B.	1 hour per day	41 6.38%
C.	2 hours per day	125 19.44%
D.	3 hours per day	146 22.71%
E.	4 hours per day	113 17.57%
F.	5 or more hours per day	180 27.99%
TOTALS		643 100.00%

Q-82. In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
A.	0 days	216 33.38%
B.	1 day	13 2.01%
C.	2 days	31 4.79%
D.	3 days	73 11.28%
E.	4 days	88 13.60%
F.	5 days	226 34.93%
TOTALS		647 100.00%

Q-83. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	189	29.12%
B.	1 team	179	27.58%
C.	2 teams	126	19.41%
D.	3 or more teams	155	23.88%
TOTALS		649	100.00%
Q-84. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	544	83.95%
B.	1 time	65	10.03%
C.	2 times	21	3.24%
D.	3 times	9	1.39%
E.	4 or more times	9	1.39%
TOTALS		648	100.00%
Q-85. How often do you use social media?			
A.	I do not use social media	52	8.02%
B.	A few times a month	26	4.01%
C.	About once a week	10	1.54%
D.	A few times a week	26	4.01%
E.	About once a day	44	6.79%
F.	Several times a day	247	38.12%
G.	About once an hour	50	7.72%
H.	More than once an hour	193	29.78%
TOTALS		648	100.00%
Q-86. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	129	19.94%
B.	No	466	72.02%
C.	Not sure	52	8.04%
TOTALS		647	100.00%
Q-87. Do you still have asthma?			
A.	I have never had asthma	382	59.13%
B.	Yes	89	13.78%
C.	No	105	16.25%
D.	Not sure	70	10.84%
TOTALS		646	100.00%

Q-88. During the past 30 days, how many days of school did you miss because of your asthma?			
A.	I do not have asthma	489	75.81%
B.	0 days	139	21.55%
C.	1 day	7	1.09%
D.	2 days	5	0.78%
E.	3 days	2	0.31%
F.	4 days	2	0.31%
G.	5 or more days	1	0.16%
TOTALS		645	100.00%

Q-89. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	476	73.68%
B.	Between 12 and 24 months ago	84	13.00%
C.	More than 24 months ago	39	6.04%
D.	Never	11	1.70%
E.	Not sure	36	5.57%
TOTALS		646	100.00%

Q-90. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)			
A.	Never	141	22.00%
B.	Rarely	131	20.44%
C.	Sometimes	161	25.12%
D.	Most of the time	138	21.53%
E.	Always	70	10.92%
TOTALS		641	100.00%

Q-91. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	54	8.40%
B.	5 hours	98	15.24%
C.	6 hours	145	22.55%
D.	7 hours	176	27.37%
E.	8 hours	128	19.91%
F.	9 hours	36	5.60%
G.	10 or more hours	6	0.93%
TOTALS		643	100.00%

Q-92. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	612	95.03%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	16	2.48%
C.	In a shelter or emergency housing	2	0.31%
D.	In a motel or hotel	4	0.62%
E.	In a car, park, campground, or other public place	4	0.62%
F.	I do not have a usual place to sleep	1	0.16%
G.	Somewhere else	4	0.62%
TOTALS		644	100.00%

Q-93. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
A.	Yes	30 4.69%
B.	No	608 95.15%
TOTALS		639 100.00%
Q-94. During the past 12 months, how would you describe your grades in school?		
A.	Mostly A's	271 42.61%
B.	Mostly B's	178 27.99%
C.	Mostly C's	104 16.35%
D.	Mostly D's	38 5.97%
E.	Mostly F's	12 1.89%
F.	None of these grades	4 0.63%
G.	Not sure	29 4.56%
TOTALS		636 100.00%
Q-95. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	610 94.87%
B.	1 or 2 times	21 3.27%
C.	3 to 9 times	6 0.93%
D.	10 to 19 times	4 0.62%
E.	20 to 39 times	1 0.16%
F.	40 or more times	1 0.16%
TOTALS		643 100.00%
Q-96. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	108 16.82%
B.	No	534 83.18%
TOTALS		642 100.00%