

2023 WEST REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,184 high school students in West Region during February of 2023. Frequency distributions may not total 1,184 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	3	0.25%
B.	13 years old	1	0.08%
C.	14 years old	168	14.21%
D.	15 years old	345	29.19%
E.	16 years old	284	24.03%
F.	17 years old	247	20.90%
G.	18 years old or older	134	11.34%
	TOTALS	1,182	100.00%
Q-2. What is your sex?			
A.	Female	606	51.36%
B.	Male	574	48.64%
	TOTALS	1,180	100.00%
Q-3. In what grade are you?			
A.	9th grade	390	33.42%
B.	10th grade	291	24.94%
C.	11th grade	252	21.59%
D.	12th grade	228	19.54%
E.	Ungraded or other grade	6	0.51%
	TOTALS	1,167	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	97	8.26%
B.	No	1078	91.74%
	TOTALS	1,175	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	186	15.21%
B.	Asian	36	2.94%
C.	Black or African American	24	1.96%
D.	Native Hawaiian or Other Pacific Islander	11	0.90%
E.	White	966	78.99%
	TOTALS	1,223	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	18	1.52%
B.	4ft to 4 ft, 6 in	9	0.76%
C.	4ft, 7in to 5 ft	53	4.48%
D.	5ft, 1in to 5ft, 6in	541	45.69%
E.	Over 5ft, 6in	563	47.55%
TOTALS		1,184	100.00%

Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	25	2.11%
B.	90-99 lbs	4	0.34%
C.	100-109 lbs	56	4.73%
D.	110-119lbs	108	9.12%
E.	120-129 lbs	172	14.53%
F.	130-139 lbs	163	13.77%
G.	140 lbs +	656	55.41%
TOTALS		1,184	100.00%

Q-8. How often do you wear a seat belt when riding in a car driven by someone else?			
A.	Never	27	2.29%
B.	Rarely	61	5.17%
C.	Sometimes	137	11.60%
D.	Most of the time	352	29.81%
E.	Always	604	51.14%
TOTALS		1,181	100.00%

Q-9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	927	78.89%
B.	1 time	101	8.60%
C.	2 or 3 times	85	7.23%
D.	4 or 5 times	14	1.19%
E.	6 or more times	48	4.09%
TOTALS		1,175	100.00%

Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	289	24.68%
B.	Never	22	1.88%
C.	Rarely	34	2.90%
D.	Sometimes	74	6.32%
E.	Most of the time	137	11.70%
F.	Always	615	52.52%
TOTALS		1,171	100.00%

Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	421	35.59%
B.	0 times	711	60.10%
C.	1 time	28	2.37%
D.	2 or 3 times	9	0.76%
E.	4 or 5 times	3	0.25%
F.	6 or more times	11	0.93%
TOTALS		1,183	100.00%

Q-12. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	367	31.13%
B.	0 days	380	32.23%
C.	1 or 2 days	130	11.03%
D.	3 to 5 days	69	5.85%
E.	6 to 9 days	47	3.99%
F.	10 to 19 days	48	4.07%
G.	20 to 29 days	31	2.63%
H.	All 30 days	107	9.08%
TOTALS		1,179	100.00%

Q-13. During the past 30 days, on how many days did you use the Internet or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? (Do not count using your cell phone to get driving directions or to determine your location.)			
A.	I did not drive a car or other vehicle during the past 30 days	365	30.96%
B.	0 days	417	35.37%
C.	1 or 2 days	114	9.67%
D.	3 to 5 days	54	4.58%
E.	6 to 9 days	31	2.63%
F.	10 to 19 days	35	2.97%
G.	20 to 29 days	41	3.48%
H.	All 30 days	122	10.35%
TOTALS		1,179	100.00%

Q-14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	1057	89.42%
B.	1 day	27	2.28%
C.	2 or 3 days	23	1.95%
D.	4 or 5 days	8	0.68%
E.	6 or more days	67	5.67%
TOTALS		1,182	100.00%

Q-15. During the past 12 months, on how many days did you carry a gun? (Do not count the days when you carried a gun only for hunting or for a sport, such as target shooting.)

A.	0 days	1079	91.52%
B.	1 day	20	1.70%
C.	2 or 3 days	29	2.46%
D.	4 or 5 days	9	0.76%
E.	6 or more days	42	3.56%
TOTALS		1,179	100.00%

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	1077	91.50%
B.	1 day	44	3.74%
C.	2 or 3 days	37	3.14%
D.	4 or 5 days	6	0.51%
E.	6 or more days	13	1.10%
TOTALS		1,177	100.00%

Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	1100	93.14%
B.	1 time	37	3.13%
C.	2 or 3 times	20	1.69%
D.	4 or 5 times	7	0.59%
E.	6 or 7 times	4	0.34%
F.	8 or 9 times	1	0.08%
G.	10 or 11 times	1	0.08%
H.	12 or more times	11	0.93%
TOTALS		1,181	100.00%

Q-18. During the past 12 months, how many times were you in a physical fight?

A.	0 times	972	82.51%
B.	1 time	107	9.08%
C.	2 or 3 times	57	4.84%
D.	4 or 5 times	18	1.53%
E.	6 or 7 times	7	0.59%
F.	8 or 9 times	1	0.08%
G.	10 or 11 times	2	0.17%
H.	12 or more times	14	1.19%
TOTALS		1,178	100.00%

CAUTION! Please use this information carefully. Depending on sample size and procedures, the information contained in this report may or may not be representative of the entire student enrollment for the school.

Q-19. During the past 12 months, how many times were you in a physical fight on school property?			
A.	0 times	1095	93.43%
B.	1 time	42	3.58%
C.	2 or 3 times	21	1.79%
D.	4 or 5 times	4	0.34%
E.	6 or 7 times	2	0.17%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	8	0.68%
TOTALS		1,172	100.00%

Q-20. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	163	13.78%
B.	No	1020	86.22%
TOTALS		1,183	100.00%

Q-21. During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	0 times	1018	86.13%
B.	1 time	84	7.11%
C.	2 or 3 times	52	4.40%
D.	4 or 5 times	8	0.68%
E.	6 or more times	20	1.69%
TOTALS		1,182	100.00%

Q-22. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	481	40.94%
B.	0 times	602	51.23%
C.	1 time	39	3.32%
D.	2 or 3 times	27	2.30%
E.	4 or 5 times	8	0.68%
F.	6 or more times	18	1.53%
TOTALS		1,175	100.00%

Q-23. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	477	40.36%
B.	0 times	646	54.65%
C.	1 time	26	2.20%
D.	2 or 3 times	13	1.10%
E.	4 or 5 times	5	0.42%
F.	6 or more times	15	1.27%
TOTALS		1,182	100.00%

Q-24. During your life, how often have you felt that you were treated badly or unfairly in school because of your race or ethnicity?			
A.	Never	891	75.51%
B.	Rarely	143	12.12%
C.	Sometimes	90	7.63%
D.	Most of the time	26	2.20%
E.	Always	30	2.54%
TOTALS		1,180	100.00%
Q-25. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	279	23.85%
B.	No	891	76.15%
TOTALS		1,170	100.00%
Q-26. During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)			
A.	Yes	218	18.47%
B.	No	962	81.53%
TOTALS		1,180	100.00%
Q-27. During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	199	16.92%
B.	No	977	83.08%
TOTALS		1,176	100.00%
Q-28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	451	38.68%
B.	No	715	61.32%
TOTALS		1,166	100.00%
Q-29. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	276	23.43%
B.	No	902	76.57%
TOTALS		1,178	100.00%
Q-30. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	221	18.76%
B.	No	957	81.24%
TOTALS		1,178	100.00%
Q-31. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	1023	87.66%
B.	1 time	91	7.80%
C.	2 or 3 times	35	3.00%
D.	4 or 5 times	10	0.86%
E.	6 or more times	8	0.69%
TOTALS		1,167	100.00%

Q-32. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide during the past 12 months	1003	85.14%
B.	Yes	53	4.50%
C.	No	122	10.36%
TOTALS		1,178	100.00%

Q-33. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	313	26.55%
B.	No	866	73.45%
TOTALS		1,179	100.00%

Q-34. How old were you when you first tried cigarette smoking, even one or two puffs?

A.	I have never tried cigarette smoking, not even one or two puffs	868	73.56%
B.	8 years old or younger	57	4.83%
C.	9 or 10 years old	25	2.12%
D.	11 or 12 years old	58	4.92%
E.	13 or 14 years old	77	6.53%
F.	15 or 16 years old	76	6.44%
G.	17 years old or older	19	1.61%
TOTALS		1,180	100.00%

Q-35. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	1096	92.72%
B.	1 or 2 days	42	3.55%
C.	3 to 5 days	14	1.18%
D.	6 to 9 days	9	0.76%
E.	10 to 19 days	3	0.25%
F.	20 to 29 days	4	0.34%
G.	All 30 days	14	1.18%
TOTALS		1,182	100.00%

Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	1087	92.28%
B.	Less than 1 cigarette per day	46	3.90%
C.	1 cigarette per day	17	1.44%
D.	2 to 5 cigarettes per day	19	1.61%
E.	6 to 10 cigarettes per day	2	0.17%
F.	11 to 20 cigarettes per day	1	0.08%
G.	More than 20 cigarettes per day	6	0.51%
TOTALS		1,178	100.00%

Q-37. Have you ever used an electronic vapor product?

A.	Yes	463	39.78%
B.	No	701	60.22%
TOTALS		1,164	100.00%

Q-38. During the past 30 days, on how many days did you use an electronic vapor product?			
A.	0 days	909	77.16%
B.	1 or 2 days	88	7.47%
C.	3 to 5 days	32	2.72%
D.	6 to 9 days	26	2.21%
E.	10 to 19 days	22	1.87%
F.	20 to 29 days	29	2.46%
G.	All 30 days	72	6.11%
TOTALS		1,178	100.00%

Q-39. During the past 30 days, on how many days did you use an electronic vapor product on school property?			
A.	0 days	1049	89.20%
B.	1 or 2 days	35	2.98%
C.	3 to 5 days	14	1.19%
D.	6 to 9 days	7	0.60%
E.	10 to 19 days	21	1.79%
F.	20 to 29 days	15	1.28%
G.	All 30 days	35	2.98%
TOTALS		1,176	100.00%

Q-40. During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)			
A.	I did not use any electronic vapor products during the past 30 days	921	78.45%
B.	I got or bought them from a friend, family member, or someone else	152	12.95%
C.	I bought them myself in a vape shop or tobacco shop	21	1.79%
D.	I bought them myself in a convenience store, supermarket, discount store, or gas station	8	0.68%
E.	I bought them myself at a mall or shopping center kiosk or stand	1	0.09%
F.	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	8	0.68%
G.	I took them from a store or another person	5	0.43%
H.	I got them in some other way	58	4.94%
TOTALS		1,174	100.00%

Q-41. During the past 30 days, what flavor of electronic vapor product did you use most often? (Select only one response.)			
A.	I did not use an electronic vapor product during the past 30 days	923	78.29%
B.	Alcoholic drinks (such as wine, margarita, or other cocktails)	6	0.51%
C.	Chocolate, candy, desserts, or other sweets	14	1.19%
D.	Fruit	156	13.23%
E.	Menthol	37	3.14%
F.	Mint	9	0.76%
G.	Tobacco	3	0.25%
H.	Some other flavor	31	2.63%
TOTALS		1,179	100.00%

Q-42. What is the main reason you have used electronic vapor products? (Select only one response.)			
A.	I have never used an electronic vapor product	736	62.53%
B.	Friend or family member used them	79	6.71%
C.	To get a high or buzz from nicotine	74	6.29%
D.	I was feeling anxious, stressed, or depressed	108	9.18%
E.	I was curious about them	114	9.69%
F.	They are less harmful than other forms of tobacco	7	0.59%
G.	They are available in flavors, such as mint, candy, fruit, or chocolate	9	0.76%
H.	I used them for some other reason	50	4.25%
TOTALS		1,177	100.00%

Q-43. During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus? (Do not count any electronic vapor products.)			
A.	0 days	1108	95.03%
B.	1 or 2 days	23	1.97%
C.	3 to 5 days	9	0.77%
D.	6 to 9 days	5	0.43%
E.	10 to 19 days	8	0.69%
F.	20 to 29 days	3	0.26%
G.	All 30 days	10	0.86%
TOTALS		1,166	100.00%

Q-44. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	1127	95.27%
B.	1 or 2 days	28	2.37%
C.	3 to 5 days	6	0.51%
D.	6 to 9 days	9	0.76%
E.	10 to 19 days	9	0.76%
F.	20 to 29 days	1	0.08%
G.	All 30 days	3	0.25%
TOTALS		1,183	100.00%

Q-45. During the past 12 months, did you ever try to quit using all tobacco products?			
A.	I did not use cigarettes, electronic vapor products, smokeless tobacco, cigars, shisha or hookah tobacco, or pipe tobacco during the past 12 months	866	73.51%
B.	Yes	184	15.62%
C.	No	128	10.87%
TOTALS		1,178	100.00%

Q-46. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	553	47.18%
B.	8 years old or younger	82	7.00%
C.	9 or 10 years old	66	5.63%
D.	11 or 12 years old	86	7.34%
E.	13 or 14 years old	213	18.17%
F.	15 or 16 years old	145	12.37%
G.	17 years old or older	27	2.30%
TOTALS		1,172	100.00%

Q-47. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	874	74.13%
B.	1 or 2 days	158	13.40%
C.	3 to 5 days	73	6.19%
D.	6 to 9 days	36	3.05%
E.	10 to 19 days	21	1.78%
F.	20 to 29 days	8	0.68%
G.	All 30 days	9	0.76%
TOTALS		1,179	100.00%

Q-48. During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
A.	0 days	1003	85.14%
B.	1 day	73	6.20%
C.	2 days	37	3.14%
D.	3 to 5 days	31	2.63%
E.	6 to 9 days	16	1.36%
F.	10 to 19 days	5	0.42%
G.	20 or more days	13	1.10%
TOTALS		1,178	100.00%

Q-49. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	883	75.53%
B.	1 or 2 drinks	112	9.58%
C.	3 drinks	25	2.14%
D.	4 drinks	26	2.22%
E.	5 drinks	31	2.65%
F.	6 or 7 drinks	30	2.57%
G.	8 or 9 drinks	20	1.71%
H.	10 or more drinks	42	3.59%
TOTALS		1,169	100.00%

Q-50. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	886	75.08%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	11	0.93%
C.	I bought it at a restaurant, bar, or club	4	0.34%
D.	I bought it at a public event such as a concert or sporting event	1	0.08%
E.	I gave someone else money to buy it for me	47	3.98%
F.	Someone gave it to me	133	11.27%
G.	I took it from a store or family member	36	3.05%
H.	I got it some other way	62	5.25%
TOTALS		1,180	100.00%

Q-51. During the past 30 days, what type of alcohol did you drink most often? (Select only one response.)			
A.	I did not drink alcohol during the past 30 days	876	74.74%
B.	Beer	86	7.34%
C.	Wine	17	1.45%
D.	Vodka	36	3.07%
E.	Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila	59	5.03%
F.	Flavored alcoholic beverages, such as hard seltzer, Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, or hard apple cider	74	6.31%
G.	Some other type of alcohol	23	1.96%
TOTALS		1,172	100.00%

Q-52. During your life, how many times have you used marijuana?			
A.	0 times	814	69.45%
B.	1 or 2 times	87	7.42%
C.	3 to 9 times	68	5.80%
D.	10 to 19 times	41	3.50%
E.	20 to 39 times	38	3.24%
F.	40 to 99 times	32	2.73%
G.	100 or more times	92	7.85%
TOTALS		1,172	100.00%

Q-53. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	816	69.04%
B.	8 years old or younger	22	1.86%
C.	9 or 10 years old	17	1.44%
D.	11 or 12 years old	56	4.74%
E.	13 or 14 years old	131	11.08%
F.	15 or 16 years old	118	9.98%
G.	17 years old or older	22	1.86%
TOTALS		1,182	100.00%

Q-54. During the past 30 days, how many times did you use marijuana?			
A.	0 times	979	83.04%
B.	1 or 2 times	52	4.41%
C.	3 to 9 times	54	4.58%
D.	10 to 19 times	22	1.87%
E.	20 to 39 times	26	2.21%
F.	40 or more times	46	3.90%
TOTALS		1,179	100.00%

Q-55. During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
A.	0 times	1025	87.68%
B.	1 or 2 times	64	5.47%
C.	3 to 9 times	37	3.17%
D.	10 to 19 times	15	1.28%
E.	20 to 39 times	7	0.60%
F.	40 or more times	21	1.80%
TOTALS		1,169	100.00%

Q-56. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
A.	0 times	1142	96.70%
B.	1 or 2 times	17	1.44%
C.	3 to 9 times	9	0.76%
D.	10 to 19 times	1	0.08%
E.	20 to 39 times	1	0.08%
F.	40 or more times	11	0.93%
TOTALS		1,181	100.00%

Q-57. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
A.	0 times	1085	91.79%
B.	1 or 2 times	58	4.91%
C.	3 to 9 times	17	1.44%
D.	10 to 19 times	7	0.59%
E.	20 to 39 times	2	0.17%
F.	40 or more times	13	1.10%
TOTALS		1,182	100.00%

Q-58. During your life, how many times have you used heroin (also called smack, junk, or China White)?			
A.	0 times	1153	98.13%
B.	1 or 2 times	8	0.68%
C.	3 to 9 times	4	0.34%
D.	10 to 19 times	2	0.17%
E.	20 to 39 times	0	0.00%
F.	40 or more times	8	0.68%
TOTALS		1,175	100.00%

Q-59. During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?			
A.	0 times	1156	97.97%
B.	1 or 2 times	5	0.42%
C.	3 to 9 times	7	0.59%
D.	10 to 19 times	2	0.17%
E.	20 to 39 times	4	0.34%
F.	40 or more times	6	0.51%
TOTALS		1,180	100.00%
Q-60. During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
A.	0 times	1140	96.61%
B.	1 or 2 times	15	1.27%
C.	3 to 9 times	11	0.93%
D.	10 to 19 times	8	0.68%
E.	20 to 39 times	1	0.08%
F.	40 or more times	5	0.42%
TOTALS		1,180	100.00%
Q-61. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	1149	97.79%
B.	1 time	13	1.11%
C.	2 or more times	13	1.11%
TOTALS		1,175	100.00%
Q-62. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	288	24.49%
B.	No	888	75.51%
TOTALS		1,176	100.00%
Q-63. Have you ever had sexual intercourse?			
A.	Yes	459	39.13%
B.	No	714	60.87%
TOTALS		1,173	100.00%
Q-64. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	733	62.60%
B.	11 years old or younger	39	3.33%
C.	12 years old	19	1.62%
D.	13 years old	58	4.95%
E.	14 years old	88	7.51%
F.	15 years old	116	9.91%
G.	16 years old	78	6.66%
H.	17 years old or older	40	3.42%
TOTALS		1,171	100.00%

Q-65. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	752	63.84%
B.	1 person	163	13.84%
C.	2 people	87	7.39%
D.	3 people	53	4.50%
E.	4 people	37	3.14%
F.	5 people	25	2.12%
G.	6 or more people	61	5.18%
TOTALS		1,178	100.00%

Q-66. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	752	63.95%
B.	I have had sexual intercourse, but not during the past 3 months	145	12.33%
C.	1 person	210	17.86%
D.	2 people	35	2.98%
E.	3 people	15	1.28%
F.	4 people	7	0.60%
G.	5 people	4	0.34%
H.	6 or more people	8	0.68%
TOTALS		1,176	100.00%

Q-67. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	722	61.45%
B.	Yes	79	6.72%
C.	No	374	31.83%
TOTALS		1,175	100.00%

Q-68. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	753	64.25%
B.	Yes	257	21.93%
C.	No	162	13.82%
TOTALS		1,172	100.00%

Q-69. The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse with an opposite-sex partner	752	64.11%
B.	No method was used to prevent pregnancy	64	5.46%
C.	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	74	6.31%
D.	Condoms	178	15.17%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	47	4.01%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	17	1.45%
G.	Withdrawal or some other method	22	1.88%
H.	Not sure	19	1.62%
TOTALS		1,173	100.00%

Q-70. How do you describe your weight?			
A.	Very underweight	39	3.35%
B.	Slightly underweight	184	15.81%
C.	About the right weight	597	51.29%
D.	Slightly overweight	284	24.40%
E.	Very overweight	60	5.15%
TOTALS		1,164	100.00%

Q-71. Which of the following are you trying to do about your weight?			
A.	Lose weight	461	39.33%
B.	Gain weight	245	20.90%
C.	Stay the same weight	210	17.92%
D.	I am not trying to do anything about my weight	256	21.84%
TOTALS		1,172	100.00%

Q-72. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	410	34.83%
B.	1 to 3 times during the past 7 days	507	43.08%
C.	4 to 6 times during the past 7 days	143	12.15%
D.	1 time per day	45	3.82%
E.	2 times per day	38	3.23%
F.	3 times per day	13	1.10%
G.	4 or more times per day	21	1.78%
TOTALS		1,177	100.00%

Q-73. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	140	11.96%
B.	1 to 3 times during the past 7 days	441	37.66%
C.	4 to 6 times during the past 7 days	297	25.36%
D.	1 time per day	111	9.48%
E.	2 times per day	93	7.94%
F.	3 times per day	37	3.16%
G.	4 or more times per day	52	4.44%
TOTALS		1,171	100.00%

Q-74. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	412	35.00%
B.	1 to 3 times during the past 7 days	513	43.59%
C.	4 to 6 times during the past 7 days	137	11.64%
D.	1 time per day	66	5.61%
E.	2 times per day	26	2.21%
F.	3 times per day	8	0.68%
G.	4 or more times per day	15	1.27%
TOTALS		1,177	100.00%

Q-75. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	383	32.51%
B.	1 to 3 times during the past 7 days	585	49.66%
C.	4 to 6 times during the past 7 days	132	11.21%
D.	1 time per day	39	3.31%
E.	2 times per day	15	1.27%
F.	3 times per day	3	0.25%
G.	4 or more times per day	21	1.78%
TOTALS		1,178	100.00%

Q-76. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	565	48.17%
B.	1 to 3 times during the past 7 days	437	37.25%
C.	4 to 6 times during the past 7 days	92	7.84%
D.	1 time per day	33	2.81%
E.	2 times per day	23	1.96%
F.	3 times per day	7	0.60%
G.	4 or more times per day	16	1.36%
TOTALS		1,173	100.00%

Q-77. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	212	17.98%
B.	1 to 3 times during the past 7 days	478	40.54%
C.	4 to 6 times during the past 7 days	285	24.17%
D.	1 time per day	102	8.65%
E.	2 times per day	71	6.02%
F.	3 times per day	10	0.85%
G.	4 or more times per day	21	1.78%
TOTALS		1,179	100.00%

Q-78. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)			
A.	I did not drink soda or pop during the past 7 days	290	24.70%
B.	1 to 3 times during the past 7 days	497	42.33%
C.	4 to 6 times during the past 7 days	232	19.76%
D.	1 time per day	66	5.62%
E.	2 times per day	43	3.66%
F.	3 times per day	19	1.62%
G.	4 or more times per day	27	2.30%
TOTALS		1,174	100.00%

Q-79. During the past 7 days, on how many days did you eat breakfast?			
A.	0 days	235	20.00%
B.	1 day	113	9.62%
C.	2 days	136	11.57%
D.	3 days	111	9.45%
E.	4 days	97	8.26%
F.	5 days	87	7.40%
G.	6 days	82	6.98%
H.	7 days	314	26.72%
TOTALS		1,175	100.00%

Q-80. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)			
A.	0 days	146	12.39%
B.	1 day	58	4.92%
C.	2 days	89	7.56%
D.	3 days	129	10.95%
E.	4 days	130	11.04%
F.	5 days	181	15.37%
G.	6 days	128	10.87%
H.	7 days	317	26.91%
TOTALS		1,178	100.00%

Q-81. On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")? (Do not count time spent doing schoolwork.)			
A.	Less than 1 hour per day	61	5.23%
B.	1 hour per day	90	7.72%
C.	2 hours per day	187	16.04%
D.	3 hours per day	271	23.24%
E.	4 hours per day	239	20.50%
F.	5 or more hours per day	318	27.27%
TOTALS		1,166	100.00%

Q-82. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	466	39.80%
B.	1 day	27	2.31%
C.	2 days	58	4.95%
D.	3 days	134	11.44%
E.	4 days	171	14.60%
F.	5 days	315	26.90%
TOTALS		1,171	100.00%

Q-83. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	437	37.25%
B.	1 team	272	23.19%
C.	2 teams	225	19.18%
D.	3 or more teams	239	20.38%
TOTALS		1,173	100.00%
Q-84. During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
A.	0 times	956	81.64%
B.	1 time	120	10.25%
C.	2 times	52	4.44%
D.	3 times	13	1.11%
E.	4 or more times	30	2.56%
TOTALS		1,171	100.00%
Q-85. How often do you use social media?			
A.	I do not use social media	131	11.13%
B.	A few times a month	42	3.57%
C.	About once a week	24	2.04%
D.	A few times a week	52	4.42%
E.	About once a day	88	7.48%
F.	Several times a day	430	36.53%
G.	About once an hour	95	8.07%
H.	More than once an hour	315	26.76%
TOTALS		1,177	100.00%
Q-86. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	226	19.30%
B.	No	862	73.61%
C.	Not sure	83	7.09%
TOTALS		1,171	100.00%
Q-87. Do you still have asthma?			
A.	I have never had asthma	670	57.26%
B.	Yes	158	13.50%
C.	No	224	19.15%
D.	Not sure	118	10.09%
TOTALS		1,170	100.00%

Q-88. During the past 30 days, how many days of school did you miss because of your asthma?			
A.	I do not have asthma	910	77.84%
B.	0 days	226	19.33%
C.	1 day	11	0.94%
D.	2 days	7	0.60%
E.	3 days	8	0.68%
F.	4 days	0	0.00%
G.	5 or more days	7	0.60%
TOTALS		1,169	100.00%

Q-89. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
A.	During the past 12 months	885	75.26%
B.	Between 12 and 24 months ago	119	10.12%
C.	More than 24 months ago	68	5.78%
D.	Never	13	1.11%
E.	Not sure	91	7.74%
TOTALS		1,176	100.00%

Q-90. During the past 30 days, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)			
A.	Never	227	19.42%
B.	Rarely	247	21.13%
C.	Sometimes	324	27.72%
D.	Most of the time	252	21.56%
E.	Always	119	10.18%
TOTALS		1,169	100.00%

Q-91. On an average school night, how many hours of sleep do you get?			
A.	4 or less hours	101	8.66%
B.	5 hours	149	12.78%
C.	6 hours	261	22.38%
D.	7 hours	303	25.99%
E.	8 hours	262	22.47%
F.	9 hours	71	6.09%
G.	10 or more hours	19	1.63%
TOTALS		1,166	100.00%

Q-92. During the past 30 days, where did you usually sleep?			
A.	In my parent's or guardian's home	1123	95.74%
B.	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	23	1.96%
C.	In a shelter or emergency housing	12	1.02%
D.	In a motel or hotel	3	0.26%
E.	In a car, park, campground, or other public place	4	0.34%
F.	I do not have a usual place to sleep	3	0.26%
G.	Somewhere else	5	0.43%
TOTALS		1,173	100.00%

Q-93. During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
A.	Yes	65 5.58%
B.	No	1100 94.42%
TOTALS		1,165 100.00%
Q-94. During the past 12 months, how would you describe your grades in school?		
A.	Mostly A's	560 48.03%
B.	Mostly B's	362 31.05%
C.	Mostly C's	154 13.21%
D.	Mostly D's	32 2.74%
E.	Mostly F's	20 1.72%
F.	None of these grades	3 0.26%
G.	Not sure	35 3.00%
TOTALS		1,166 100.00%
Q-95. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)		
A.	0 times	1118 95.31%
B.	1 or 2 times	34 2.90%
C.	3 to 9 times	12 1.02%
D.	10 to 19 times	3 0.26%
E.	20 to 39 times	1 0.09%
F.	40 or more times	5 0.43%
TOTALS		1,173 100.00%
Q-96. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?		
A.	Yes	213 18.22%
B.	No	956 81.78%
TOTALS		1,169 100.00%