


# Percentage of High School Students Who Ever Had Sexual Intercourse, by Sex, Grade,\* and Race/Ethnicity,\* 2023




\*10th > 9th, 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th, 12th > 11th; H > A, H > N, H > W, N > A, N > W, W > A (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.


This graph contains weighted results.

# Percentage of High School Students Who Ever Had Sexual Intercourse, 2003-2023\*



\*Decreased 2003-2023, increased 2003-2011, decreased 2011-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]  
This graph contains weighted results.

# Percentage of High School Students Who Had Sexual Intercourse for the First Time Before Age 13 Years, by Sex, Grade, and Race/Ethnicity,\* 2023




\*H > A, H > N, H > W, N > A, W > A (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.


This graph contains weighted results.

# Percentage of High School Students Who Had Sexual Intercourse for the First Time Before Age 13 Years, 2003-2023\*




\*Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).] This graph contains weighted results.

# Percentage of High School Students Who Had Sexual Intercourse with Four or More Persons During Their Life, by Sex, Grade,\* and Race/Ethnicity,\* 2023




\*10th > 9th, 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th, 12th > 11th; H > A, H > W, N > W (Based on t-test analysis, p < 0.05.)  
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.  
 Missing bar indicates fewer than 30 students in the subgroup.  
 This graph contains weighted results.

# Percentage of High School Students Who Had Sexual Intercourse with Four or More Persons During Their Life, 2003-2023\*



\*Decreased 2003-2023, no change 2003-2011, decreased 2011-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]  
This graph contains weighted results.

# Percentage of High School Students Who Were Currently Sexually Active,\* by Sex,† Grade,† and Race/Ethnicity,† 2023



\*Had sexual intercourse with at least one person, during the 3 months before the survey


†F > M; 10th > 9th, 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th, 12th > 11th; H > A, H > N, H > W (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

# Percentage of High School Students Who Were Currently Sexually Active,\* 2003-2023†




\*Had sexual intercourse with at least one person, during the 3 months before the survey

†Decreased 2003-2023, increased 2003-2011, decreased 2011-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.



# Percentage of High School Students Who Drank Alcohol or Used Drugs Before Last Sexual Intercourse,\* by Sex, Grade, and Race/Ethnicity,† 2023



\*Among students who were currently sexually active


†H > W (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

# Percentage of High School Students Who Drank Alcohol or Used Drugs Before Last Sexual Intercourse,\* 2003-2023†




\*Among students who were currently sexually active

†Decreased 2003-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Used a Condom During Last Sexual Intercourse,\* by Sex,† Grade,‡ and Race/Ethnicity, 2023



\*Among students who were currently sexually active


†M > F; 9th > 11th, 9th > 12th, 10th > 12th (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

# Percentage of High School Students Who Used a Condom During Last Sexual Intercourse,\* 2003-2023†




\*Among students who were currently sexually active

†Decreased 2003-2023, increased 2003-2009, decreased 2009-2023 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

This graph contains weighted results.

# Percentage of High School Students Who Used Birth Control Pills Before Last Sexual Intercourse with Opposite-Sex Partner,\* by Sex, Grade,† and Race/Ethnicity,† 2023



\*To prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active


†11th > 9th, 12th > 9th, 12th > 10th; W > H, W > N (Based on t-test analysis,  $p < 0.05$ .)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.


This graph contains weighted results.

# Percentage of High School Students Who Used Birth Control Pills Before Last Sexual Intercourse with Opposite-Sex Partner,\* 2021-2023†



\*To prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active  
†No change 2021-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]  
This graph contains weighted results.

# Percentage of High School Students Who Used an IUD (Such As Mirena or Paragard) or Implant (Such As Implanon or Nexplanon) Before Last Sexual Intercourse with an Opposite-Sex Partner,\* by Sex,<sup>†</sup> Grade,<sup>†</sup> and Race/Ethnicity, 2023



\*Before last sexual intercourse to prevent pregnancy, among students who were currently sexually active


<sup>†</sup>F > M; 10th > 9th, 11th > 9th, 12th > 9th (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

# Percentage of High School Students Who Used an IUD (Such As Mirena or Paragard) or Implant (Such As Implanon or Nexplanon) Before Last Sexual Intercourse with an Opposite-Sex Partner,\* 2021-2023†




\*Before last sexual intercourse to prevent pregnancy, among students who were currently sexually active

†No change 2021-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]

This graph contains weighted results.




# Percentage of High School Students Who Used Birth Control Pills; an IUD or Implant; or a Shot, Patch, or Birth Control Ring Before Last Sexual Intercourse with an Opposite-Sex Partner,\* by Sex,† Grade,‡ and Race/Ethnicity, 2023



\*Before last sexual intercourse to prevent pregnancy, among students who were currently sexually active  
 †F > M; 10th > 9th, 11th > 9th, 11th > 10th, 12th > 9th, 12th > 10th (Based on t-test analysis, p < 0.05.)  
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.  
 Missing bar indicates fewer than 30 students in the subgroup.  
 This graph contains weighted results.

# Percentage of High School Students Who Used Birth Control Pills; an IUD or Implant; or a Shot, Patch, or Birth Control Ring Before Last Sexual Intercourse with an Opposite-Sex Partner,\* 2021-2023†




\*Before last sexual intercourse to prevent pregnancy, among students who were currently sexually active

†No change 2021-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]

This graph contains weighted results.

# Percentage of High School Students Who Used Both a Condom During Last Sexual Intercourse and Birth Control Pills; an IUD or Implant; or a Shot, Patch, or Birth Control Ring Before Last Sexual Intercourse with an Opposite-Sex Partner,\* by Sex, Grade, and Race/Ethnicity,† 2023



\*To prevent pregnancy, among students who were currently sexually active


†N > H, N > W, W > H (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

Missing bar indicates fewer than 30 students in the subgroup.

This graph contains weighted results.

# Percentage of High School Students Who Used Both a Condom During Last Sexual Intercourse and Birth Control Pills; an IUD or Implant; or a Shot, Patch, or Birth Control Ring Before Last Sexual Intercourse with an Opposite-Sex Partner,\* 2021-2023<sup>†</sup>



\*To prevent pregnancy, among students who were currently sexually active

<sup>†</sup>No change 2021-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]


This graph contains weighted results.

# Percentage of High School Students Who Did Not Use Any Method to Prevent Pregnancy During Last Sexual Intercourse with an Opposite-Sex Partner,\* by Sex, Grade, and Race/Ethnicity, 2023



\*During last sexual intercourse, among students who were currently sexually active.  
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.  
 Missing bar indicates fewer than 30 students in the subgroup.  
 This graph contains weighted results.

# Percentage of High School Students Who Did Not Use Any Method to Prevent Pregnancy During Last Sexual Intercourse with an Opposite-Sex Partner,\* 2021-2023†



\*During last sexual intercourse, among students who were currently sexually active.

†Increased 2021-2023 [Based on linear trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ( $p < 0.05$ ).]

This graph contains weighted results.